The Journal of

Membrane Biology

**An international journal
for studies on the structure, function and genesis
of biomembranes**

Volumes 101–110 1987–1989

Editorial Board

W.R. Loewenstein, Miami, Editor-in Chief

Q. Al-Awqati, Columbia
G. Blobel, Rockefeller
D. Branton, Harvard
P. Cuatrecasas, Glaxo
J.M. Diamond, California, L.A.
D. Engelman, Yale
S. Fleischer, Vanderbilt
J.G. Forte, California, Berkeley
G. Guidotti, Harvard
J. Handler, Johns Hopkins
A. Helenius, Yale
L. Heppel, Cornell
W.L. Hubbell, California, L.A.
R.B. Kelly, California, S.F.
A. Klug, Cambridge
P. Läuger, Konstanz
S.E. Luria, MIT
E.A.C. MacRobbie, Cambridge
V.T. Marchesi, Yale
H.M. McConnell, Stanford
S. McLaughlin, SUNY, Stony Brook
C. Miller, Brandeis
H. Murer, Zurich
G.E. Palade, Yale
E. Racker, Cornell
H. Reuter, Bern
B. Sakmann, Max-Planck, Heidelberg
R.W. Schekman, California, Berkeley
S.G. Schultz, Texas
S.J. Singer, California, S.D.
C.L. Slayman, Yale
K.R. Spring, N.I.H.
C.F. Stevens, Yale
W. Stoeckenius, California, S.F.
D. Urry, Alabama
H.H. Ussing, Copenhagen

D.J. Fritts, Assistant to the Editor

Springer-Verlag New York Inc.

The exclusive copyright for all languages and countries, including the right for photomechanical and any other reproductions, also in microform, is transferred to the publisher

The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Printed in West Germany

© 1989 by Springer-Verlag New York Inc.

Author Index — Volumes 101–110

Abdulaev, N.G., *see* Ivanov, V.T., et al. 110:97
Abraham, R.J., *see* Dunne, M.J., et al. 104:165
Adragna, N.C., *see* Zade-Oppen, A.M.M., et al. 103:217
Aguenaou, H., Hubsch, A., Colin, D.A.: Is There a Cl^-–OH^- Exchange (Cl^-–H^+ Cotransport) Mechanism in the Brush-Border Membrane of the Intestine of the Fresh Water Trout (*Salmo gairdneri*, R.)? 108:13
Ahnen, D.J., *see* Molitoris, B.A., et al. 106:233
Akamatsu, Y., *see* Uratani, Y., et al. 107:57
Alder, G.M., *see* Bashford, C.L., et al. 103:79
Alonso-Romanowski, S., Biondi, A.C., Disalvo, E.A.: Effect of Carbohydrates and Glycerol on the Stability and Surface Properties of Lyophilized Liposomes 108:1
Althoff, G., Lill, H., Junge, W.: Proton Channel of the Chloroplast ATP Synthase, CF_o: Its Time-Averaged Single-Channel Conductance as Function of pH, Temperature, Isotopic and Ionic Medium Composition 107:263
Alvarez, J., García-Sancho, J., Herreros, B.: All or None Cell Responses of Ca^{2+}-Dependent K Channels Elicited by Calcium or Lead in Human Red Cells Can Be Explained by Heterogeneity of Agonist Distribution 104:129
Ambudkar, I.S., Baum, B.J.: ATP-Dependent Calcium Transport in Rat Parotid Basolateral Membrane Vesicles is Modulated by Membrane Potential 102:59
Amler, E., *see* Svoboda, P., et al. 104:211
Andersen, J.P., *see* Jørgensen, P.L. 103:95
Andreoli, T.E., *see* Reeves, W.B., et al. 109:65
Anraku, Y., *see* Tanifuji, M., et al. 106:47
Apell, H.-J.: Electrogenic Properties of the Na,K Pump (*topical review*) 110:103
Apell, H.-J., *see* Stürmer, W., et al. 110:67
Arellano, R.O., Ramón, F., Rivera, A., Zampighi, G.A.: Calmodulin Acts as an Intermediary for the Effects of Calcium on Gap Junctions from Crayfish Lateral Axons 101:119
Argent, B.E., *see* Gray, M.A., et al. 105:131
Arnaout, M., *see* Cortas, N., et al. 108:187
Arnason, B.G.W., *see* Soliven, B., et al. 105:177
Avenet, P., Lindemann, B.: Amiloride-Blockable Sodium Currents in Isolated Taste Receptor Cells 105:245
Avison, M.J., Gullans, S.R., Ogino, T., Giebisch, G.: Na^+ and K^+ Fluxes Stimulated by Na^+-Coupled Glucose Transport: Evidence for a Ba^{2+}-Insensitive K^+ Efflux Pathway in Rabbit Proximal Tubules 105:197
Ayer, R.K., Jr., *see* Fujii, S., et al. 101:209
Bach, D., Vinkler, C., Miller, I.R., Caplan, S. R.: Interaction of Furosemide with Lipid Membranes 101:103
Baker, P.F., *see* Knight, D.E., et al. 104:21
Balling, A., *see* Rygol, J., et al. 107:203
Bamberg, E., *see* Christensen, B., et al. 104:179
Bashford, C.L., Alder, G.M., Graham, J.M., Menestrina, G., Pasternak, C.A.: Ion Modulation of Membrane Permeability: Effect of Cations on Intact Cells and on Cells and Phospholipid Bilayers Treated with Pore-Forming Agents 103:79
Basson, M., *see* George, E.B., et al. 103:245
Basson, M., *see* Nyirjesy, P., et al. 105:45
Batzer, A., *see* Somogyi, R., et al. 108:273
Baum, B.J., *see* Ambudkar, I.S. 102:59
Beeker, T.G., *see* Muallem, S., et al. 102:153
Beeker, T.G., *see* Muallem, S., et al. 106:57
Belan, P.V., *see* Kostyuk, P.G., et al. 110:11
Benga, G., Popescu, O., Borza, V., Pop, V.I., Hodârnău, A.: Water Exchange Through Erythrocyte Membranes: Biochemical and Nuclear Magnetic Resonance Studies Re-evaluating the Effects of Sulfhydryl Reagents and of Proteolytic Enzymes on Human Membranes 108:105
Bennekou, P.: Protonophore Anion Permeability of the Human Red Cell Membrane Determined in the Presence of Valinomycin 102:225
Bennekou, P.: Steady-State and Transient Membrane Potentials in Human Red Cells Determined by Protonophore-Mediated pH Changes 106:41
Berry, C.A., Verkman, A.S.: Osmotic Gradient Dependence of Osmotic Water Permeability in Rabbit Proximal Convoluted Tubule 105:33
Bertl, A.: Current-Voltage Relationships of a Sodium-Sensitive Potassium Channel in the Tonoplast of *Chara corallina* 109:9
Bertl, A., Klieber, H.G., Gradmann, D.: Slow Kinetics of a Potassium Channel in *Acetabularia* 102:141
Biagi, B.A., *see* Vance, B.A. 108:53
Biondi, A.C., *see* Alonso-Romanowski, S., et al. 108:1
Blatt, M.R.: Potassium-Dependent, Bipolar Gating of K^+ Channels in Guard Cells 102:235
Blitzer, B.L., *see* Schron, C.M., et al. 102:175
Boerner, P., *see* Saier, M.H., Jr., et al. 104:1
Bonga, S.E.W., *see* Verbost, P.M., et al. 102:97
Borza, V., *see* Benga, G., et al. 108:105
Bosma, M.M., *see* Moody, W.J. 107:179
Bourguet, J., *see* Ibarra, C., et al. 110:115
Bradley, M.E., *see* Yiu, S.C., et al. 102:185
Braithwaite, R.S., *see* Emmer, E., et al. 108:207
Brandenburg, K., *see* Seydel, U., et al. 109:95
Breuer, W.: Characterization of Chloride Channels in Membrane Vesicles from the Kidney Outer Medulla 107:35
Briand, J.P., *see* Dupont, E., et al. 104:119
Briand, J.P., *see* Dupont, E., et al. 108:247
Brown, P.D., Loo, D.D.F., Wright, E.M.: Ca^{2+}-Activated K^+ Channels in the Apical Membrane of *Necturus* Choroid Plexus 105:207
Brown, P.D., *see* Loo, D.D.F., et al. 105:221
Büchner, K.-H., *see* Frey, N., et al. 101:151
Buisman, H.P., *see* Ypey, D.L., et al. 101:141
Burckhardt, G., *see* Lin, M.C., et al. 106:1
Burckhardt, G., *see* Turrini, F., et al. 107:1
Byerly, L., *see* Yazejian, B. 107:63
Caldwell, J.H., *see* Takeuchi, Y., et al. 101:33
Canessa, M., *see* Semplicini, A., et al. 107:219
Canessa, M., *see* Wolff, D., et al. 106:243
Caplan, S.R., *see* Bach, D., et al., 101:103
Carlton, C.G., *see* Hale, C.C., et al. 106:211
Carpi-Medina, P., León, V., Espidel, J., Whittembury, G.: Diffusive Water Permeability in Isolated Kidney Proximal Tubular Cells: Nature of the Cellular Water Pathways 104:35
Cassano, G., Maffia, M., Vilella, S., Storelli, C.: Effects of Membrane Potential on Na Cotransports in Eel Intestinal Brush-Border Membrane Vesicles: Studies with a Fluorescent Dye 101:225
Cecchi, X., *see* Wolff, D., et al. 106:243
Cerana, R., *see* Colombo, R., et al. 103:227
Cereijido, M., Ponce, A., González-Mariscal, L.: Tight Junctions and Apical/Basolateral Polarity (*topical review*) 110:1
Cereijido, M., *see* González-Mariscal, L., et al. 107:43
Chan, L.K., *see* Molitoris, B.A., et al. 107:119
Chang, H., Yamashita, N., Matsunaga, H., Kurokawa, K.:

Ca^{2+}-Activated K^+ Conductance Causes Membrane Hyperpolarizations in a Monkey Kidney Cell Line (JTC-12) 103:263
Chang, L., *see* Weinman, E.J., et al. 103:237
Changya, L., Gallacher, D.V., Irvine, R.F., Potter, B.V.L., Petersen, O.H.: Inositol 1,3,4,5-Tetrakisphosphate Is Essential for Sustained Activation of the Ca^{2+}-Dependent K^+ Current in Single Internally Perfused Mouse Lacrimal Acinar Cells 109:85
Chávez de Ramirez, B., *see* González-Mariscal, L., et al. 107:43
Cherksey, B.D., *see* Jessen, F., et al. 108:139
Chizmadzhev, Yu.A., *see* Ivanov, V.T., et al. 110:97
Christensen, B., Gutweiler, M., Grell, E., Wagner, N., Pabst, R., Dose, K., Bamberg, E.: Pump and Displacement Currents of Reconstituted ATP Synthase on Black Lipid Membranes 104:179
Christian, A.-L., *see* Thévenod, F., et al. 107:263
Christian, A.-L., *see* Thévenod, F., et al. 109:173
Ciani, S., Ribalet, B.: Ion Permeation and Rectification in ATP-Sensitive Channels from Insulin-Secreting Cells (RINm5F): Effects of K^+, Na^+ and Mg^{2+} 103:171
Ciani, S., *see* Eddlestone, G.T., et al. 109:123
Civan, M.M., *see* Leibowich, S., et al. 102:121
Claude-Schlageter, M.-H., *see* Mengual, R., et al. 108:197
Clausen, C., *see* Dixon, T.E., et al. 102:49
Clauss, W., Dantzer, V., Skadhauge, E.: A Low-Salt Diet Facilitates Cl Secretion in Hen Lower Intestine 102:83
Coachman, D., *see* Dixon, T.E., et al. 102:49
Coady, M.J., *see* Ikeda, T.S., et al. 110:87
Cohen, M.E., *see* Emmer, E., et al. 108:207
Colin, D.A., *see* Aguenaou, H., et al. 108:13
Collins, C., *see* Grossie, J., et al. 105:265
Colombini, M., *see* Holden, M.J. 103:205
Colombo, R., Cerana, R., Lado, P., Peres, A.: Voltage-Dependent Channels to K^+ and Na^+ in the Membrane of *Acer pseudoplatanus* Vacuoles 103:227
Condrau, M.A., *see* Montrose, M.H., et al. 108:31
Conger, J.D., *see* Molitoris, B.A., et al. 107:119
Cook, D.I., Young, J.A.: Effect of K^+ Channels in the Apical Plasma Membrane on Epithelial Secretion Based on Secondary Active Cl^- Transport 110:139
Cooper, K.E., Gates, P.Y., Eisenberg, R.S.: Diffusion Theory and Discrete Rate Constants in Ion Permeation (*topical review*) 106:95
Corbett, A.M., Krueger, B.K.: Polypeptide Neurotoxins Modify Gating and Apparent Single-Channel Conductance of Veratridine-Activated Sodium Channels in Planar Lipid Bilayers 110:199
Cornejo, M., Guggino, S.E., Guggino, W.B.: Ca^{2+}-Activated K^+ Channels from Cultured Renal Medullary Thick Ascending Limb Cells: Effects of pH 110:49
Cornejo, M., Guggino, S.E., Sastre, A., Guggino, W.B.: Isomeric Yohimbine Alkaloids Block Calcium-Activated K^+ Channels in Medullary Thick Ascending Limb Cells of Rabbit Kidney 107:25
Cortas, N., Arnaout, M., Salon, J., Edelman, I.S.: Isoforms of Na,K-ATPase in *Artemia salina*: II. Tissue Distribution and Kinetic Characterization 108:187
Cortas, N., *see* Salon, J., et al. 108:177
Cragoe, E.J., Jr., *see* Jentsch, T.J., et al. 103:29
Cragoe, E.J., Jr., *see* Kleyman, T.R. 105:1
Cragoe, E.J., Jr., *see* Weinman, E.J., et al. 101:1
Dahl, R., *see* Molitoris, B.A., et al. 106:233
Daniels, G.A., *see* Saier, M.H., Jr., et al. 104:1
Dantzer, V., *see* Clauss, W., et al. 102:83
Das, S., Palmer, L.G.: Extracellular Ca^{2+} Controls Outward Rectification by Apical Cation Channels in Toad Urinary Bladder: Patch-Clamp and Whole-Bladder Studies 107:157
Deamer, D.W., Nichols, J.W.: Proton Flux Mechanisms in Model and Biological Membranes (*topical review*) 107:91
DeFelice, L.J., *see* Kell, M.J. 102:1
DeFeo, B., *see* Mariani, M.F., et al. 108:235
DeHaan, R.L., *see* Fujii, S., et al. 101:209
Dehlinger-Kremer, M., *see* Thévenod, F., et al. 109:173
DeLong, J., *see* Leibowich, S., et al. 102:121
Devés, R, *see* Krupka, R.M. 101:43
Dial, E.J., Huang, J., O'Neil, R.G., Hills, B.A., Lichtenberger, L.M.: Surface Hydrophobicity and Water Transport of the Toad Urinary Bladder: Effects of Vasopressin 106:119
Diener, M., Rummel, W., Mestres, P., Lindemann, B.: Single Chloride Channels in Colon Mucosa and Isolated Colonic Enterocytes of the Rat 108:21
Dinh, Q., *see* Weinman, E.J., et al. 103:237
Dinh, Q., *see* Weinman, E.J., et al. 109:233
Disalvo, E.A., *see* Alonso-Romanowski, S., et al. 108:1
Dixon, T.E., Clausen, C., Coachman, D.: Constitutive and Transport-Related Endocytotic Pathways in Turtle Bladder Epithelium 102:49
Donowitz, M., *see* Emmer, E., et al. 108:207
Dörge, A., *see* Rick, R., et al. 101:275
Dose, K., *see* Christensen, B., et al. 104:179
Dubinsky, W.P., *see* Weinman, E.J., et al. 101:1
Dubinsky, W.P., *see* Weinman, E.J., et al. 101:11
Dubinsky, W.P., *see* Weinman, E.J., et al. 103:237
Dubinsky, W.P., *see* Weinman, E.J., et al. 109:233
Dulhunty, A.F.: Feet, Bridges, and Pillars in Triad Junctions of Mammalian Skeletal Muscle: Their Possible Relationship to Calcium Buffers in Terminal Cisternae and T-Tubules and to Excitation–Contraction Coupling 109:73
Duncan, G., Stewart, S., Prescott, A.R., Warn, R.M.: Membrane and Junctional Properties of the Isolated Frog Lens Epithelium 102:195
Dunham, P.B., *see* Feit, P.W., et al. 103:135
Dunne, M.J., Findlay, I., Petersen, O.H.: Effects of Pyridine Nucleotides on the Gating of ATP-Sensitive Potassium Channels in Insulin-Secreting Cells 102:205
Dunne, M.J., West-Jordan, J.A., Abraham, R.J., Edwards, R.H.T., Petersen, O.H.: The Gating of Nucleotide-Sensitive K^+ Channels in Insulin-Secreting Cells Can Be Modulated by Changes in the Ratio ATP^{4-}/ADP^{3-} and by Nonhydrolyzable Derivatives of Both ATP and ADP 104:165
Dupont, E., El Aoumari, A., Briand, J.P., Fromaget, C., Gros, D.: Cross-Linking of Cardiac Gap Junction Connexons by Thiol/Disulfide Exchanges 108:247
Dupont, E., El Aoumari, A., Roustiau-Sévère, S., Briand, J.O., Gros, D.: Immunological Characterization of Rat Cardiac Gap Junctions: Presence of Common Antigenic Determinants in Heart of Other Vertebrate Species and in Various Organs 104:119
Eddlestone, G.T., Ribalet, B., Ciani, S.: Comparative Study of K Channel Behavior in β Cell Lines with Different Secretory Responses to Glucose 109:123
Edelman, I.S., *see* Salon, J., et al. 108:177
Edelman, I.S., *see* Cortas, N., et al. 108:187
Edwards, R.H.T., *see* Dunne, M.J., et al. 104:165
Ehrenberg, B., *see* Gross, E., et al. 101:283
Eisenberg, R.S., *see* Cooper, K.E., et al. 106:95
El Aoumari, A., *see* Dupont, E., et al. 104:119
El Aoumari, A., *see* Dupont, E., et al. 108:247

Elgavish, A., *see* Meezan, E., et al. 105:113
Emmer, E., Rood, R.P., Wesolek, J.H., Cohen, M.E., Braithwaite, R.S., Sharp, G.W.G., Murer, H., Donowitz, M.: Role of Calcium and Calmodulin in the Regulation of the Rabbit Ileal Brush-Border Membrane Na^+/H^+ Antiporter 108:207
Ernst, L.A., *see* George, E.B., et al. 103:245
Espidel, J., *see* Carpi-Medina, P., et al. 104:35
Essig, A., *see* Klemperer, G. 106:107
Essig, A., *see* Nagel, W., et al. 106:13
Fairley, K.A., *see* Laver, D.R., et al. 108:153
Falk, S.A., *see* Molitoris, B.A., et al. 107:119
Feit, P.W., Hoffmann, E.K., Schiødt, M., Kristensen, P., Jessen, F., Dunham, P.B.: Purification of Proteins of the Na/Cl Cotransporter from Membranes of Ehrlich Ascites Cells Using a Bumetanide-Sepharose Affinity Column 103:135
Fichtner, H., *see* Kohlhardt, M. 102:105
Fichtner, H., *see* Kohlhardt, M., et al. 103:283
Findlay, I.: Effects of ADP upon the ATP-Sensitive K^+ Channel in Rat Ventricular Myocytes 101:83
Findlay, I., *see* Dunne, M.J., et al. 102:205
Fischer, D.G., *see* Jentsch, T.J., et al. 103:29
Fisher, K., *see* Weinman, E.J., et al. 103:237
Fishman, P.H., *see* Mulhern, S.A., et al. 109:21
Flik, G., *see* Verbost, P.M., et al. 102:97
Fong, P., Illsley, N.P., Widdicombe, J.H., Verkman, A.S.: Chloride Transport in Apical Membrane Vesicles from Bovine Tracheal Epithelium: Characterization Using a Fluorescent Indicator 104:233
Forsyth, G.W., Gabriel, S.E.: Activation of Chloride Conductance in Pig Jejunal Brush Border Vesicles 107:137
Freedman, J.C., *see* George, E.B., et al. 103:245
Freedman, J.C., *see* George, E.B., et al. 105:55
Freedman, J.C., *see* Nyirjesy, P., et al. 105:45
Frey, N., Büchner, K.-H., Zimmermann, U.: Water Transport Parameters and Regulatory Processes in *Eremosphaera viridis* 101:151
Friedrich, F., Paulmichl, M., Kolb, H.-A., Lang, F.: Inward Rectifier K Channels in Renal Epithelioid Cells (MDCK) Activated by Serotonin 106:149
Frings, S., Lindemann, B.: Odorant Response of Isolated Olfactory Receptor Cells is Blocked by Amiloride 105:233
Frings, S., Purves, R.D., Macknight, A.D.C.: Single-Channel Recordings from the Apical Membrane of the Toad Urinary Bladder Epithelial Cell 106:157
Frobe, U., *see* Kohlhardt, M., et al. 103:283
Fröhlich, O.: The "Tunneling" Mode of Biological Carrier-Mediated Transport (*topical review*) 101:189
Fromaget, C., *see* Dupont, E., et al. 108:247
Fujii, S., Ayer, R.K., Jr., DeHaan, R.L.: Development of the Fast Sodium Current in Early Embryonic Chick Heart Cells 101:209
Fukushima, Y., Kon, H.: A Flow EPR Study of Deformation and Orientation Characteristics of Erythrocyte Ghosts: Effects of Lysing and Resealing Conditions 104:265
Gabriel, S.E., *see* Forsyth, G.W. 107:137
Gallacher, D.V., *see* Changya, L., et al. 109:85
Gallin, E.K., McKinney, L.C.: Patch-Clamp Studies in Human Macrophages: Single-Channel and Whole-Cell Characterization of Two K^+ Conductances 103:55
Gallin, E.K., *see* McKinney, L.C. 103:41
Garcia-Díaz, J.F., *see* Nagel, W., et al. 106:13
García-Sancho, J., *see* Alvarez, J., et al. 104:129
Gates, P.Y., *see* Cooper, K.E., et al. 106:95
Geering, K., *see* Zamofing, D., et al. 104:69
George, E.B., Nyirjesy, P., Basson, M., Ernst, L.A., Pratap, P.R., Freedman, J.C., Waggoner, A.S.: Impermeant Potential-Sensitive Oxonol Dyes: I. Evidence for an "On-Off" Mechanism 103:245
George, E.B., Nyirjesy, P., Pratap, P.R., Freedman, J.C., Waggoner, A.S.: Impermeant Potential-Sensitive Oxonol Dyes: III. The Dependence of the Absorption Signal on Membrane Potential 105:55
George, E.B., *see* Nyirjesy, P., et al. 105:45
George, J.N., *see* Turner, R.J. 102:71
Gershfeld, N.L., Murayama, M.: Thermal Instability of Red Blood Cell Membrane Bilayers: Temperature Dependence of Hemolysis 101:67
Giebeler, H., *see* Lichtenberg, H.C., et al. 103:255
Giebisch, G., *see* Avison, M.J., et al. 105:187
Giebisch, G., *see* Horisberger, J.-D. 105:257
Gillis, K., *see* Misler, S., et al. 109:135
Giraldez, F., *see* Sheppard, D.N., et al. 105:65
Glass, J., *see* Nunez, M.T., et al. 107:129
Gögelein, H., *see* Schmid, A., et al. 104:275
González-Mariscal, L., Chávez de Ramirez, B., Lázaro, A., Cereijido, M.: Establishment of Tight Junctions Between Cells from Different Animal Species and Different Sealing Capacities 107:43
González-Mariscal, L., *see* Cereijido, M., et al. 110:1
Gradmann, D., *see* Bertl, A., et al. 102:141
Graeve, L., *see* Sargiacomo, M., et al. 107:277
Graham, J.M., *see* Bashford, C.L., et al. 103:79
Gray, M.A., Greenwell, J.R., Argent, B.E.: Secretin-Regulated Chloride Channel on the Apical Plasma Membrane of Pancreatic Duct Cells 105:131
Greenwell, J.R., *see* Gray, M.A., et al. 105:131
Grell, E., *see* Christensen, B., et al. 104:179
Griff, E.R., *see* Scharschmidt, B.F., et al. 106:71
Gros, D., *see* Dupont, E., et al. 104:119
Gros, D., *see* Dupont, E., et al. 108:247
Gross, E., Malik, Z., Ehrenberg, B.: Erratum 101:283
Grossie, J., Collins, C., Julian, M.: Bicarbonate and Fast-Twitch Muscle: Evidence for a Major Role in pH Regulation 105:265
Guggino, S.E., *see* Cornejo, M., et al. 107:25
Guggino, S.E., *see* Cornejo, M., et al. 110:49
Guggino, W.B., *see* Cornejo, M., et al. 107:25
Guggino, W.B., *see* Cornejo, M., et al. 110:49
Gulak, P.V., *see* Orlov, S.N., et al. 107:105
Gullans, S.R., *see* Avison, M.J., et al. 105:197
Gullans, S.R., *see* Kone, B.C., et al. 102:11
Gupta, R.K., *see* Nyirjesy, P., et al. 105:45
Gutknecht, J.: Proton Conductance Caused by Long-Chain Fatty Acids in Phospholipid Bilayer Membranes 106:83
Gutweiler, M., *see* Christensen, B., et al. 104:179
Hale, C.C., Kleiboeker, S.B., Carlton, C.G., Rovetto, M.J., Jung, C., Kim, H.D.: Evidence for High Molecular Weight Na–Ca Exchange in Cardiac Sarcolemmal Vesicles 106:211
Hales, K.L., *see* Yiu, S.C., et al. 102:185
Handler, J.S., *see* Harris, H.W., Jr. 103:207
Handler, J.S., *see* Strange K., et al. 103:17
Hansen, U.-P., *see* Stein, S. 103:149
Hansen, U.-P., *see* Vanselow, K.H. 110:175
Harold, F.M., *see* Takeuchi, Y., et al. 101:33
Harris, A.L., Walter, A., Zimmerberg, J.: Transport-Specific Isolation of Large Channels Reconstituted into Lipid Vesicles 109:243
Harris, H.W., Jr., Handler, J.S.: The Role of Membrane Turn-

over in the Water Permeability Response to Antidiuretic Hormone (*topical review*) 103:207
Harris, H.W., Jr., *see* Strange, K., et al. 103:17
Haynes, D.H., *see* Johansson, J.S. 104:147
Hediger, M.A., *see* Ikeda, T.S., et al. 110:87
Helbig, H., *see* Jentsch, T.J., et al. 103:29
Hempling, H.G.: Analysis of Ion Channels by Modeling the Osmotic Effects of Weak Acids and Bases 110:127
Henderson, G.B., Tsuji, J.M., Kumar, H.P.: Mediated Uptake of Folate by a High-Affinity Binding Protein in Sublines of L1210 Cells Adapted to Nanomolar Concentrations of Folate 101:247
Hengartner, H., *see* Honold, K., et al. 105:165
Herreros, B., *see* Alvarez, J., et al. 104:129
Hills, B.A., *see* Dial, E.J., et al. 106:119
Hirayama, B.A., *see* Ikeda, T.S., et al. 110:87
Hodårnåu, A., *see* Benga, G., et al. 108:105
Höfer, M., *see* Lichtenberg, H.C., et al. 103:255
Hoffmann, E.K., *see* Feit, P.W., et al. 103:135
Hoffmann, E.K., *see* Jessen, F., et al. 108:139
Hoffmann, E.K., *see* Kramhøft, B., et al. 102:35
Hoilien, C.A., *see* Molitoris, B.A., et al. 106:233
Holden, M.J., Colombini, M.: On the Reported Channel-Forming Activity of HmT Toxin 103:205
Hollwede, H., *see* Jentsch, T.J., et al. 103:29
Honold, K., Ludeke, B., Hengartner, H., Semenza, G.: Stimulation of Intestinal Na^+/D-Glucose Cotransport by Monoclonal Antibodies 105:165
Hopgood, M., *see* Sanders, D., et al. 108:253
Hori, H., *see* Takenaka, T., et al. 106:141
Horie, H., *see* Takenaka, T., et al. 106:141
Horisberger, J.-D., Giebisch, G.: Voltage Dependence of the Basolateral Membrane Conductance in the *Amphiuma* Collecting Tubule 105:257
Hosey, M.M., Lazdunski, M.: Calcium Channels: Molecular Pharmacology, Structure and Regulation (*topical review*) 104:81
Hoshino, T., *see* Uratani, Y., et al. 107:57
Huang, J., *see* Dial, E.J., et al. 106:119
Hubsch, A., *see* Aguenaou, H., et al. 108:13
Hwang, E.-S., *see* Ikeda, T.S., et al. 110:87
Ibarra, C., Ripoche, P., Bourguet, J.: Effect of Mercurial Compounds on Net Water Transport and Intramembrane Particle Aggregates in ADH-Treated Frog Urinary Bladder 110:115
Ibarroia, I., *see* Trueba, M., et al. 108:115
Ikeda, T.S., Hwang, E.-S., Coady, M.J., Hirayama, B.A., Hediger, M.A., Wright, E.M.: Characterization of a Na^+/Glucose Cotransporter Cloned from Rabbit Small Intestine 110:87
Illsley, N.P., *see* Fong, P., et al. 104:233
Ingham, C.E., *see* Yiu, S.C., et al. 102:185
Irvine, R.F., *see* Changya, L., et al. 109:85
Ito, T., Kon, H.: A Flow EPR Study of Deformation and Orientation Characteristics of Erythrocyte Ghosts: A Possible Effect of an Altered State of Cytoskeletal Network 101:57
Ivanov, V.T., Abdulaev, N.G., Modyanov, N.N., Chizmadzhev, Yu.A., Lev, A.A.: In Memory of Yuri A. Ovchinnikov 110:97
Janicke, I., *see* Jentsch, T.J., et al. 103:29
Janoshazi, A., Ojcius, D.M., Kone, B., Seifter, J.L., Solomon, A.K.: Relation Between the Anion Exchange Protein in Kidney Medullary Collecting Duct Cells and Red Cell Band 3 103:181
Jeannin, J.F., Klein, R., Reisser, D., Lagadec, P., Vincent, M., Tatischeff, I.: Correlation Between the Synergistic Effect of Liposomes and Endotoxins on the Activation of Macrophage Tumoricidal Activity and the Effect of Liposomes on the Rough Endoplasmic Reticulum of Macrophages 104:107
Jennings, I.R., *see* Sanders, D., et al. 108:253
Jentsch, T.J., Korbmacher, C., Janicke, I., Fischer, D.G., Stahl, F., Helbig, H., Hollwede, H., Cragoe, E.J., Jr., Keller, S.K., Wiederholt, M.: Regulation of Cytoplasmic pH of Cultured Bovine Corneal Endothelial Cells in the Absence and Presence of Bicarbonate 103:29
Jessen, F., Cherksey, B.D., Zeuthen, T., Hoffmann, E.K.: Isolation and Reconstitution of Furosemide-Binding Proteins from Ehrlich Ascites Tumor Cells 108:139
Jessen, F., *see* Feit, P.W., et al. 103:135
Jirounek, P., Vitus, J., Pralong, W.F., Straub, R.W.: Calcium Efflux and Intracellular Exchangeable Calcium in Mammalian Nonmyelinated Nerve Fibers 103:121
Johansson, J.S., Haynes, D.H.: Deliberate Quin2 Overload as a Method for *In Situ* Characterization of Active Calcium Extrusion Systems and Cytoplasmic Calcium Binding: Application to the Human Platelet 104:147
Johnson, R.G., *see* Lampe, P.D. 107:145
Jørgensen, P.L., Andersen, J.P.: Structural Basis for E_1–E_2 Conformational Transitions in Na,K-Pump and Ca-Pump Proteins (*topical review*) 103:95
Jow, F., *see* Schoppa, N., et al. 108:73
Julian, M., *see* Grossie, J., et al. 105:265
Julien, T., Zaki, L.: Studies on Inactivation of Anion Transport in Human Red Blood Cell Membrane by Reversibly and Irreversibly Acting Arginine-Specific Reagents 102:217
Jung, C., *see* Hale, C.C., et al. 106:211
Junge, W., *see* Althoff, G., et al. 108:263
Kaleta, M., *see* Kone, B.C., et al. 102:11
Kasai, M., *see* Tanifuji, M., et al. 106:47
Kaunitz, J.D., *see* Loo, D.D.F. 110:19
Kawakami, T., *see* Takenaka, T., et al. 106:141
Kell, M.J., DeFelice, L.J.: Surface Charge Near the Cardiac Inward-Rectifier Channel Measured from Single-Channel Conductance 102:1
Keller, S.K., *see* Jentsch, T.J., et al. 103:29
Kemmer, T.P., *see* Schmid, A., et al. 104:275
Kemmer, T.P., *see* Thévenod, F., et al. 107:263
Kemmer, T.P., *see* Thévenod, F., et al. 109:173
Keszthelyi, L., Ormos, P.: Protein Electric Response Signals from Dielectrically Polarized Systems (*topical review*) 109:193
Khodadad, J.K., Weinstein, R.S., Marsh, L.W., Steck, T.L.: Shape Determinants of McLeod Acanthocytes 107:213
Kim, H.D., *see* Hale, C.C., et al. 106:211
Kim, H.D., *see* Sergeant, S., et al. 109:209
Kim, J., *see* Molitoris, B.A., et al. 106:233
Kinne, R., *see* Wolff, N.A. 102:131
Kirk, R.G., Lee, P.: Anion Transport During Maturation of Erythroblastic Cells 101:173
Kleiboeker, S.B., *see* Hale, C.C., et al. 106:211
Klein, R., *see* Jeannin, J.F., et al. 104:107
Klemperer, G., Essig, A.: Influence of Serosal Cl on Transport Properties and Cation Activities in Frog Skin 106:107
Kleyman, T.R., Cragoe, E.J., Jr.: Amiloride and Its Analogs as Tools in the Study of Ion Transport (*topical review*) 105:1
Klieber, H.G., *see* Bertl, A., et al. 102:141
Knight, D.E., Sugden, D., Baker, P.F.: Evidence Implicating Protein Kinase C in Exocytosis from Electropermeabilized Bovine Chromaffin Cells 104:21
Knight, D.E.: An Appreciation of Peter Baker 103:3
Kohlhardt, M., Fichtner, H.: Block of Single Cardiac Na^+ Channels by Antiarrhythmic Drugs: The Effect of Amiodarone, Propafenone and Diprafenone 102:105

Kohlhardt, M., Fichtner, H., Frobe, U.: Predominance of Poorly Reopening Single Na^+ Channels and Lack of Slow Na^+ Inactivation in Neonatal Cardiocytes 103:283
Kolb, H.-A., *see* Friedrich, F., et al. 106:149
Kolb, H.-A., *see* Somogyi, R., et al. 108:273
Kolb, H.-A., *see* Ubl, J., et al. 104:223
Kon, H., *see* Fukushima, Y. 104:265
Kon, H., *see* Ito, T. 101:57
Kone, B.C., Kaleta, M., Gullans, S.R.: Silver Ion (Ag^+)-Induced Increases in Cell Membrane K^+ and Na^+ Permeability in the Renal Proximal Tubule: Reversal by Thiol Reagents 102:11
Kone, B.C., *see* Janoshazi, A., et al. 103:181
Korbmacher, C., *see* Jentsch, T.J., et al. 103:29
Kostyuk, P.G., Mironov, S.L., Tepikin, A.V., Belan, P.V.: Cytoplasmic Free Ca in Isolated Snail Neurons as Revealed by Fluorescent Probe Fura-2: Mechanisms of Ca Recovery after Ca Load and Ca Release from Intracellular Stores 110:11
Kostyuk, P.G., Shuba, Ya.M., Teslenko, V.I.: Activation Kinetics of Single High-Threshold Calcium Channels in the Membrane of Sensory Neurons from Mouse Embryos 110:29
Kotelevtsev, Y.V., *see* Orlov, S.N., et al. 107:105
Kramer, W., *see* Lin, M.C., et al. 106:1
Kramhøft, B., Lambert, I.H., Hoffmann, E.K.: Na^+/H^+ Exchange in Ehrlich Ascites Tumor Cells: Activation by Cytoplasmic Acidification and by Treatment with Cupric Sulphate 102:35
Kristensen, P., *see* Feit, P.W., et al. 103:135
Krueger, B.K., *see* Corbett, A.M. 110:199
Krupka, R.M.: Role of Substrate Binding Forces in Exchange-Only Transport Systems: I. Transition-State Theory 109:151
Krupka, R.M.: Role of Substrate Binding Forces in Exchange-Only Transport Systems: II. Implications for the Mechanism of the Anion Exchanger of Red Cells 109:159
Krupka, R.M., Devés, R.: The Choline Carrier of Erythrocytes: Location of the NEM-Reactive Thiol Group in the Inner Gated Channel 101:43
Kumar, H.P., *see* Henderson, G.B., et al. 101:247
Kurokawa, K., *see* Chang, H., et al. 103:263
Kurtz, I.: Apical and Basolateral Na^+/H^+ Exchange in the Rabbit Outer Medullary Thin Descending Limb of Henle: Role in Intracellular pH Regulation 106:253
Kuwahara, M., Verkman, A.S.: Pre-Steady-State Analysis of the Turn-On and Turn-Off of Water Permeability in the Kidney Collecting Tubule 110:57
Lado, P., *see* Colombo, R., et al. 103:227
Lagadec, P., *see* Jeannin, J.F., et al. 104:107
Lambert, I.H.: Leukotriene-D_4 Induced Cell Shrinkage in Ehrlich Ascites Tumor Cells 108:165
Lambert, I.H., *see* Kramhøft, B., et al. 102:35
Lambert, R.W., *see* Yiu, S.C., et al. 102:185
Lampe, P.D., Johnson, R.G.: Phosphorylation of MP26, a Lens Junction Protein, Is Enhanced by Activators of Protein Kinase C 107:145
Lang, F., *see* Friedrich, F., et al. 106:149
Lauer, G., Minuth, W.W.: Apico-Basal Osmotic Gradient Induces Transcytosis in Cultured Renal Collecting Duct Epithelium 101:93
Lauf, P.K.: Thiol-Dependent K:Cl Transport of Sheep Red Cells: VIII. Activation through Metabolically and Chemically Reversible Oxidation by Diamide 101:179
Läuger, P.: In Memory of Denis Arthur Haydon 109:187
Läuger, P., *see* Stürmer, W., et al. 110:67
Laver, D.R., Fairley, K.A., Walker, N.A.: Ion Permeation in a K^+ Channel in *Chara australis*: Direct Evidence for Diffusion Limitation of Ion Flow in a Maxi-K Channel 108:153
Lázaro, A., *see* González-Mariscal, L., et al. 107:43
Lazdunski, M., *see* Hosey, M.M. 104:81
Le Bivic, A., *see* Sargiacomo, M., et al. 107:277
Lee, P., *see* Kirk, R.G. 101:173
Leibowich, S., DeLong, J., Civan, M.M.: Apical Na^+ Permeability of Frog Skin during Serosal Cl^- Replacement 102:121
Lenaz, G.: Role of Mobility of Redox Components in the Inner Mitochondrial Membrane (*topical review*) 104:193
León, V., *see* Carpi-Medina, P., et al. 104:35
Lev, A.A., *see* Ivanov, V.T., et al. 110:97
Lewis, S.A., *see* Zweifach, A. 101:49
Lichtenberg, H.C., Giebeler, H., Höfer, M.: Measurements of Electrical Potential Differences Across Yeast Plasma Membranes with Microelectrodes are Consistent with Values from Steady-State Distribution of Tetraphenylphosphonium in *Pichia humboldtii* 103: 255
Lichtenberger, L.M., *see* Dial, E.J., et al. 106:119
Lill, H., *see* Althoff, G., et al. 108:263
Lin, J., *see* Saier, M.H., Jr., et al. 104:1
Lin, M.C., Weinberg, S.L., Kramer, W., Burckhardt, G., Wilson, F.A.: Identification and Comparison of Bile Acid-Binding Polypeptides in Ileal Basolateral Membrane 106:1
Lindemann, B., *see* Avenet, P. 105:245
Lindemann, B., *see* Diener, M., et al. 108:21
Lindemann, B., *see* Frings, S. 105:233
Lisanti, M., *see* Sargiacomo, M., et al. 107:277
Liu, J., *see* Zimmerberg, J. 101:199
Lock, R.A.C., *see* Verbost, P.M., et al. 102:97
Loewenstein, W.R., *see* Maldonado, P.E., et al. 106:203
Loo, D.D.F., Brown, P.D., Wright, E.M.: Ca^{2+}-Activated K^+ Currents in *Necturus* Choroid Plexus 105:221
Loo, D.D.F., Kaunitz, J.D.: Ca^{2+} and cAMP Activate K^+ Channels in the Basolateral Membrane of Crypt Cells Isolated from Rabbit Distal Colon 110:19
Loo, D.D.F., *see* Brown, P.D., et al. 105:207
Lucchesi, K., Ravindran, A., Young, H., Moczydlowski, E.: Analysis of the Blocking Activity of Charybdotoxin Homologs and Iodinated Derivatives Against Ca^{2+}-Activated K^+ Channels 109:269
Lucchesi, K., *see* Moczydlowski, E., et al. 105:95
Ludeke, B., *see* Honold, K., et al. 105:165
Macarulla, J.M., *see* Trueba, M., et al. 108:115
MacDonald, R.C., *see* Perin, M.S. 109:221
Macey, R.I., *see* Orme, F.W., et al. 104:57
Macey, R.I., *see* Todd, A.P., et al. 109:41
Macey, R.I., *see* Todd, A.P., et al. 109:53
Macknight, A.D.C., *see* Frings, S., et al. 106:157
Maffia, M., *see* Cassano, G., et al. 101:225
Maldonado, P.E., Rose, B., Loewenstein, W.R.: Growth Factors Modulate Junctional Cell-to-Cell Communication 106: 203
Malik, Z., *see* Gross, E., et al. 101:283
Maloney, P.C., *see* Sonna, L.A. 101:267
Manganel, M., Turner, R.J.: Coupled Na^+/H^+ Exchange in Rat Parotid Basolateral Membrane Vesicles 102:247
Manning, S.D., Williams, A.J.: Conduction and Blocking Properties of a Predominantly Anion-Selective Channel from Human Platelet Surface Membrane Reconstituted into Planar Phospholipid Bilayers 109:113
Mariani, M.F., Thomas, L., DeFeo, B., van Rossum, G.D.B.: Effects of Monensin on ATP Levels and Cell Functions in Rat Liver and Lung in Vitro 108:235
Marino, A., *see* Trueba, M., et al. 108:115
Marsh, L.W., *see* Khodadad, J.K., et al. 107:213
Marunaka, Y.: Effects of Internal Na and External K Concentra-

tions on Na/K Coupling of Na,K-Pump in Frog Skeletal Muscle 101:19
Masur, S.K., *see* Verkman, A.S. 104:241
Matsunaga, H., *see* Chang, H., et al. 103:263
May, J.M.: Inhibition of Hexose Transport in the Human Erythrocyte by 5,5′-Dithiobis(2-Nitrobenzoic Acid): Role of an Exofacial Carrier Sulfhydryl Group 108:227
McBride, D.W., Jr., *see* Roper, S.D. 109:29
McBurney, R.N., *see* Smith, S.M., et al. 108:45
McDonald, G.A., *see* Reeves, W.B., et al. 109:65
McGee, R., Jr., Sansom, M.S.P., Usherwood, P.N.R.: Characterization of a Delayed Rectifier K^+ Channel in NG108-15 Neuroblastoma *X* Glioma Cells: Gating Kinetics and the Effects of Enrichment of Membrane Phospholipids with Arachidonic Acid 102:21
McKinney, L.C., Gallin, E.K.: Inwardly Rectifying Whole-Cell and Single-Channel K Currents in the Murine Macrophage Cell Line J774.1 103:41
McKinney, L.C., *see* Gallin, E.K. 103:55
Meezan, E., Pillion, D.J., Elgavish, A.: Binding and Degradation of ^{125}I-Insulin by Isolated Rat Renal Brush Border Membranes: Evidence for Low Affinity, High Capacity Insulin Recognition Sites 105:113
Mehlhorn, R.J., *see* Todd, A.P., et al. 109:41
Mehlhorn, R.J., *see* Todd, A.P., et al. 109:53
Mehta, P., *see* Reeves, W.B., et al. 109:65
Menestrina, G., *see* Bashford, C.L., et al. 103:79
Mengual, R., Claude-Schlageter, M.-H., Poiree, J.-C., Yagello, M., Sudaka, P.: Characterization of Sodium and Pyruvate Interactions of the Two Carrier Systems Specific of Mono- and Di- or Tricarboxylic Acids by Renal Brush-Border Membrane Vesicles 108:197
Mestres, P., *see* Diener, M., et al. 108:21
Miller, I.R., *see* Bach, D., et al. 101:103
Miller, I.R.: Penetration of Furosemide into Phospholipid Monolayers 101:113
Minuth, W.W., *see* Lauer, G. 101:93
Mir, M.A., *see* Spurlock, G., et al. 106:219
Mircheff, A.K., *see* Yiu, S.C., et al. 102:185
Mironov, S.L., *see* Kostyuk, P.G., et al. 110:11
Misler, S., Gillis, K., Tabcharani, J.: Modulation of Gating of a Metabolically Regulated, ATP-Dependent K^+ Channel by Intracellular pH in B Cells of the Pancreatic Islet 109:135
Moczydlowski, E., Lucchesi, K., Ravindran, A.: An Emerging Pharmacology of Peptide Toxins Targeted Against Potassium Channels (*topical review*) 105:95
Moczydlowski, E., *see* Lucchesi, K., et al. 109:269
Modyanov, N.N., *see* Ivanov, V.T., et al. 110:97
Moewes, B., *see* Turrini, F., et al. 107:1
Molitoris, B.A., Chan, L.K., Shapiro, J.I., Conger, J.D., Falk, S.A.: Loss of Epithelial Polarity: A Novel Hypothesis for Reduced Proximal Tubule Na^+ Transport Following Ischemic Injury 107:119
Molitoris, B.A., Hoilien, C.A., Dahl, R., Ahnen, D.J., Wilson, P.D., Kim, J.: Characterization of Ischemia-Induced Loss of Epithelial Polarity 106:233
Montes, J.G., *see* Sjodin, R.A., et al. 108:61
Montrose, M.H., Condrau, M.A., Murer, H.: Flow Cytometric Analysis of Intracellular pH in Cultured Opossum Kidney (OK) Cells 108:31
Moody, W.J., Bosma, M.M.: A Nonselective Cation Channel Activated by Membrane Deformation in Oocytes of the Ascidian *Boltenia villosa* 107:179
Moon, D.A., *see* Pajor, A.M., et al. 107:77
Morduchowicz, G.A., Yanagawa, N.: Ca^{2+} Dependency of Na^+ Transport by Rabbit Renal Brush Border Membrane 109:105
Morgan, K., *see* Spurlock, G., et al. 106:219
Moronne, M.M., *see* Orme, F.W., et al. 104:57
Muallem, S., Beeker, T., Pandol, S.J.: Role of Na^+/Ca^{2+} Exchange and the Plasma Membrane Ca^{2+} Pump in Hormone-Mediated Ca^{2+} Efflux from Pancreatic Acini 102:153
Muallem, S., Pandol, S.J., Beeker, T.G.: Calcium Mobilizing Hormones Activate the Plasma Membrane Ca^{2+} Pump of Pancreatic Acinar Cells 106:57
Mulhern, S.A., Fishman, P.H., Spiegel, S.: Interaction of the B Subunit of Cholera Toxin with Endogenous Ganglioside GM1 Causes Changes in Membrane Potential of Rat Thymocytes 109:21
Murayama, M., *see* Gershfeld, N.L. 101:67
Murer, H., *see* Emmer, E., et al. 108:207
Murer, H., *see* Montrose, M.H., et al. 108:31
Murer, H., *see* Ubl, J., et al. 104:223
Nagel, W., Garcia-Díaz, J.F., Essig, A.: Voltage Dependence of Cellular Current and Conductances in Frog Skin 106:13
Nagy, K.: Mechanism of Inactivation of Single Sodium Channels after Modification by Chloramine-T, Sea Anemone Toxin and Scorpion Toxin 106:29
Narahara, H.T., *see* Zaidi, S.I.M. 110:209
Nelson, D.J., *see* Schoppa, N., et al. 108:73
Nelson, D.J., *see* Soliven, B., et al. 105:177
Neumcke, B., *see* Weik, R. 110:217
Nichols, J.W., *see* Deamer, D.W. 107:91
Nijweide, P.J., *see* Ypey, D.L., et al. 101:141
Nishikawa, S., *see* Shimmen, T. 101:133
Nishiyama, A., *see* Ozawa, T., et al. 105:273
Nishiyama, A., *see* Saito, Y., et al. 101:73
Nogueira, R.A., Varanda, W.A.: Gating Properties of Channels Formed by Colicin Ia in Planar Lipid Bilayer Membranes 105:143
Nunez, M.T., Pinto, I., Glass, J.: Assay and Characteristics of the Iron Binding Moiety of Reticulocyte Endocytic Vesicles 107:129
Nyirjesy, P., George, E.B., Gupta, R.K., Basson, M., Pratap, P.R., Freedman, J.C., Raman, K., Waggoner, A.S.: Impermeant Potential-Sensitive Oxonol Dyes: II. The Dependence of the Absorption Signal on the Length of Alkyl Substituents Attached to the Dye 105:45
Nyirjesy, P., *see* George, E.B., et al. 103:245
Nyirjesy, P., *see* George, E.B., et al. 105:55
O'Neil, R.G., *see* Dial, E.J., et al. 106:119
Oberleithner, H., *see* Wang, W., et al. 101:259
Ogino, T., *see* Avison, M.J., et al. 105:187
Ohkawa, T., Tsutsui, I.: Electrical Tolerance (Breakdown) of the *Chara corallina* Plasmalemma: I. Necessity of Ca^{2+} 103:273
Oiki, S., Okada, Y.: Factors Responsible for Oscillations of Membrane Potential Recorded with Tight-Seal-Patch Electrodes in Mouse Fibroblasts 105:23
Ojcius, D.M., *see* Janoshazi, A., et al. 103:181
Okada, Y., *see* Oiki, S. 105:23
Orlov, S.N., Pokudin, N.I., Kotelevtsev, Y.V., Gulak, P.V.: Volume-Dependent Regulation of Ion Transport and Membrane Phosphorylation in Human and Rat Erythrocytes 107:105
Orme, F.W., Moronne, M.M., Macey, R.I.: Modification of the Erythrocyte Membrane Dielectric Constant by Alcohols 104:57
Ormos, P., *see* Keszthelyi, L. 109:193

Ortiz, C.E., *see* Romero, P.J. 101:237
Ortiz, O.E., *see* Sjodin, R.A., et al. 108:61
Otero, A.S., Szabo, G.: Role of the Sodium Pump and the Background K^+ Channel in Passive $K^+(Rb^+)$ Uptake by Isolated Cardiac Sarcolemmal Vesicles 104:253
Ozawa, T., Saito, Y., Nishiyama, A.: Evidence for an Anion Exchanger in the Mouse Lacrimal Gland Acinar Cell Membrane 105:273
Ozawa, T., *see* Saito, Y., et al. 101:73
Pabst, R., *see* Christensen, B., et al. 104:179
Pajor, A.M., Moon, D.A., Wright, S.H.: Sodium D-Glucose Cotransport in the Gill of Marine Mussels: Studies with Intact Tissue and Brush-Border Membrane Vesicles 107:77
Pajor, A.M., Wright, S.H.: Uptake of Lysine and Proline *via* Separate α-Neutral Amino Acid Transport Pathways in *Mytilus* Gill Brush Border Membranes 107:237
Palmer, L.G., *see* Das, S. 107:157
Pandol, S.J., *see* Muallem, S., et al. 102:153
Pandol, S.J., *see* Muallem, S., et al. 106:57
Pasternak, C.A., *see* Bashford, C.L., et al. 103:79
Patel, S., *see* Wall, D.A. 107:189
Paulmichl, M., *see* Friedrich, F., et al. 106:149
Paxson, C.L., *see* Radowski, R.F. 106:173
Peerce, B.E.: Examination of the Substrate Stoichiometry of the Intestinal Na^+/Phosphate Cotransporter 110:189
Peres, A., *see* Colombo, R., et al. 103:227
Perin, M.S., MacDonald, R.C.: Interactions of Liposomes with Planar Bilayer Membranes 109:221
Pessin, J.E., *see* Swanson, M.L. 108:217
Petersen, O.H., *see* Changya, L., et al. 109:85
Petersen, O.H., *see* Dunne, M.J., et al. 102:205
Petersen, O.H., *see* Dunne, M.J., et al. 104:165
Pfeffer, S.R.: Mannose 6-Phosphate Receptors and Their Role in Targeting Proteins to Lysosomes (*topical review*) 103:7
Pillion, D.J., *see* Meezan, E., et al. 105:113
Pinto, I., *see* Nunez, M.T., et al. 107:129
Plano, G.V., Winkler, H.H.: Solubilization and Reconstitution of the *Rickettsia prowazekii* ATP/ADT Translocase 110:227
Poiree, J.-C., *see* Mengual, R., et al. 108:197
Pokudin, N.I., *see* Orlov, S.N., et al. 107:105
Ponce, A., *see* Cereijido, M., et al. 110:1
Pop, V.I., *see* Benga, G., et al. 108:105
Popescu, O., *see* Benga, G., et al. 108:105
Potter, B.V.L., *see* Changya, L., et al. 109:85
Potter, B.V.L., *see* Thévenod, F., et al. 109:173
Pralong, W.F., *see* Jirounek, P., et al. 103:121
Pratap, P.R., *see* George, E.B., et al. 103:245
Pratap, P.R., *see* George, E.B., et al. 105:55
Pratap, P.R., *see* Nyirjesy, P., et al. 105:45
Prescott, A.R., *see* Duncan, G., et al. 102:195
Pressley, T.A.: Ion Concentration-Dependent Regulation of Na,K-Pump Abundance (*topical review*) 105:187
Purves, R.D., *see* Frings, S., et al. 106:157
Pushkarev, Y.P., *see* Yagodin, S., et al. 109:201
Radowski, R.F., Paxson, C.L.: Voltage Dependence of Na/K Pump Current in *Xenopus* Oocytes 106:173
Raman, K., *see* Nyirjesy, P., et al. 105:45
Ramón, F., *see* Arellano, R.O., et al. 101:119
Ravesloot, J.H., *see* Ypey, D.L., et al. 101:141
Ravindran, A., *see* Lucchesi, K., et al. 109:269
Ravindran, A., *see* Moczydlowski, E., et al. 105:95
Reeves, W.B., McDonald, G.A., Mehta, P., Andreoli, T.E.: Activation of K^+ Channels in Renal Medullary Vesicles by cAMP-Dependent Protein Kinase 109:65
Reisser, D., *see* Jeannin, J.F., et al. 104:107
Requena, J., *see* Rodríguez, N., et al. 104:139
Reuss, L., *see* Stoddard, J.S. 102:163
Reuss, L., *see* Stoddard, J.S. 103:191
Ribalet, B., *see* Ciani, S. 103:171
Ribalet, G., *see* Eddlestone, G.T., et al. 109:123
Rick, R., Spancken, G., Dörge, A.: Differential Effects of Aldosterone and ADH on Intracellular Electrolytes in the Toad Urinary Bladder Epithelium 101:275
Ripoche, P., *see* Ibarra, C., et al. 110:115
Rivera, A., *see* Arellano, R.O., et al. 101:119
Robinson, S.C., *see* Smith, T.C. 107:169
Rodríguez, I., *see* Trueba, M., et al. 108:115
Rodriguez, N., Villegas, R., Requena, J.: The Interaction of Homologous Series of Alkanols with Sodium Channels in Nerve Membrane Vesicles 104:139
Rodriguez-Boulan, E., *see* Sargiacomo, M., et al. 107:277
Romero, P.J., Ortiz, C.E.: Electrogenic Behavior of the Human Red Cell Ca^{2+} Pump Revealed by Disulfonic Stilbenes 101:237
Rood, R.P., *see* Emmer, E., et al. 108:207
Roper, S.D., McBride, D.W., Jr.: Distribution of Ion Channels on Taste Cells and Its Relationship to Chemosensory Transduction 109:29
Rose, B., *see* Maldonado, P.E., et al. 106:203
Rossier, B.C., *see* Zamofing, D., et al. 104:69
Roufogalis, B.D., *see* Xu, Y.-H. 105:155
Rousseau, E.: Single Chloride-Selective Channel from Cardiac Sarcoplasmic Reticulum Studied in Planar Lipid Bilayers 110:39
Roustiau-Sévère, S., *see* Dupont, E., et al. 104:119
Rovetto, M.J., *see* Hale, C.C., et al. 106:211
Rummel, W., *see* Diener, M., et al. 108:21
Rygol, J., Zimmermann, U., Balling, A.: Water Relations of Individual Leaf Cells of *Mesembryanthemum crystallinum* Plants Grown at Low and High Salinity 107:203
Sabolić, I., *see* Turrini, F., et al. 107:1
Saga, K., Sato, K.: Electron Probe X-Ray Microanalysis of Cellular Ions in the Eccrine Secretory Coil Cells during Methacholine Stimulation 107:13
Saier, M.H., Jr., Daniels, G.A., Boerner, P., Lin, J.: Neutral Amino Acid Transport Systems in Animal Cells: Potential Targets of Oncogene Action and Regulators of Cellular Growth (*topical review*) 104:1
Saito, Y., Ozawa, T., Suzuki, S., Nishiyama, A.: Intracellular pH Regulation in the Mouse Lacrimal Gland Acinar Cells 101:73
Saito, Y., *see* Ozawa, T., et al. 105:273
Salon, J., Cortas, N., Edelman, I.S.: Isoforms of Na,K-ATPase in *Artemia saline*: I. Detection by FITC Binding and Time Course 108:177
Salon, J., *see* Cortas, N., et al. 108:187
Sancho, M.J., *see* Trueba, M., et al. 108:115
Sanders, D., Hopgood, M., Jennings, I.R.: Kinetic Response of H^+-Coupled Transport to Extracellular pH: Critical Role of Cytosolic pH as a Regulator 108:253
Sansom, M.S.P., *see* McGee, R., Jr., et al. 102:21
Sargiacomo, M., Lisanti, M., Graeve, L., Le Bivic, A., Rodriguez-Boulan, E.: Integral and Peripheral Protein Composition of the Apical and Basolateral Membrane Domains in MDCK Cells 107:277
Sastre, A., *see* Cornejo, M., et al. 107:25
Sato, K.: *see* Saga, K. 107:13
Sato, M., *see* Tanifuji, M., et al. 106:47
Schade, U., *see* Schultz, J.E. 109:251

Schade, U., *see* Schultz, J.E. 109:259
Scharschmidt, B.F., Griff, E.R., Steinberg, R.H.: Effect of Taurine on the Isolated Retinal Pigment Epithelium of the Frog: Electrophysiologic Evidence for Stimulation of an Apical, Electrogenic Na^+–K^+ Pump 106:71
Schiødt, M., *see* Feit, P.W., et al. 103:135
Schmid, A., Gögelein, H., Kemmer, T.P., Schulz, I.: Anion Channels in Giant Liposomes Made of Endoplasmic Reticulum Vesicles from Rat Exocrine Pancreas 104:275
Schmid, J., *see* Takeuchi, Y., et al. 101:33
Schnetkamp, P.P.M., Szerencsei, R.T.: Silver Ions Induce a Rapid Ca^{2+} Release from Isolated Intact Bovine Rod Outer Segments by a Cooperative Mechanism 108:91
Schoppa, N., Shorofsky, S.R., Jow, F., Nelson, D.J.: Voltage-Gated Chloride Currents in Cultured Canine Tracheal Epithelial Cells 108:73
Schröder, G., *see* Seydel, U., et al. 109:95
Schroeder, J.I.: Quantitative Analysis of Outward Rectifying K^+ Channel Currents in Guard Cell Protoplasts from *Vicia faba* 107:229
Schron, C.M., Washington, C., Jr., Blitzer, B.L.: Anion Specificity of the Jejunal Folate Carrier: Effects of Reduced Folate Analogues on Folate Uptake and Efflux 102:175
Schultz, J.E., Schade, U.: Calcium Channel Activation and Inactivation in *Paramecium* Biochemically Measured by Cyclic GMP Production 109:259
Schultz, J.E., Schade, U.: Veratridine Induces a Ca^{2+} Influx, Cyclic GMP Formation, and Backward Swimming in *Paramecium tetraurelia* Wildtype Cells and Ca^{2+} Current-Deficient Pawn Mutant Cells 109:251
Schulz, I., *see* Schmid, A., et al. 104:275
Schulz, I., *see* Thévenod, F., et al. 107:263
Schulz, I., *see* Thévenod, F., et al. 109:173
Seifter, J.L., *see* Janoshazi, A., et al. 103:181
Semenza, G., *see* Honold, K., et al. 105:165
Semplicini, A., Spalvins, A., Canessa, M.: Kinetics and Stoichiometry of the Human Red Cell Na^+/H^+ Exchanger 107:219
Sepúlveda, F.V., *see* Sheppard, D.N., et al. 105:65
Sergeant, S., Sohn, D.H., Kim, H.D.: Volume-Activated Na/H Exchange Activity in Fetal and Adult Pig Red Cells: Inhibition by Cyclic AMP 109:209
Seydel, U., Schröder, G., Brandenburg, K.: Reconstitution of the Lipid Matrix of the Outer Membrane of Gram-Negative Bacteria as Asymmetric Planar Bilayer 109:95
Shapiro, J.I., *see* Molitoris, B.A., et al. 107:119
Sharp, G.W.G., *see* Emmer, E., et al. 108:207
Shenolikar, S., *see* Weinman, E.J., et al. 101:1
Shenolikar, S., *see* Weinman, E.J., et al. 101:11
Shenolikar, S., *see* Weinman, E.J., et al. 103:237
Shenolikar, S., *see* Weinman, E.J., et al. 109:233
Sheppard, D.N., Giraldez, F., Sepúlveda, F.V.: Kinetics of Voltage- and Ca^{2+} Activation and Ba^{2+} Blockade of a Large-Conductance K^+ Channel from *Necturus* Enterocytes 105:65
Shiina, T., Tazawa, M.: Ca^{2+}-Dependent Cl^- Efflux in Tonoplast-Free Cells of *Nitellopsis Obtusa* 106:135
Shiina, T., Wayne, R., Tung, H.Y.L., Tazawa, M.: Possible Involvement of Protein Phosphorylation/Dephosphorylation in the Modulation of Ca^{2+} Channel in Tonoplast-Free Cells of *Nitellopsis* 102:255
Shimmen, T., Nishikawa, S.: Studies on the Tonoplast Action Potential of *Nitella flexilis* 101:133
Shorofsky, S.R., *see* Schoppa, N., et al. 108:73
Shoshan-Barmatz, V.: Activation of Ca^{2+} Release in Isolated Sarcoplasmic Reticulum 103:67
Shuba, Ya.M., *see* Kostyuk, P.G., et al. 110:29
Silbernagl, S., *see* Wang, W., et al. 101:259
Sjodin, R.A., Ortiz, O.E., Montes, J.G.: Anomalous Influence of Reduced Internal ATP Levels on Sodium Efflux in *Myxicola* Giant Axons 108:61
Skadhauge, E., *see* Clauss, W., et al. 102:83
Slutsky, V.M., *see* Yagodin, S., et al. 109:201
Smith, F.A., Walker, N.A.: Transport of Potassium in *Chara australis*: I. A Symport with Sodium 108:125
Smith, S.M., Zorec, R., McBurney, R.N.: Conductance States Activated by Glycine and GABA in Rat Cultured Spinal Neurones 108:45
Smith, T.C., Robinson, S.C.: Validation of the Use of the Lipophilic Thiocyanate Anion for the Determination of Membrane Potential in Ehrlich Ascites Tumor Cells 107:169
Sohn, D.H., *see* Sergeant, S., et al. 109:209
Soliven, B., Szuchet, S., Arnason, B.G.W., Nelson, D.J.: Forskolin and Phorbol Esters Decrease the Same K^+ Conductance in Cultured Oligodendrocytes 105:177
Solomon, A.K., *see* Janoshazi, A., et al. 103:181
Somogyi, R., Batzer, A., Kolb, H.-A.: Inhibition of Electrical Coupling in Pairs of Murine Pancreatic Acinar Cells by OAG and Isolated Protein Kinase C 108:273
Sonna, L.A., Maloney, P.C.: Identification and Functional Reconstitution of Phosphate: Sugar Phosphate Antiport of *Staphylococcus aureus* 101:267
Spalvins, A., *see* Semplicini, A., et al. 107:219
Spalvins, A., *see* Wolff, D., et al. 106:243
Spancken, G., *see* Rick, R., et al. 101:275
Spiegel, S., *see* Mulhern, S.A., et al. 109:21
Spurlock, G., Morgan, K., Mir, M.A.: Characterization of Na^+ Transport in Normal Human Fibroblasts and Neoplastic H.Ep.2 Cells and the Role of Inhibition 106:219
Stahl, F., *see* Jentsch, T.J., et al. 103:29
Stampe, P., Vestergaard-Bogind, B.: Ca^{2+}-Activated K^+ Conductance of Human Red Cell Membranes Exhibits Two Different Types of Voltage Dependence 101:165
Steck, T.L., *see* Khodadad, J.K., et al. 107:213
Stein, S., Hansen, U.-P.: Involvement of Photosynthesis in the Action of Temperature on Plasmalemma Transport in *Nitella* 103:149
Steinberg, R.H., *see* Scharschmidt, B.F., et al. 106:71
Steplock, D., *see* Weinman, E.J., et al. 103:237
Steplock, D., *see* Weinman, E.J., et al. 109:233
Stewart, S., *see* Duncan, G., et al. 102:195
Stoddard, J.S., Reuss, L.: Dependence of Cell Membrane Conductances on Bathing Solution HCO_3^-/CO_2 in *Necturus* Gallbladder 102:163
Stoddard, J.S., Reuss, L.: Voltage- and Time Dependence of Apical Membrane Conductance During Current Clamp in *Necturus* Gallbladder Epithelium 103:191
Storelli, C., *see* Cassano, G., et al., 101:225
Strange, K.: Ouabain-Induced Cell Swelling in Rabbit Cortical Collecting Tubule: NaCl Transport by Principal Cells 107:249
Strange, K., Willingham, M.C., Handler, J.S., Harris, H.W., Jr.: Apical Membrane Endocytosis via Coated Pits is Stimulated by Removal of Antidiuretic Hormone from Isolated, Perfused Rabbit Cortical Collecting Tubule 103:17
Straub, R.W., *see* Jirounek, P., et al. 103:121
Stürmer, W., Apell, H.-J., Wuddel, I., Läuger, P.: Conformational Transitions and Charge Translocation by the Na,K Pump: Comparison of Optical and Electrical Transients Elicited by ATP-Concentration Jumps 110:67

Sudaka, P., *see* Mengual, R., et al. 108:197
Sugden, D., *see* Knight, D.E., et al. 104:21
Suzuki, S., *see* Saito, Y., et al. 101:73
Svoboda, P., Amler, E., Teisinger, J.: Different Sensitivity of ATP + Mg + Na (I) and P_i + Mg (II) Dependent Types of Ouabain Binding to Phospholipase A_2 104:211
Swanson, M.L., Pessin, J.E.: High Affinity Insulin Binding in the Human Placenta Insulin Receptor Requires $\alpha\beta$ Heterodimeric Subunit Interactions 108:217
Szabo, G., *see* Otero, A.S. 104:253
Szerencsei, R.T., *see* Schnetkamp, P.P.M. 108:91
Szuchet, S., *see* Soliven, B., et al. 105:177
Tabcharani, J., *see* Misler, S., et al. 109:135
Takenaka, T., Horie, H., Hori, H., Kawakami, T.: Effects of Arachidonic Acid and the Other Long-Chain Fatty Acids on the Membrane Currents in the Squid Giant Axon 106:141
Takeuchi, Y., Schmid, J., Caldwell, J.H., Harold, F.M.: Transcellular Ion Currents and Extension of *Neurospora crassa* Hyphae 101:33
Tanifuji, M., Sato, M., Wada, Y., Anraku, Y., Kasai, M.: Gating Behaviors of a Voltage-Dependent and Ca^{2+}-Activated Cation Channel of Yeast Vacuolar Membrane Incorporated into Planar Lipid Bilayer 106:47
Tatischeff, I., *see* Jeannin, J.F., et al. 104:107
Tazawa, M., *see* Shiina, T. 106:135
Tazawa, M., *see* Shiina, T., et al. 102:255
Teisinger, J., *see* Svoboda, P., et al. 104:211
Tepikin, A.V., *see* Kostyuk, P.G., et al. 110:11
Teslenko, V.I., *see* Kostyuk, P.G., et al. 110:29
Tester, M.: Blockade of Potassium Channels in the Plasmalemma of *Chara corallina* by Tetraethylammonium, Ba^{2+}, Na^+ and Cs^+ 105:77
Tester, M.: Pharmacology of K^+ Channels in the Plasmalemma of the Green Alga *Chara corallina* 103:159
Tester, M.: Potassium Channels in the Plasmalemma of *Chara corallina* are Multi-Ion Pores: Voltage-Dependent Blockade by Cs^+ and Anomalous Permeabilities 105:87
Thévenod, F., Dehlinger-Kremer, M., Kemmer, T.P., Christian, A.-L., Potter, B.V.L., Schulz, I.: Characterization of Inositol 1,4,5-Trisphosphate-Sensitive (IsCaP) and -Insensitive (IisCaP) Nonmitochondrial Ca^{2+} Pools in Rat Pancreatic Acinar Cells 109:173
Thévenod, F., Kemmer, T.P., Christian, A.L., Schulz, I.: Characterization of MgATP-Driven H^+ Uptake into a Microsomal Vesicle Fraction from Rat Pancreatic Acinar Cells 107:263
Thomas, L., *see* Mariani, M.F., et al. 108:235
Todd, A.P., Mehlhorn, R.J., Macey, R.I.: Amine and Carboxylate Spin Probe Permeability in Red Cells 109:41
Todd, A.P., Mehlhorn, R.J., Macey, R.I.: Amine Spin Probe Permeability in Sonicated Liposomes 109:53
Tosteson, D.C., *see* Zade-Oppen, A.M., et al. 103:217
Trueba, M., Vallejo, A.I., Rodriguez, I., Ibarrola, I., Sancho, M.J., Marino, A., Macarulla, J.M.: Evidence for the Presence of Specific Binding Sites for Corticoids in Mouse Liver Plasma Membranes 108:115
Tsuchiya, T., *see* Uratani, Y., et al. 107:57
Tsuji, J.M., *see* Henderson, G.B., et al. 101:247
Tsutsui, I., *see* Ohkawa, T. 103:273
Tung, H.Y.L., *see* Shinna, T., et al. 102:255
Turner, R.J., George, J.N.: Ionic Dependence of Bumetanide Binding to the Rabbit Parotid Na/K/Cl Cotransporter 102:71
Turner, R.J., *see* Manganel, M. 102:247
Turnheim, K., *see* Wiener, H., et al. 110:147
Turrini, F., Sabolić, I., Zimolo, Z., Moewes, B., Burckhardt, G.: Relation of ATPases in Rat Renal Brush-Border Membranes to ATP-Driven H^+ Secretion 107:1
Ubl, J., Murer, H., Kolb, H.-A.: Ion Channels Activated by Osmotic and Mechanical Stress in Membranes of Opossum Kidney Cells 104:223
Uratani, Y., Tsuchiya, T., Akamatsu, Y., Hoshino, T.: $Na^+(Li^+)$/Branched-Chain Amino Acid Cotransport in *Pseudomonas aeruginosa* 107:57
Usherwood, P.N.R., *see* McGee, R., Jr., et al. 102:21
Vallejo, A.I., *see* Trueba, M., et al. 108:115
Van der Molen, L.G., *see* Van Duijn, B., et al. 106:123
Van Duijn, B., Ypey, D.L., Van der Molen, L.G.: Electrophysiological Properties of *Dictyostelium* Derived from Membrane Potential Measurements with Microelectrodes 106:123
van Os, C.H., *see* Wiener, H. 110:163
van Os, C.H., *see* Wiener, H., et al. 110:147
van Rossum, G.D.V., *see* Mariani, M.F., et al. 108:235
Vance, B.A., Biagi, B.A.: Microelectrode Characterization of the Basolateral Membrane of Rabbit S3 Proximal Tubule 108:53
Vanselow, K.H., Hansen, U.-P.: Rapid Effect of Light on the K^+ Channel in the Plasmalemma of *Nitella* 110:175
Varanda, W.A., *see* Nogueira, R.A. 105:143
Verbost, P.M., Flik, G., Lock, R.A.C., Bonga, S.E.W.: Cadmium Inhibits Plasma Membrane Calcium Transport 102:97
Verkman, A.S., Masur, S.K.: Very Low Osmotic Water Permeability and Membrane Fluidity in Isolated Toad Bladder Granules 104:241
Verkman, A.S., *see* Berry, C.A. 105:33
Verkman, A.S., *see* Fong, P., et al. 104:233
Verkman, A.S., *see* Kuwahara, M. 110:57
Vestergaard-Bogind, B., *see* Stampe, P. 101:165
Vilella, S., *see* Cassano, G., et al. 101:225
Villegas, R., *see* Rodríguez, N., et al. 104:139
Vincent, M., *see* Jeannin, J.F., et al. 104:107
Vinkler, C., *see* Bach, D., et al. 101:103
Vitus, J., *see* Jirounek, P., et al. 103:131
Wada, Y., *see* Tanifuji, M., et al. 106:47
Waggoner, A.S., *see* George, E.B., et al. 103:245
Waggoner, A.S., *see* George, E.B., et al. 105:55
Waggoner, A.S., *see* Nyirjesy, P., et al. 105:45
Wagner, N., *see* Christensen, B., et al. 104:179
Walker, N.A., *see* Laver, D.R., et al. 108:153
Walker, N.A., *see* Smith, F.A. 108:125
Wall, D.A., Patel, S.: Isolation of Plasma Membrane Complexes from *Xenopus* Oocytes 107:189
Walter, A., *see* Harris, A.L., et al. 109:243
Wang, W., Wang, Y., Silbernagl, S., Oberleithner, H.: Fused Cells of Frog Proximal Tubule: II. Voltage-Dependent Intracellular pH 101:259
Wang, Y., *see* Wang, W., et al. 101:259
Warn, R.M., *see* Duncan, G., et al. 102:195
Washington, C., Jr., *see* Schron, C.M., et al. 102:175
Wayne, R., *see* Shiina, T., et al. 102:255
Weik, R., Neumcke, B.: ATP-Sensitive Potassium Channels in Adult Mouse Skeletal Muscle: Characterization of the ATP-Binding Site 110:217
Weinberg, S.L., *see* Lin, M.C., et al. 106:1
Weinman, E.J., Dubinsky, W.P., Dinh, Q., Steplock, D., Shenolikar, S.: Effect of Limited Trypsin Digestion on the Renal Na^+–H^+ Exchanger and Its Regulation by cAMP-Dependent Protein Kinase 109:233
Weinman, E.J., Dubinsky, W.P., Fisher, K., Steplock, D., Dinh, Q., Chang, L., Shenolikar, S.: Regulation of Reconsti-

tuted Renal Na^+/H^+ Exchanger by Calcium-Dependent Protein Kinases 103:237
Weinman, E.J., Dubinsky, W.P., Shenolikar, S.: Reconstitution of cAMP-Dependent Protein Kinase Regulated Renal Na^+-H^+ Exchanger 101:11
Weinman, E.J., Shenolikar, S., Cragoe, E.J., Jr., Dubinsky, W.P.: Solubilization and Reconstitution of Renal Brush Border Na^+-H^+ Exchanger 101:1
Weinstein, R.S., *see* Khodadad, J.K., et al. 107:213
Wesolek, J.H., *see* Emmer, E., et al. 108:207
West-Jordan, J.A., *see* Dunne, M.J., et al. 104:165
Whittembury, G., *see* Carpi-Medina, P., et al. 104:35
Widdicombe, J.H., *see* Fong, P., et al. 104:233
Wiederholt, M., *see* Jentsch, T.J., et al. 103:29
Wiener, H., Turnheim, K., van Os, C.H.: Rabbit Distal Colon Epithelium: I. Isolation and Characterization of Basolateral Plasma Membrane Vesicles from Surface and Crypt Cells 110:147
Wiener, H., van Os, C.H.: Rabbit Distal Colon Epithelium: II. Characterization of (Na^+,K^+,Cl^-) Cotransport and $[^3H]$-Bumetanide Binding 110:163
Williams, A.J., *see* Manning, S.D. 109:113
Willingham, M.C., *see* Strange, K., et al. 103:17
Wilson, F.A., *see* Lin, M.C., et al. 106:1
Wilson, P.D., *see* Molitoris, B.A., et al. 106:233
Winkler, H.H., *see* Plano, G.V. 110:227
Wolff, D., Cecchi, X., Spalvins, A., Canessa, M.: Charybdotoxin Blocks with High Affinity the Ca-Activated K^+ Channel of Hb A and Hb S Red Cells: Individual Differences in the Number of Channels 106:243
Wolff, N.A., Kinne, R.: Taurine Transport by Rabbit Kidney Brush-Border Membranes: Coupling to Sodium, Chloride, and the Membrane Potential 102:131
Wolosin, J.M.: Regeneration of Resistance and Ion Transport in Rabbit Corneal Epithelium after Induced Surface Cell Exfoliation 104:45
Wood, J.M.: Proline Porters Effect the Utilization of Proline as Nutrient or Osmoprotectant for Bacteria (*topical review*) 106:183
Wood, R.L., *see* Yiu, S.C., et al. 102:185
Woodbury, D.J.: Pure Lipid Vesicles Can Induce Channel-Like Conductances in Planar Bilayers 109:145
Wright, E.M., *see* Brown, P.D., et al. 105:207
Wright, E.M., *see* Ikeda, T.S., et al. 110:87
Wright, E.M., *see* Loo, D.D.F., et al. 105:221
Wright, J.K.: Product Inhibition during Ion : Solute Cotransport Is an Alternative to Leaks as a Cause of Low Accumulations 109:1
Wright, S.H., *see* Pajor, A.M. 107:237
Wright, S.H., *see* Pajor, A.M., et al. 107:77
Wuddel, I., *see* Stürmer, W., et al. 110:67
Xu, Y.-H., Roufogalis, B.D.: Asymmetric Effects of Divalent Cations and Protons on Active Ca^{2+} Efflux and Ca^{2+}-ATPase in Intact Red Blood Cells 105:155
Yagello, M., *see* Mengual, R., et al. 108:197
Yagodin, S., Pushkarev, Y.P., Slutsky, V.M.: Species Specificity in the Extrinsic Absorption Changes Exhibited by Some Invertebrates Stained with Voltage-Sensitive Dyes 109:201
Yamashita, N., *see* Chang, H., et al. 103:263
Yanagawa, N., *see* Morduchowicz, G.A. 109:105
Yazejian, B., Byerly, L.: Voltage-Independent Barium-Permeable Channel Activated in *Lymnaea* Neurons by Internal Perfusion or Patch Excision 107:63
Yiu, S.C., Lambert, R.W., Bradley, M.E., Ingham, C.E., Hales, K.L., Wood, R.L., Mircheff, A.K.: Stimulation-Associated Redistribution of Na,K-ATPase in Rat Lacrimal Gland 102:185
Young, H., *see* Lucchesi, K., et al. 109:269
Young, J.A., *see* Cook, D.I. 110:139
Ypey, D.L., Ravesloot, J.H., Buisman, H.P., Nijweide, P.J.: Voltage-Activated Ionic Channels and Conductances in Embryonic Chick Osteoblast Cultures 101:141
Ypey, D.L., *see* Van Duijn, B., et al. 106:123
Zade-Oppen, A.M.M., Adragna, N.C., Tosteson, D.C.: Effects of pH, Potential, Chloride and Furosemide on Passive Na^+ and K^+ Effluxes from Human Red Blood Cells 103:217
Zaidi, S.I.M., Narahara, H.T.: Degradation of Skeletal Muscle Plasma Membrane Proteins by Calpain 110:209
Zaki, L., *see* Julien, T. 102:217
Zamofing, D., Rossier, B.C., Geering, K.: Role of the Na,K-ATPase β-Subunit in the Cellular Accumulation and Maturation of the Enzyme as Assessed by Glycosylation Inhibitors 104:69
Zampighi, G.A., *see* Arellano, R.O., et al. 101:119
Zeuthen, T., *see* Jessen, F., et al. 108:139
Zimmerberg, J., Liu, J.: Ionic and Permeability Requirements for Exocytosis In Vitro in Sea Urchin Eggs 101:199
Zimmerberg, J., *see* Harris, A.L., et al. 109:243
Zimmermann, U., *see* Frey, N., et al., 101:151
Zimmermann, U., *see* Rygol, J., et al. 107:203
Zimolo, Z., *see* Turrini, F., et al. 107:1
Zorec, R., *see* Smith, S.M., et al. 108:45
Zweifach, A., Lewis, S.A.: Characterization of a Partially Degraded Na^+ Channel from Urinary Tract Epithelium 101:49

Subject Index — Volumes 101–110

Absorption
—, role of calcium and calmodulin in the regulation of the rabbit ileal brush-border membrane Na^+/H^+ antiporter, Emmer, E., Rood, R.P., Wesolek, J.H., Cohen, M.E., Braithwaite, R.S., Sharp, G.W.G., Murer, H., Donowitz, M. 108:207
Absorption spectrum
—, impermeant potential-sensitive oxonol dyes: I. evidence for an "on–off" mechanism, George, E.B., Nyirjesy, P., Basson, M., Ernst, L.A., Pratap, P.R., Freedman, J.C., Waggoner, A.S. 103:245
Acanthocytes
—, shape determinants of McLeod acanthocytes, Khodadad, J.K., Weinstein, R.S., Marsh, L.W., Steck, T.L. 107:213
Acer pseudoplatanus
—, voltage-dependent channels permeable to K^+ and Na^+ in the membrane of *Acer pseudoplatanus* vacuoles, Colombo, R., Cerana, R., Lado, P., Peres, A. 103:227
Acetabularia
—, slow kinetics of a potassium channel in *Acetabularia*, Bertl, A., Klieber, H.G., Gradmann, D. 102:141
Acetazolamide
—, constitutive and transport-related endocytotic pathways in turtle bladder epithelium, Dixon, T.E., Clausen, C., Coachman, D. 102:49
Acetylcholine
—, intracellular pH regulation in the mouse lacrimal gland acinar cells, Saito, Y., Ozawa, T., Suzuki, S., Nishiyama, A. 101:73
Acinar cells
—, ATP-dependent calcium transport in rat parotid basolateral membrane vesicles is modulated by membrane potential, Ambudkar, I.S., Baum, B.J. 102:59
—, coupled Na^+/H^+ exchange in rat parotid basolateral membrane vesicles, Manganel, M., Turner, R.J. 102:247
—, evidence for an anion exchanger in the mouse lacrimal gland acinar cell membrane, Ozawa, T., Saito, Y., Nishiyama, A. 105:273
—, inositol 1,2,3,5-tetrakisphosphate is essential for sustained activation of the Ca^{2+}-dependent K^+ current in single internally perfused mouse lacrimal acinar cells, Changya, L., Gallacher, D.V., Irvine, R.F., Potter, B.V.L., Petersen, O.H. 109:85
—, intracellular pH regulation in the mouse lacrimal gland acinar cells, Saito, Y., Ozawa, T., Suzuki, S., Nishiyama, A. 101:73
—, ionic dependence of bumetanide binding to the rabbit parotid Na/K/Cl cotransporter, Turner, R.J., George, J.N. 102:71
—, role of Na^+/Ca^{2+} exchange and the plasma membrane Ca^{2+} pump in hormone-mediated Ca^{2+} efflux from pancreatic acini, Muallem, S., Beeker, T., Pandol, S.J. 102:153
Acridine orange
—, characterization of MgATP-driven H^+ uptake into a microsomal vesicle fraction from rat pancreatic acinar cells, Thévenod, F., Kemmer, T.P., Christian, A.L., Schulz, I. 107:263
Action potential
—, blockade of potassium channels in the plasmalemma of *Chara corallina* by tetraethylammonium, Ba^{2+}, Na^+ and Cs^+, Tester, M. 105:77
—, distribution of ion channels on taste cells and its relationship to chemosensory transduction, Roper, S.D., McBride, D.W., Jr. 109:29
—, odorant response of isolated olfactory receptor cells is blocked by amiloride, Frings, S., Lindemann, B. 105:233
—, quantitative analysis of outward rectifying K^+ channel currents in guard cell protoplasts from *Vicia faba*, Schroeder, J.I. 107:229
—, studies on the tonoplast action potential of *Nitella flexilis*, Shimmen, T., Nishikawa, S. 101:133
Action spectrum
—, species specificity in the extrinsic absorption changes exhibited by some invertebrates stained with voltage-sensitive dyes, Yagodin, S., Pushkarev, Y.P., Slutsky, V.M. 109:201
Adenine
—, ATP-sensitive potassium channels in adult mouse skeletal muscle: characterization of the ATP-binding site, Weik, R., Neumcke, B. 110:217
Adenosine
—, ATP-sensitive potassium channels in adult mouse skeletal muscle: characterization of the ATP-binding site, Weik, R., Neumcke, B. 110:217
Adenylate cyclase
—, forskolin and phorbol esters decrease the same K^+ conductance in cultured oligodendrocytes, Soliven, B., Szuchet, S., Arnason, B.G.W., Nelson, D.J. 105:177
ADP
—, effects of ADP upon the ATP-sensitive K^+ channel in rat ventricular myocytes, Findlay, I. 101:83
—, the gating of nucleotide-sensitive K^+ channels in insulin-secreting cells can be modulated by changes in the ratio ATP^{4-}/ADP^{3-} and by nonhydrolyzable derivatives of both ATP and ADP, Dunne, M.J., West-Jordan, J.A., Abraham, R.J., Edwards, R.H.T., Petersen, O.H. 104:165
ADP^{3-}
—, the gating of nucleotide-sensitive K^+ channels in insulin-secreting cells can be modulated by changes in the ratio ATP^{4-}/ADP^{3-} and by nonhydrolyzable derivatives of both ATP and ADP, Dunne, M.J., West-Jordan, J.A., Abraham, R.J., Edwards, R.H.T., Petersen, O.H. 104:165
Affinity chromatography
—, isolation and reconstitution of furosemide-binding proteins from Ehrlich ascites tumor cells, Jessen, F., Cherksey, B.D., Zeuthen, T., Hoffmann, E.K. 108:139
—, purification of proteins of the Na/Cl cotransporter from membranes of Ehrlich ascites cells using a bumetanide-sepharose affinity column, Feit, P.W., Hoffmann, E.K., Schiødt, M., Kristensen, P., Jessen, F., Dunham, P.B. 102:135
Alanine transport
—, uptake of lysine and proline *via* separate α-neutral amino acid transport pathways in *Mytilus* gill brush border membranes, Pajor, A.M., Wright, S.H. 107:237
Alcohols
—, modification of the erythrocyte membrane dielectric constant by alcohols, Orme, F.W., Moronne, M.M., Macey, R.I. 104:57
Aldosterone
—, a low-salt diet facilitates Cl secretion in hen lower intestine, Clauss, W., Dantzer, V., Skadhauge, E. 102:83
—, differential effects of aldosterone and ADH on intracellular

electrolytes in the toad urinary bladder epithelium, Rick, R., Spancken, G., Dörge, A. 101:275
Alkaline phosphatase
—, is there a Cl^-–OH^- exchange (Cl^-–H^+ cotransport) mechanism in the brush-border membrane of the intestine of the fresh water trout (*Salmo gairdneri*, R.)?, Aguenaou, H., Hubsch, A., Colin, D.A. 108:13
Alkanols
—, the interaction of homologous series of alkanols with sodium channels in nerve membrane vesicles, Rodríguez, N., Villegas, R., Requena, J. 104:139
Alkyl chains
—, impermeant potential-sensitive oxonol dyes: II. the dependence of the absorption signal on the length of alkyl substituents attached to the dye, Nyirjesy, P., George, E.B., Gupta, R.K., Basson, M., Pratap, P.R., Freedman, J.C., Raman, K., Waggoner, A.S. 105:45
α-Toxin
—, reconstitution of the lipid matrix of the outer membrane of gram-negative bacteria as asymmetric planar bilayer, Seydel, U., Schröder, G., Brandenburg, K. 109:95
Amiloride
—, amiloride and its analogs as tools in the study of ion transport, Kleyman, T.R., Cragoe, E.J., Jr. 105:1
—, amiloride-blockable sodium currents in isolated taste receptor cells, Avenet, P., Lindemann, B. 105:245
—, apical and basolateral Na^+/H^+ exchange in the rabbit outer medullary thin descending limb of Henle: role in intracellular pH regulation, Kurtz, I. 106:253
—, coupled Na^+/H^+ exchange in rat parotid basolateral membrane vesicles, Manganel, M., Turner, R.J. 102:247
—, intracellular pH regulation in the mouse lacrimal gland acinar cells, Saito, Y., Ozawa, T., Suzuki, S., Nishiyama, A. 101:73
—, kinetics and stoichiometry of the human red cell Na^+/H^+ exchanger, Semplicini, A., Spalvins, A., Canessa, M. 107:219
—, Na^+/H^+ exchange in Ehrlich ascites tumor cells: activation by cytoplasmic acidification and by treatment with cupric sulphate, Kramhøft, B., Lambert, I.H., Hoffmann, E.K. 102:35
—, odorant response of isolated olfactory receptor cells is blocked by amiloride, Frings, S., Lindemann, B. 105:233
—, regulation of cytoplasmic pH of cultured bovine corneal endothelial cells in the absence and presence of bicarbonate, Jentsch, T.J., Korbmacher, C., Janicke, I., Fischer, D.G., Stahl, F., Helbig, H., Hollwede, H., Cragoe, E.J., Jr., Keller, S.K., Wiederholt, M. 103:29
—, single-channel recordings from the apical membrane of the toad urinary bladder epithelial cell, Frings, S., Purves, R.D., Macknight, A.D.C. 106:157
—, voltage dependence of cellular current and conductances in frog skin, Nagel, W., Garcia-Díaz, J.F., Essig, A. 106:13
—, volume-activated Na/H exchange activity in fetal and adult pig red cells: inhibition by cyclic AMP, Sergeant, S., Sohn, D.H., Kim, H.D. 109:209
—, volume-dependent regulation of ion transport and membrane phosphorylation in human and rat erythrocytes, Orlov, S.N., Pokudin, N.I., Kotelevtsev, Y.V., Gulak, P.V. 107:105
Amiloride analogs
—, amiloride and its analogs as tools in the study of ion transport, Kleyman, T.R., Cragoe, E.J., Jr. 105:1
Amine nitroxide
—, amine and carboxylate spin probe permeability in red cells, Todd, A.P., Mehlhorn, R.J., Macey, R.I. 109:41
—, amine spin probe permeability in sonicated liposomes, Todd, A.P., Mehlhorn, R.J., Macey, R.I. 109:53
Amino acid sequence
—, structural basis for E_1–E_2 conformational transitions in Na,K-pump and Ca-pump proteins, Jørgensen, P.L., Andersen, J.P. 103:95
Amino acid transport
—, Na^+ (Li^+)/branched-chain amino acid cotransport in *Pseudomonas aeruginosa*, Uratani, Y., Tsuchiya, T., Akamatsu, Y., Hoshino, T. 107:57
—, neutral amino acid transport systems in animal cells: potential targets of oncogene action and regulators of cellular growth, Saier, M.H., Jr., Daniels, G.A., Boerner, P., Lin, J. 104:1
—, uptake of lysine and proline *via* separate α-neutral amino acid transport pathways in *Mytilus* gill brush border membranes, Pajor, A.M., Wright, S.H. 107:237
4-Aminopyridine
—, pharmacology of K^+ channels in the plasmalemma of the green alga *Chara corallina*, Tester, M. 103:159
Amiodarone
—, block of single cardiac Na^+ channels by antiarrhythmic drugs: the effect of amiodarone, propafenone and diprafenone, Kohlhardt, M., Fichtner, H. 102:105
Amphiuma
—, voltage dependence of the basolateral membrane conductance in the *Amphiuma* collecting tubule, Horisberger, J.-D., Giebisch, G. 105:257
Anilinonaphthalene sulfonate (ANS)
—, activation of Ca^{2+} release in isolated sarcoplasmic reticulum, Shoshan-Barmatz, V. 103:67
Anion channels
—, anion channels in giant liposomes made of endoplasmic reticulum vesicles from rat exocrine pancreas, Schmid, A., Gögelein, H., Kemmer, T.P., Schulz, I. 104:275
—, conduction and blocking properties of a predominantly anion-selective channel from human platelet surface membrane reconstituted into planar phospholipid bilayers, Manning, S.D., Williams, A.J. 109:113
Anion exchange
—, anion specificity of the jejunal folate carrier: effects of reduced folate analogues on folate uptake and efflux, Schron, C.M., Washington, C., Jr., Blitzer, B.L. 102:175
—, evidence for an anion exchanger in the mouse lacrimal gland acinar cell membrane, Ozawa, T., Saito, Y., Nishiyama, A. 105:273
—, identification and functional reconstitution of phosphate: sugar phosphate antiport of *Staphylococcus aureus*, Sonna, L.A., Maloney, P.C. 101:267
—, role of substrate binding forces in exchange-only transport systems: II. implications for the mechanism of the anion exchanger of red cells, Krupka, R.M. 109:159
Anion exchange protein
—, relation between the anion exchange protein in kidney medullary collecting duct cells and red cell band 3, Janoshazi, A., Ojcius, D.M., Kone, B., Seifter, J.L., Solomon, A.K. 103:181
Anion permeability
—, single chloride-selective channel from cardiac sarcoplasmic reticulum studied in planar lipid bilayers, Rousseau, E. 110:39

Anion transport
—, anion transport during maturation of erythroblastic cells, Kirk, R.G., Lee, P. 101:173
—, studies on inactivation of anion transport in human red blood cell membrane by reversibly and irreversibly acting arginine-specific reagents, Julien, T., Zaki, L. 102:217
—, the "tunneling" mode of biological carrier-mediated transport, Fröhlich, O. 101:189
Anthracene-9-carboxylic acid
—, single chloride channels in colon mucosa and isolated colonic enterocytes of the rat, Diener, M., Rummel, W., Mestres, P., Lindemann, B. 108:21
Antidiuretic hormone
—, activation of K^+ channels in renal medullary vesicles by cAMP-dependent protein kinase, Reeves, W.B., McDonald, G.A., Mehta, P., Andreoli, T.E. 109:65
—, apical membrane endocytosis via coated pits is stimulated by removal of antidiuretic hormone from isolated, perfused rabbit cortical collecting tubule, Strange, K., Willingham, M.C., Handler, J.S., Harris, H.W., Jr. 103:17
—, differential effects of aldosterone and ADH on intracellular electrolytes in the toad urinary bladder epithelium, Rick, R., Spancken, G., Dörge, A. 101:275
—, effect of mercurial compounds on net water transport and intramembrane particle aggregates in ADH-treated frog urinary bladder, Ibarra, C., Ripoche, P., Bourguet, J. 110:115
—, the role of membrane turnover in the water permeability response to antidiuretic hormone, Harris, H.W., Jr., Handler, J.S. 103:207
Antiprotein antibodies
—, immunological characterization of rat cardiac gap junctions: presence of common antigenic determinants in heart of other vertebrate species and in various organs, Dupont, E., El Aoumari, A., Roustiau-Sévère, S., Briand, J.P., Gros, D. 104:119
Apamin
—, an emerging pharmacology of peptide toxins targeted against potassium channels, Moczydlowski, E., Lucchesi, K., Ravindran, A. 105:95
—, pharmacology of K^+ channels in the plasmalemma of the green alga *Chara corallina*, Tester, M. 103:159
Apical membrane
—, activation of K^+ channels in renal medullary vesicles by cAMPdependent protein kinase, Reeves, W.B., McDonald, G.A., Mehta, P., Andreoli, T.E. 109:65
—, apical and basolateral Na^+/H^+ exchange in the rabbit outer medullary thin descending limb of Henle: role in intracellular pH regulation, Kurtz, I. 106:253
—, apical membrane endocytosis via coated pits is stimulated by removal of antidiuretic hormone from isolated, perfused rabbit cortical collecting tubule, Strange, K., Willingham, M.C., Handler, J.S., Harris, H.W., Jr. 103:17
—, apical Na^+ permeability of frog skin during serosal Cl^- replacement, Leibowich, S., DeLong, J., Civan, M.M. 102:121
—, Ca^{2+}-activated K^+ channels in the apical membrane of *Necturus* choroid plexus, Brown, P.D., Loo, D.D.F., Wright, E.M. 105:207
—, characterization of ischemia-induced loss of epithelial polarity, Molitoris, B.A., Hoilien, C.A., Dahl, R., Ahnen, D.J., Wilson, P.D., Kim, J. 106:233
—, chloride transport in apical membrane vesicles from bovine tracheal epithelium: characterization using a fluorescent indicator, Fong, P., Illsley, N.P., Widdicombe, J.H., Verkman, A.S. 104:233
—, constitutive and transport-related endocytotic pathways in turtle bladder epithelium, Dixon, T.E., Clausen, C., Coachman, D. 102:49
—, dependence of cell membrane conductances on bathing solution HCO_3^-/CO_2 in *Necturus* gallbladder, Stoddard, J.S., Reuss, L. 102:163
—, distribution of ion channels on taste cells and its relationship to chemosensory transduction, Roper, S.D., McBride, D.W., Jr. 109:29
—, effect of K^+ channels in the apical plasma membrane on epithelial secretion based on secondary active Cl^- transport, Cook, D.I., Young, J.A. 110:139
—, effect of mercurial compounds on net water transport and intramembrane particle aggregates in ADH-treated frog urinary bladder, Ibarra, C., Ripoche, P., Bourguet, J. 110:115
—, effect of taurine on the isolated retinal pigment epithelium of the frog: electrophysiologic evidence for stimulation of an apical, electrogenic Na^+–K^+ pump, Scharschmidt, B.F., Griff, E.R., Steinberg, R.H. 106:71
—, extracellular Ca^{2+} controls outward rectification by apical cation channels in toad urinary bladder: patch-clamp and whole-bladder studies, Das, S., Palmer, L.G. 107:157
—, integral and peripheral protein composition of the apical and basolateral membrane domains in MDCK cells, Sargiacomo, M., Lisanti, M., Graeve, L., Le Bivic, A., Rodriguez-Boulan, E. 107:277
—, loss of epithelial polarity: a novel hypothesis for reduced proximal tubule Na^+ transport following ischemic injury, Molitoris, B.A., Chan, L.K., Shapiro, J.I., Conger, J.D., Falk, S.A. 107:119
—, secretin-regulated chloride channel on the apical plasma membrane of pancreatic duct cells, Gray, M.A., Greenwell, J.R., Argent, B.E. 105:131
—, single-channel recordings from the apical membrane of the toad urinary bladder epithelial cell, Frings, S., Purves, R.D., Macknight, A.D.C. 106:157
—, single chloride channels in colon mucosa and isolated colonic enterocytes of the rat, Diener, M., Rummel, W., Mestres, P., Lindemann, B. 108:21
—, the role of membrane turnover in the water permeability response to antidiuretic hormone, Harris, H.W., Jr., Handler, J.S. 103:207
—, tight junctions and apical/basolateral polarity, Cereijido, M., Ponce, A., González-Mariscal, L. 110:1
—, very low osmotic water permeability and membrane fluidity in isolated toad bladder granules, Verkman, A.S., Masur, S.K. 104:241
—, voltage- and time dependence of apical membrane conductance during current clamp in *Necturus* gallbladder epithelium, Stoddard, J.S., Reuss, L. 103:191
Arachidonic acid
—, effects of arachidonic acid and the other long-chain fatty acids on the membrane currents in the squid giant axon, Takenaka, T., Horie, H., Hori, H., Kawakami, T. 106:141
Arginine
—, studies on inactivation of anion transport in human red blood cell membrane by reversibly and irreversibly acting arginine-specific reagents, Julien, T., Zaki, L. 102:217
Artemia salina
—, isoforms of Na,K-ATPase in *Artemia salina*: I. detection by FITC binding and time course, Salon, J., Cortas, N., Edelman, I.S. 108:177
—, isoforms of Na,K-ATPase in *Artemia salina*: II. tissue distribution and kinetic characterization, Cortas, N., Arnaout, M., Salon, J., Edelman, I.S. 108:187

ATP
—, activation of chloride conductance in pig jejunal brush border vesicles, Forsyth, G.W., Gabriel, S.E. 107:137
—, anomalous influence of reduced internal ATP levels on sodium efflux in *Myxicola* giant axons, Sjodin, R.A., Ortiz, O.E., Montes, J.G. 108:61
—, ATP-dependent calcium transport in rat parotid basolateral membrane vesicles is modulated by membrane potential, Ambudkar, I.S., Baum, B.J. 102:59
—, ATP-sensitive potassium channels in adult mouse skeletal muscle: characterization of the ATP-binding site, Weik, R., Neumcke, B. 110:217
—, conduction and blocking properties of a predominantly anion-selective channel from human platelet surface membrane reconstituted into planar phospholipid bilayers, Manning, S.D., Williams, A.J. 109:113
—, conformational transitions and charge translocation by the Na,K pump: comparison of optical and electrical transients elicited by ATP-concentration jumps, Stürmer, W., Apell, A.-J., Wuddel, I., Läuger, P. 110:67
—, effects of ADP upon the ATP-sensitive K^+ channel in rat ventricular myocytes, Findlay, I. 101:83
—, effects of monensin on ATP levels and cell functions in rat liver and lung in vitro, Mariani, M.F., Thomas, L., DeFeo, B., van Rossum, G.D.B. 108:235
—, effects of pyridine nucleotides on the gating of ATP-sensitive potassium channels in insulin-secreting cells, Dunne, M.J., Findlay, I., Petersen, O.H. 102:205
—, ion permeation and rectification in ATP-sensitive channels from insulin-secreting cells (RINm5F): effects of K^+, Na^+ and Mg^{2+}, Ciani, S., Ribalet, B. 103:171
—, modulation of gating of a metabolically regulated, ATP-dependent K^+ channel by intracellular pH in B cells of the pancreatic islet, Misler, S., Gillis, K., Tabcharani, J. 109:135
—, possible involvement of protein phosphorylation/dephosphorylation in the modulation of Ca^{2+} channel in tonoplast-free cells of *Nitellopsis*, Shiina, T., Wayne, R., Lim Tung, H.Y., Tazawa, M. 102:255
—, role of calcium and calmodulin in the regulation of the rabbit ileal brush-border membrane Na^+/H^+ antiporter, Emmer, E., Rood, R.P., Wesolek, J.H., Cohen, M.E., Braithwaite, R.S., Sharp, G.W.G., Murer, H., Donowitz, M. 108:207
—, the gating of nucleotide-sensitive K^+ channels in insulin-secreting cells can be modulated by changes in the ratio ATP^{4-}/ADP^{3-} and by nonhydrolyzable derivatives of both ATP and ADP, Dunne, M.J., West-Jordan, J.A., Abraham, R.J., Edwards, R.H.T., Petersen, O.H. 104:165
ATP^{4-}
—, the gating of nucleotide-sensitive K^+ channels in insulin-secreting cells can be modulated by changes in the ratio ATP^{4-}/ADP^{3-} and by nonhydrolyzable derivatives of both ATP and ADP, Dunne, M.J., West-Jordan, J.A., Abraham, R.J., Edwards, R.H.T., Petersen, O.H. 104:165
ATP-dependent K channel
—, ion permeation and rectification in ATP-sensitive channels from insulin-secreting cells (RINm5F): effects of K^+, Na^+ and Mg^{2+}, Ciani, S., Ribalet, B. 103:171
ATP-dependent K^+ channel
—, modulation of gating of a metabolically regulated, ATP-dependent K^+ channel by intracellular pH in B cells of the pancreatic islet, Misler, S., Gillis, K., Tabcharani, J. 109:135
ATP-sensitive K^+ channels
—, ATP-sensitive potassium channels in adult mouse skeletal muscle: characterization of the ATP-binding site, Weik, R., Neumcke, B. 110:217
ATP synthase
—, proton channel of the chloroplast ATP synthase, CF_o: its time-averaged single-channel conductance as function of pH, temperature, isotopic and ionic medium composition, Althoff, G., Lill, H., Junge, W. 108:263
—, pump and displacement currents of reconstituted ATP synthase on black lipid membranes, Christensen, B., Gutweiler, M., Grell, E., Wagner, N., Pabst, R., Dose, K., Bamberg, E. 104:179
ATP/ADP translocase
—, solubilization and reconstitution of the *Rickettsia prowazewkii* ATP/ADP translocase, Plano, G.V., Winkler, H.H. 110:227
ATPase inhibitors
—, characterization of inositol 1,4,5-trisphosphate-sensitive (IsCaP) and -insensitive (IisCaP) nonmitochondrial Ca^{2+} pools in rat pancreatic acinar cells, Thévenod, F., Dehlinger-Kremer, M., Kemmer, T.P., Christian, A.-L., Potter, B.V.L., Schulz, I. 109:173
Axons
—, calmodulin acts as an intermediary for the effects of calcium on gap junctions from crayfish lateral axons, Arellano, R.O., Ramón, F., Rivera, A., Zampighi, G.A. 101:119
Azide
—, constitutive and transport-related endocytotic pathways in turtle bladder epithelium, Dixon, T.E., Clausen, C., Coachman, D. 102:49
Azidobumetanide
—, purification of proteins of the Na/Cl cotransporter from membranes of Ehrlich ascites cells using a bumetanide-sepharose affinity column, Feit, P.W., Hoffmann, E.K., Schiødt, M., Kristensen, P., Jessen, F., Dunham, P.B. 102:135
Ba^{2+} blockade
—, blockade of potassium channels in the plasmalemma of *Chara corallina* by tetraethylammonium, Ba^{2+}, Na^+ and Cs^+, Tester, M. 105:77
—, kinetics of voltage- and Ca^{2+} activation and Ba^{2+} blockade of a large-conductance K^+ channel from *Necturus* enterocytes, Sheppard, D.N., Giraldez, F., Sepúlveda, F.V. 105:65
Bacteriorhodopsin
—, protein electric response signals from dielectrically polarized systems, Keszthelyi, L., Ormos, P. 109:193
—, pump and displacement currents of reconstituted ATP synthase on black lipid membranes, Christensen, B., Gutweiler, M., Grell, E., Wagner, N., Pabst, R., Dose, K., Bamberg, E. 104:179
Band 3
—, relation between the anion exchange protein in kidney medullary collecting duct cells and red cell band 3, Janoshazi, A., Ojcius, D.M., Kone, B., Seifter, J.L., Solomon, A.K. 103:181
—, shape determinants of McLeod acanthocytes, Khodadad, J.K., Weinstein, R.S., Marsh, L.W., Steck, T.L. 107:213
—, the "tunneling" mode of biological carrier-mediated transport, Fröhlich, O. 101:189
Barium
—, microelectrode characterization of the basolateral membrane of rabbit S3 proximal tubule, Vance, B.A., Biagi, B.A. 108:53

—, voltage dependence of the basolateral membrane conductance in the *Amphiuma* collecting tubule, Horisberger, J.-D., Giebisch, G. 105:257
Barium current
—, voltage-independent barium-permeable channel activated in *Lymnaea* neurons by internal perfusion or patch excision, Yazejian, B., Byerly, L. 107:63
Barium ions
—, Ca^{2+}-activated K^+ channels in the apical membrane of *Necturus* choroid plexus, Brown, P.D., Loo, D.D.F., Wright, E.M. 105:207
—, calcium channel activation and inactivation in *Paramecium* biochemically measured by cyclic GMP production, Schultz, J., Schade, U. 109:259
—, Na^+ and K^+ fluxes stimulated by Na^+-coupled glucose transport: evidence for a Ba^{2+}-insensitive K^+ efflux pathway in rabbit proximal tubules, Avison, M.J., Gullans, S.R., Ogino, T., Giebisch, G. 105:197
—, role of the sodium pump and the background K^+ channel in passive $K^+(Rb^+)$ uptake by isolated cardiac sarcolemmal vesicles, Otero, A.S., Szabo, G. 104:253
—, veratridine induces a Ca^{2+} influx, cyclic GMP formation, and backward swimming in *Paramecium tetraurelia* wild-type cells and Ca^{2+} current-deficient pawn mutant cells, Schultz, J.E., Schade, U. 109:251
—, voltage-independent barium-permeable channel activated in *Lymnaea* neurons by internal perfusion or patch excision, Yazejian, B., Byerly, L. 107:63
Basolateral membrane
—, apical and basolateral Na^+/H^+ exchange in the rabbit outer medullary thin descending limb of Henle: role in intracellular pH regulation, Kurtz, I. 106:253
—, ATP-dependent calcium transport in rat parotid basolateral membrane vesicles is modulated by membrane potential, Ambudkar, I.S., Baum, B.J. 102:59
—, Ca^{2+} and cAMP activate K^+ channels in the basolateral membrane of crypt cells isolated from rabbit distal colon, Loo, D.D.F., Kaunitz, J.D. 110:19
—, cadmium inhibits plasma membrane calcium transport, Verbost, P.M., Flik, G., Lock, R.A.C., Bonga, S.E.W. 102:97
—, characterization of chloride channels in membrane vesicles from the kidney outer medulla, Breuer, W. 107:35
—, characterization of ischemia-induced loss of epithelial polarity, Molitoris, B.A., Hoilien, C.A., Dahl, R., Ahnen, D.J., Wilson, P.D., Kim, J. 106:233
—, coupled Na^+/H^+ exchange in rat parotid basolateral membrane vesicles, Manganel, M., Turner, R.J. 102:247
—, dependence of cell membrane conductances on bathing solution HCO_3^-/CO_2 in *Necturus* gallbladder, Stoddard, J.S., Reuss, L. 102:163
—, distribution of ion channels on taste cells and its relationship to chemosensory transduction, Roper, S.D., McBride, D.W., Jr. 109:29
—, effect of K^+ channels in the apical plasma membrane on epithelial secretion based on secondary active Cl^- transport, Cook, D.I., Young, J.A. 110:139
—, identification and comparison of bile acid-binding polypeptides in ileal basolateral membrane, Lin, M.C., Weinberg, S.L., Kramer, W., Burckhardt, G., Wilson, F.A. 106:1
—, integral and peripheral protein composition of the apical and basolateral membrane domains in MDCK cells, Sargiacomo, M., Lisanti, M., Graeve, L., Le Bivic, A., Rodriguez-Boulan, E. 107:277
—, ionic dependence of bumetanide binding to the rabbit parotid Na/K/Cl cotransporter, Turner, R.J., George, J.N. 102:71
—, microelectrode characterization of the basolateral membrane of rabbit S3 proximal tubule, Vance, B.A., Biagi, B.A. 108:53
—, rabbit distal colon epithelium: I. isolation and characterization of basolateral plasma membrane vesicles from surface and crypt cells, Wiener, H., Turnheim, K., van Os, C.H. 110:147
—, rabbit distal colon epithelium: II. characterization of (Na^+,K^+,Cl^-) cotransport and $[^3H]$-bumetanide binding, Wiener, H., van Os, C.H. 110:163
—, tight junctions and apical/basolateral polarity, Cereijido, M., Ponce, A., González-Mariscal, L. 110:1
—, voltage dependence of the basolateral membrane conductance in the *Amphiuma* collecting tubule, Horisberger, J.-D., Giebisch, G. 105:257
BCECF
—, flow cytometric analysis of intracellular pH in cultured opossum kidney (OK) cells, Montrose, M.H., Condrau, M.A., Murer, H. 108:31
Bicarbonate
—, bicarbonate and fast-twitch muscle: evidence for a major role in pH regulation, Grossie, J., Collins, C., Julian, M. 105:265
—, regulation of cytoplasmic pH of cultured bovine corneal endothelial cells in the absence and presence of bicarbonate, Jentsch, T.J., Korbmacher, C., Janicke, I., Fischer, D.G., Stahl, F., Helbig, H., Hollwede, H., Cragoe, E.J., Jr., Keller, S.K., Wiederholt, M. 103:29
—, secretin-regulated chloride channel on the apical plasma membrane of pancreatic duct cells, Gray, M.A., Greenwell, J.R., Argent, B.E. 105:131
Bilayers
—, effect of carbohydrates and glycerol on the stability and surface properties of lyophilized liposomes, Alonso-Romanowski, S., Biondi, A.C., Disalvo, E.A. 108:1
—, impermeant potential-sensitive oxonol dyes: I. evidence for an "on–off" mechanism, George, E.B., Nyirjesy, P., Basson, M., Ernst, L.A., Pratap, P.R., Freedman, J.C., Waggoner, A.S. 103:245
—, impermeant potential-sensitive oxonol dyes: II. the dependence of the absorption signal on the length of alkyl substituents attached to the dye, Nyirjesy, P., George, E.B., Gupta, R.K., Basson, M., Pratap, P.R., Freedman, J.C., Raman, K., Waggoner, A.S. 105:45
—, impermeant potential-sensitive oxonol dyes: III. the dependence of the absorption signal on membrane potential, George, E.B., Nyirjesy, P., Pratap, P.R., Freedman, J.C., Waggoner, A.S. 105:55
—, interactions of liposomes with planar bilayer membranes, Perin, M.S., MacDonald, R.C. 109:221
—, ion modulation of membrane permeability: effect of cations on intact cells and on cells and phospholipid bilayers treated with pore-forming agents, Bashford, C.L., Alder, G.M., Graham, J.M., Menestrina, G., Pasternak, C.A. 103:79
—, proton conductance caused by long-chain fatty acids in phospholipid bilayer membranes, Gutknecht, J. 106:83
—, shape determinants of McLeod acanthocytes, Khodadad, J.K., Weinstein, R.S., Marsh, L.W., Steck, T.L. 107:213
—, thermal instability of red blood cell membrane bilayers: temperature dependence of hemolysis, Gershfeld, N.L., Murayama, M. 101:67

Bile acid-binding polypeptides
—, identification and comparison of bile acid-binding polypeptides in ileal basolateral membrane, Lin, M.C., Weinberg, S.L., Kramer, W., Burckhardt, G., Wilson, F.A. 106:1
Binding
—, ATP-sensitive potassium channels in adult mouse skeletal muscle: characterization of the ATP-binding site, Weik, R., Neumcke, B. 110:217
—, relation between the anion exchange protein in kidney medullary collecting duct cells and red cell band 3, Janoshazi, A., Ojcius, D.M., Kone, B., Seifter, J.L., Solomon, A.K. 103:181
Binding forces
—, role of substrate binding forces in exchange-only transport system: I. transition-state theory, Krupka, R.M. 109:151
Binding protein
—, mediated uptake of folate by a high-affinity binding protein in sublines of L1210 cells adapted to nanomolar concentrations of folate, Henderson, G.B., Tsuji, J.M., Kumar, H.P. 101:247
Binding sites
—, binding and degradation of ^{125}I-insulin rat renal brush border membranes: evidence for low affinity, high capacity insulin recognition sites, Meezan, E., Pillion, D.J., Elgavish, A. 105:113
—, evidence for the presence of specific binding sites for corticoids in mouse liver plasma membranes, Trueba, M., Vallejo, A.I., Rodriguez, I., Ibarrola, I., Sancho, M.J., Marino, A., Macarulla, J.M. 108:115
—, studies on inactivation of anion transport in human red blood cell membrane by reversibly and irreversibly acting arginine-specific reagents, Julien, T., Zaki, L. 102:217
Biosynthesis
—, ion concentration-dependent regulation of Na,K-pump abundance, Pressley, T.A. 105:187
Black lipid membranes
—, interactions of liposomes with planar bilayer membranes, Perin, M.S., MacDonald, R.C. 109:221
—, pump and displacement currents of reconstituted ATP synthase on black lipid membranes, Christensen, B., Gutweiler, M., Grell, E., Wagner, N., Pabst, R., Dose, K., Bamberg, E. 104:179
Boltenia villosa
—, a nonselective cation channel activated by membrane deformation in oocytes of the ascidian *Boltenia villosa*, Moody, W.J., Bosma, M.M. 107:179
Born-Parsegian equation
—, modification of the erythrocyte membrane dielectric constant by alcohols, Orme, F.W., Moronne, M.M., Macey, R.I. 104:57
Bovine chromaffin cells
—, evidence implicating protein kinase C in exocytosis from electropermeabilized bovine chromaffin cells, Knight, D.E., Sugden, D., Baker, P.F. 104:21
Bovine kidney
—, different sensitivity of ATP + Mg + Na (I) and P_i + Mg (II) dependent types of ouabain binding to phospholipase A_2, Svoboda, P., Amler, E., Teisinger, J. 104:211
Bovine retina
—, silver ions induce a rapid Ca^{2+} release from isolated intact bovine rod outer segments by a cooperative mechanism, Schnetkamp, P.P.M., Szerencsei, R.T. 108:91
Branched-chain amino acids
—, Na^+ (Li^+)/branched-chain amino acid cotransport in *Pseudomonas aeruginosa*, Uratani, Y., Tsuchiya, T., Akamatsu, Y., Hoshino, T. 107:57
Breakdown potential
—, electrical tolerance (breakdown) of the *Chara corallina* plasmalemma: I. necessity of Ca^{2+}, Ohkawa, T., Tsutsui, I. 103:273
Brine shrimp
—, isoforms of Na,K-ATPase in *Artemia salina*: I. detection by FITC binding and time course, Salon, J., Cortas, N., Edelman, I.S. 108:177
—, isoforms of Na,K-ATPase in *Artemia salina*: II. tissue distribution and kinetic characterization, Cortas, N., Arnaout, M., Salon, J., Edelman, I.S. 108:187
Bromide uptake
—, anion transport during maturation of erythroblastic cells, Kirk, R.G., Lee, P. 101:173
Brush border membrane
—, activation of chloride conductance in pig jejunal brush border vesicles, Forsyth, G.W., Gabriel, S.E. 107:137
—, anion specificity of the jejunal folate carrier: effects of reduced folate analogues on folate uptake and efflux, Schron, C.M., Washington, C., Jr., Blitzer, B.L. 102:175
—, binding and degradation of ^{125}I-insulin rat renal brush border membranes: evidence for low affinity, high capacity insulin recognition sites, Meezan, E., Pillion, D.J., Elgavish, A. 105:113
—, Ca^{2+} dependency of Na^+ transport by rabbit renal brush border membrane, Morduchowicz, G.A., Yanagawa, N. 109:105
—, characterization of a Na^+/glucose cotransporter cloned from rabbit small intestine, Ikeda, T.S., Hwang, E.-S., Coady, M.J., Hirayama, B.A., Hediger, M.A., Wright, E.M. 110:87
—, characterization of sodium and pyruvate interactions of the two carrier systems specific of mono- and di- or tricarboxylic acids by renal brush-border membrane vesicles, Mengual, R., Claude-Schlageter, M.-H., Poiree, J.-C., Yagello, M., Sudaka, P. 108:197
—, effect of limited trypsin digestion on the renal Na^+–H^+ exchanger and its regulation by cAMP-dependent protein kinase, Weinman, E.J., Dubinsky, W.P., Dinh, Q., Steplock, D., Shenolikar, S. 109:233
—, effects of membrane potential on Na cotransports in eel intestinal brush-border membrane vesicles: studies with a fluorescent dye, Cassano, G., Maffia, M., Vilella, S., Storelli, C. 101:225
—, examination of the substrate stoichiometry of the intestinal Na^+/phosphate cotransporter, Peerce, B.E. 110:189
—, is there a Cl^-–OH^- exchange (Cl^-–H^+ cotransport) mechanism in the brush-border membrane of the intestine of the fresh water trout (*Salmo gairdneri*, R.)?, Aguenaou, H., Hubsch, A., Colin, D.A. 108:13
—, regulation of reconstituted renal Na^+/H^+ exchanger by calcium-dependent protein kinases, Weinman, E.J., Dubinsky, W.P., Fisher, K., Steplock, D., Dinh, Q., Chang, L., Shenolikar, S. 103:237
—, relation of ATPases in rat renal brush-border membranes to ATP-driven H^+ secretion, Turrini, F., Sabolić, I., Zimolo, Z., Moewes, B., Burckhardt, G. 107:1
—, role of calcium and calmodulin in the regulation of the rabbit ileal brush-border membrane Na^+/H^+ antiporter, Emmer, E., Rood, R.P., Wesolek, J.H., Cohen, M.E., Braithwaite, R.S., Sharp, G.W.G., Murer, H., Donowitz, M. 108:207

—, sodium D-glucose cotransport in the gill of marine mussels: studies with intact tissue and brush-border membrane vesicles, Pajor, A.M., Moon, D.A., Wright, S.H. 107:77
—, solubilization and reconstitution of renal brush border Na^+–H^+ exchanger, Weinman, E.J., Shenolikar, S., Cragoe, E.J., Jr., Dubinsky, W.P. 101:1
—, stimulation of intestinal Na^+/D-glucose cotransport by monoclonal antibodies, Honold, K., Ludeke, B., Hengartner, H., Semenza, G. 105:165
—, taurine transport by rabbit kidney brush-border membranes: coupling to sodium, chloride, and the membrane potential, Wolff, N.A., Kinne, R. 102:131
—, uptake of lysine and proline *via* separate α-neutral amino acid transport pathways in *Mytilus* gill brush border membranes, Pajor, A.M., Wright, S.H. 107:237
Buffers
—, dependence of cell membrane conductances on bathing solution HCO_3^-/CO_2 in *Necturus* gallbladder, Stoddard, J.S., Reuss, L. 102:163
Bumetanide
—, electron probe X-ray microanalysis of cellular ions in the eccrine secretory coil cells during methacholine stimulation, Saga, K., Sato, K. 107:13
—, ionic dependence of bumetanide binding to the rabbit parotid Na/K/Cl cotransporter, Turner, R.J., George, J.N. 102:71
—, Na^+ and K^+ fluxes stimulated by Na^+-coupled glucose transport: evidence for a Ba^{2+}-insensitive K^+ efflux pathway in rabbit proximal tubules, Avison, M.J., Gullans, S.R., Ogino, T., Giebisch, G. 105:197
—, purification of proteins of the Na/Cl cotransporter from membranes of Ehrlich ascites cells using a bumetanide-sepharose affinity column, Feit, P.W., Hoffmann, E.K., Schiødt, M., Kristensen, P., Jessen, F., Dunham, P.B. 102:135
—, rabbit distal colon epithelium: II. characterization of (Na^+,K^+,Cl^-) cotransport and [^{3}H]-bumetanide binding, Wiener, H., van Os, C.H. 110:163
Burst kinetics
—, mechanism of inactivation of single sodium channels after modification by chloramine-T, sea anemone toxin and scorpion toxin, Nagy, K. 106:29
Ca^{2+}-activated K^+ channels
—, analysis of the blocking activity of charybdotoxin homologs and iodinated derivatives against Ca^{2+}-activated K^+ channels, Lucchesi, K., Ravindran, A., Young, H., Moczydlowski, E. 109:269
—, Ca^{2+}-activated K^+ channels from cultured renal medullary thick ascending limb cells: effects of pH, Cornejo, M., Guggino, S.E., Guggino, W.B. 110:49
—, Ca^{2+}-activated K^+ channels in the apical membrane of *Necturus* choroid plexus, Brown, P.D., Loo, D.D.F., Wright, E.M. 105:207
—, Ca^{2+}-activated K^+ conductance of human red cell membranes exhibits two different types of voltage dependence, Stampe, P., Vestergaard-Bogind, B. 101:165
—, Ca^{2+} and cAMP activate K^+ channels in the basolateral membrane of crypt cells isolated from rabbit distal colon, Loo, D.D.F., Kaunitz, J.D. 110:19
—, charybdotoxin blocks with high affinity the Ca-activated K^+ channel of Hb A and Hb S red cells: individual differences in the number of channels, Wolff, D., Cecchi, X., Spalvins, A., Canessa, M. 106:243
—, isomeric yohimbine alkaloids block calcium-activated K^+ channels in medullary thick ascending limb cells of rabbit kidney, Cornejo, M., Guggino, S.E., Sastre, A., Guggino, W.B. 107:25
—, kinetics of voltage- and Ca^{2+} activation and Ba^{2+} blockade of a large-conductance K^+ channel from *Necturus* enterocytes, Sheppard, D.N., Giraldez, F., Sepúlveda, F.V. 105:65
—, modulation of gating of a metabolically regulated, ATP-dependent K^+ channel by intracellular pH in B cells of the pancreatic islet, Misler, S., Gillis, K., Tabcharani, J. 109:135
—, pharmacology of K^+ channels in the plasmalemma of the green alga *Chara corallina*, Tester, M. 103:159
Ca^{2+}-activated K^+ conductance
—, Ca^{2+}-activated K^+ conductance causes membrane hyperpolarizations in a monkey kidney cell line (JTC-12), Chang, H., Yamashita, N., Matsunaga, H., Kurokawa, K. 103:263
Ca^{2+}-activated K^+ currents
—, Ca^{2+}-activated K^+ currents in *Necturus* choroid plexus, Loo, D.D.F., Brown, P.D., Wright, E.M. 105:221
Ca^{2+} activation
—, gating behaviors of a voltage-dependent and Ca^{2+}-activated cation channel of yeast vacuolar membrane incorporated into planar lipid bilayer, Tanifuji, M., Sato, M., Wada, Y., Anraku, Y., Kasai, M. 106:47
Ca-ATPase
—, structural basis for E_1–E_2 conformational transitions in Na,K-pump and Ca-pump proteins, Jørgensen, P.L., Andersen, J.P. 103:95
Ca^{2+}-ATPase
—, asymmetric effects of divalent cations and protons on active Ca^{2+} efflux and Ca^{2+}-ATPase in intact red blood cells, Xu, Y.-H., Roufogalis, B.D. 105:155
—, cadmium inhibits plasma membrane calcium transport, Verbost, P.M., Flik, G., Lock, R.A.C., Bonga, S.E.W. 102:97
Ca^{2+}-calmodulin system
—, leukotriene-D_4 induced cell shrinkage in Ehrlich ascites tumor cells, Lambert, I.H. 108:165
—, role of calcium and calmodulin in the regulation of the rabbit ileal brush-border membrane Na^+/H^+ antiporter, Emmer, E., Rood, R.P., Wesolek, J.H., Cohen, M.E., Braithwaite, R.S., Sharp, G.W.G., Murer, H., Donowitz, M. 108:207
Ca^{2+} channels
—, possible involvement of protein phosphorylation/dephosphorylation in the modulation of Ca^{2+} channel in tonoplast-free cells of *Nitellopsis*, Shiina, T., Wayne, R., Lim Tung, H.Y., Tazawa, M. 102:255
Ca^{2+} concentration
—, electrical tolerance (breakdown) of the *Chara corallina* plasmalemma: I. necessity of Ca^{2+}, Ohkawa, T., Tsutsui, I. 103:273
Ca^{2+} dependence
—, all or none cell responses of Ca^{2+}-dependent K channels elicited by calcium or lead in human red cells can be explained by heterogeneity of agonist distribution, Alvarez, J., García-Sancho, J., Herreros, B. 104:129
Ca^{2+}-dependent Cl^- channels
—, Ca^{2+}-dependent Cl^- efflux in tonoplast-free cells of *Nitellopsis obtusa*, Shiina, T., Tazawa, M. 106:135
Ca^{2+}-dependent cysteine protease
—, degradation of skeletal muscle plasma membrane proteins by calpain, Zaidi, S.I.M., Narahara, H.T. 110:209

Ca^{2+}-dependent K^+ current
—, inositol 1,2,3,5-tetrakisphosphate is essential for sustained activation of the Ca^{2+}-dependent K^+ current in single internally perfused mouse lacrimal acinar cells, Changya, L., Gallacher, D.V., Irvine, R.F., Potter, B.V.L., Petersen, O.H. 109:85
Ca^{2+}-dependent Na^+ transport
—, Ca^{2+} dependency of Na^+ transport by rabbit renal brush border membrane, Morduchowicz, G.A., Yanagawa, N. 109:105
Ca^{2+} electrode
—, characterization of inositol 1,4,5-trisphosphate-sensitive (IsCaP) and -insensitive (IisCaP) nonmitochondrial Ca^{2+} pools in rat pancreatic acinar cells, Thévenod, F., Dehlinger-Kremer, M., Kemmer, T.P., Christian, A.-L., Potter, B.V.L., Schulz, I. 109:173
Ca^{2+} flux
—, asymmetric effects of divalent cations and protons on active Ca^{2+} efflux and Ca^{2+}-ATPase in intact red blood cells, Xu, Y.-H., Roufogalis, B.D. 105:155
—, veratridine induces a Ca^{2+} influx, cyclic GMP formation, and backward swimming in *Paramecium tetraurelia* wild-type cells and Ca^{2+} current-deficient pawn mutant cells, Schultz, J.E., Schade, U. 109:251
Ca^{2+} permeability
—, calcium mobilizing hormones activate the plasma membrane Ca^{2+} pump of pancreatic acinar cells, Muallem, S., Pandol, S.J., Beeker, T.G. 106:57
Ca^{2+} pump
—, cadmium inhibits plasma membrane calcium transport, Verbost, P.M., Flik, G., Lock, R.A.C., Bonga, S.E.W. 102:97
—, calcium mobilizing hormones activate the plasma membrane Ca^{2+} pump of pancreatic acinar cells, Muallem, S., Pandol, S.J., Beeker, T.G. 106:57
—, electrogenic behavior of the human red cell Ca^{2+} pump revealed by disulfonic stilbenes, Romero, P.J., Ortiz, C.E. 101:237
—, role of Na^+/Ca^{2+} exchange and the plasma membrane Ca^{2+} pump in hormone-mediated Ca^{2+} efflux from pancreatic acini, Muallem, S., Beeker, T., Pandol, S.J. 102:153
Ca^{2+} release
—, activation of Ca^{2+} release in isolated sarcoplasmic reticulum, Shoshan-Barmatz, V. 103:67
Ca^{2+}-sensitive K^+ channels
—, interaction of the B subunit of cholera toxin with endogenous ganglioside GM1 causes changes in membrane potential of rat thymocytes, Mulhern, S.A., Fishman, P.H., Spiegel, S. 109:21
Ca^{2+} transport
—, ATP-dependent calcium transport in rat parotid basolateral membrane vesicles is modulated by membrane potential, Ambudkar, I.S., Baum, B.J. 102:59
—, cadmium inhibits plasma membrane calcium transport, Verbost, P.M., Flik, G., Lock, R.A.C., Bonga, S.E.W. 102:97
—, electrogenic behavior of the human red cell Ca^{2+} pump revealed by disulfonic stilbenes, Romero, P.J., Ortiz, C.E. 101:237
Ca^{2+} uptake
—, electrogenic behavior of the human red cell Ca^{2+} pump revealed by disulfonic stilbenes, Romero, P.J., Ortiz, C.E. 101:237
Ca^{2+}/H^+ exchange
—, characterization of inositol 1,4,5-trisphosphate-sensitive (IsCaP) and -insensitive (IisCaP) nonmitochondrial Ca^{2+} pools in rat pancreatic acinar cells, Thévenod, F., Dehlinger-Kremer, M., Kemmer, T.P., Christian, A.-L., Potter, B.V.L., Schulz, I. 109:173
Ca/K flux
—, charybdotoxin blocks with high affinity the Ca-activated K^+ channel of Hb A and Hb S red cells: individual differences in the number of channels, Wolff, D., Cecchi, X., Spalvins, A., Canessa, M. 106:243
Ca^{2+}/Mg^{2+}-ATPase
—, deliberate quin2 overload as a method for *in situ* characterization of active calcium extrusion systems and cytoplasmic binding: application to the human platelet, Johansson, J.S., Haynes, D.H. 104:147
Cable analysis
—, dependence of cell membrane conductances on bathing solution HCO_3^-/CO_2 in *Necturus* gallbladder, Stoddard, J.S., Reuss, L. 102:163
—, voltage- and time dependence of apical membrane conductance during current clamp in *Necturus* gallbladder epithelium, Stoddard, J.S., Reuss, L. 103:191
Caffeine
—, cytoplasmic free Ca in isolated snail neurons as revealed by fluorescent probe fura-2: mechanisms of Ca recovery after Ca load and Ca release from intracellular stores, Kostyuk, P.G., Mironov, S.L., Tepikin, A.V., Belan, P.V. 110:11
"Caged" ATP
—, conformational transitions and charge translocation by the Na,K pump: comparison of optical and electrical transients elicited by ATP-concentration jumps, Stürmer, W., Apell, A.-J., Wuddel, I., Läuger, P. 110:67
—, pump and displacement currents of reconstituted ATP synthase on black lipid membranes, Christensen, B., Gutweiler, M., Grell, E., Wagner, N., Pabst, R., Dose, K., Bamberg, E. 104:179
Calcium
—, a nonselective cation channel activated by membrane deformation in oocytes of the ascidian *Boltenia villosa*, Moody, W.J., Bosma, M.M. 107:179
—, all or none cell responses of Ca^{2+}-dependent K channels elicited by calcium or lead in human red cells can be explained by heterogeneity of agonist distribution, Alvarez, J., García-Sancho, J., Herreros, B. 104:129
—, Ca^{2+}-activated K^+ conductance of human red cell membranes exhibits two different types of voltage dependence, Stampe, P., Vestergaard-Bogind, B. 101:165
—, calcium efflux and intracellular exchangeable calcium in mammalian nonmyelinated nerve fibers, Jirounek, P., Vitus, J., Prælong, W.F., Straub, R.W. 103:121
—, calmodulin acts as an intermediary for the effects of calcium on gap junctions from crayfish lateral axons, Arellano, R.O., Ramón, F., Rivera, A., Zampighi, G.A. 101:119
—, evidence implicating protein kinase C in exocytosis from electropermeabilized bovine chromaffin cells, Knight, D.E., Sugden, D., Baker, P.F. 104:21
—, ionic and permeability requirements for exocytosis in vitro in sea urchin eggs, Zimmerberg, J., Liu, J. 101:199
—, phosphorylation of MP26, a lens junction protein, is enhanced by activators of protein kinase C, Lampe, P.D., Johnson, R.G. 107:145

Calcium buffer
—, feet, bridges, and pillars in triad junctions of mammalian skeletal muscle: their possible relationship to calcium buffers in terminal cisternae and T-tubules and to excitation–contraction coupling, Dulhunty, A.F. 109:73
Calcium channels
—, activation kinetics of single high-threshold calcium channels in the membrane of sensory neurons from mouse embryos, Kostyuk, P.G., Shuba, Ya.M., Teslenko, V.I. 110:29
—, calcium channels: molecular pharmacology, structure and regulation, Hosey, M.M., Lazdunski, M. 104:81
Calcium dependence
—, regulation of reconstituted renal Na^+/H^+ exchanger by calcium-dependent protein kinases, Weinman, E.J., Dubinsky, W.P., Fisher, K., Steplock, D., Dinh, Q., Chang, L., Shenolikar, S. 103:237
Calcium flux
—, calcium efflux and intracellular exchangeable calcium in mammalian nonmyelinated nerve fibers, Jirounek, P., Vitus, J., Pralong, W.F., Straub, R.W. 103:121
—, volume-dependent regulation of ion transport and membrane phosphorylation in human and rat erythrocytes, Orlov, S.N., Pokudin, N.I., Kotelevtsev, Y.V., Gulak, P.V. 107:105
Calcium ion binding
—, evidence for high molecular weight Na–Ca exchange in cardiac sarcolemmal vesicles, Hale, C.C., Kleiboeker, S.B., Carlton, C.G., Rovetto, M.J., Jung, C., Kim, H.D. 106:211
Calcium ion channels
—, calcium channel activation and inactivation in *Paramecium* biochemically measured by cyclic GMP production, Schultz, J., Schade, U. 109:259
—, veratridine induces a Ca^{2+} influx, cyclic GMP formation, and backward swimming in *Paramecium tetraurelia* wild-type cells and Ca^{2+} current-deficient pawn mutant cells, Schultz, J.E., Schade, U. 109:251
Calcium ion flux
—, Ca^{2+}-activated K^+ channels from cultured renal medullary thick ascending limb cells: effects of pH, Cornejo, M., Guggino, S.E., Guggino, W.B. 110:49
—, Ca^{2+} and cAMP activate K^+ channels in the basolateral membrane of crypt cells isolated from rabbit distal colon, Loo, D.D.F., Kaunitz, J.D. 110:19
—, degradation of skeletal muscle plasma membrane proteins by calpain, Zaidi, S.I.M., Narahara, H.T. 110:209
—, role of Na^+/Ca^{2+} exchange and the plasma membrane Ca^{2+} pump in hormone-mediated Ca^{2+} efflux from pancreatic acini, Muallem, S., Beeker, T., Pandol, S.J. 102:153
—, silver ions induce a rapid Ca^{2+} release from isolated intact bovine rod outer segments by a cooperative mechanism, Schnetkamp, P.P.M., Szerencsei, R.T. 108:91
Calcium ions
—, Ca^{2+}-activated K^+ channels in the apical membrane of *Necturus* choroid plexus, Brown, P.D., Loo, D.D.F., Wright, E.M. 105:207
—, deliberate quin2 overload as a method for *in situ* characterization of active calcium extrusion systems and cytoplasmic binding: application to the human platelet, Johansson, J.S., Haynes, D.H. 104:147
—, extracellular Ca^{2+} controls outward rectification by apical cation channels in toad urinary bladder: patch-clamp and whole-bladder studies, Das, S., Palmer, L.G. 107:157
—, role of calcium and calmodulin in the regulation of the rabbit ileal brush-border membrane Na^+/H^+ antiporter, Emmer, E., Rood, R.P., Wesolek, J.H., Cohen, M.E., Braithwaite, R.S., Sharp, G.W.G., Murer, H., Donowitz, M. 108:207
—, studies on the tonoplast action potential of *Nitella flexilis*, Shimmen, T., Nishikawa, S. 101:133
—, transcellular ion currents and extension of *Neurospora crassa* hyphae, Takeuchi, Y., Schmid, J., Caldwell, J.H., Harold, F.M. 101:33
—, voltage-independent barium-permeable channel activated in *Lymnaea* neurons by internal perfusion or patch excision, Yazejian, B., Byerly, L. 107:63
Calcium pump
—, structural basis for E_1–E_2 conformational transitions in Na,K-pump and Ca-pump proteins, Jørgensen, P.L., Andersen, J.P. 103:95
Calcium release
—, cytoplasmic free Ca in isolated snail neurons as revealed by fluorescent probe fura-2: mechanisms of Ca recovery after Ca load and Ca release from intracellular stores, Kostyuk, P.G., Mironov, S.L., Tepikin, A.V., Belan, P.V. 110:11
Calcium transport
—, calcium channels: molecular pharmacology, structure and regulation, Hosey, M.M., Lazdunski, M. 104:81
—, deliberate quin2 overload as a method for *in situ* characterization of active calcium extrusion systems and cytoplasmic binding: application to the human platelet, Johansson, J.S., Haynes, D.H. 104:147
Calmodulin
—, Ca^{2+} dependency of Na^+ transport by rabbit renal brush border membrane, Morduchowicz, G.A., Yanagawa, N. 109:105
—, cadmium inhibits plasma membrane calcium transport, Verbost, P.M., Flik, G., Lock, R.A.C., Bonga, S.E.W. 102:97
—, calmodulin acts as an intermediary for the effects of calcium on gap junctions from crayfish lateral axons, Arellano, R.O., Ramón, F., Rivera, A., Zampighi, G.A. 101:119
—, deliberate quin2 overload as a method for *in situ* characterization of active calcium extrusion systems and cytoplasmic binding: application to the human platelet, Johansson, J.S., Haynes, D.H. 104:147
—, role of calcium and calmodulin in the regulation of the rabbit ileal brush-border membrane Na^+/H^+ antiporter, Emmer, E., Rood, R.P., Wesolek, J.H., Cohen, M.E., Braithwaite, R.S., Sharp, G.W.G., Murer, H., Donowitz, M. 108:207
Calmodulin dependence
—, regulation of reconstituted renal Na^+/H^+ exchanger by calcium-dependent protein kinases, Weinman, E.J., Dubinsky, W.P., Fisher, K., Steplock, D., Dinh, Q., Chang, L., Shenolikar, S. 103:237
Calpain
—, degradation of skeletal muscle plasma membrane proteins by calpain, Zaidi, S.I.M., Narahara, H.T. 110:209
Calpastatin
—, degradation of skeletal muscle plasma membrane proteins by calpain, Zaidi, S.I.M., Narahara, H.T. 110:209
cAMP
—, activation of chloride conductance in pig jejunal brush border vesicles, Forsyth, G.W., Gabriel, S.E. 107:137
—, Ca^{2+} dependency of Na^+ transport by rabbit renal brush

border membrane, Morduchowicz, G.A., Yanagawa, N. 109:105
—, calcium channels: molecular pharmacology, structure and regulation, Hosey, M.M., Lazdunski, M. 104:81
—, inhibition of electrical coupling in pairs of murine pancreatic acinar cells by OAG and isolated protein kinase C, Somogyi, R., Batzer, A., Kolb, H.-A. 108:273
—, volume-activated Na/H exchange activity in fetal and adult pig red cells: inhibition by cyclic AMP, Sergeant, S., Sohn, D.H., Kim, H.D. 109:209
cAMP-activated K^+ channels
—, Ca^{2+} and cAMP activate K^+ channels in the basolateral membrane of crypt cells isolated from rabbit distal colon, Loo, D.D.F., Kaunitz, J.D. 110:19
cAMP dependence
—, activation of K^+ channels in renal medullary vesicles by cAMP-dependent protein kinase, Reeves, W.B., McDonald, G.A., Mehta, P., Andreoli, T.E. 109:65
cAMP-dependent kinase
—, effect of limited trypsin digestion on the renal Na^+–H^+ exchanger and its regulation by cAMP-dependent protein kinase, Weinman, E.J., Dubinsky, W.P., Dinh, Q., Steplock, D., Shenolikar, S. 109:233
cAMP-dependent protein kinase
—, reconstitution of cAMP-dependent protein kinase regulated renal Na^+–H^+ exchanger, Weinman, E.J., Dubinsky, W.P., Shenolikar, S. 101:11
Capacitance
—, penetration of furosemide into phospholipid monolayers, Miller, I.R. 101:113
Capnophorin
—, the "tunneling" mode of biological carrier-mediated transport, Fröhlich, O. 101:189
Carbachol
—, calcium mobilizing hormones activate the plasma membrane Ca^{2+} pump of pancreatic acinar cells, Muallem, S., Pandol, S.J., Beeker, T.G. 106:57
—, stimulation-associated redistribution of Na,K-ATPase in rat lacrimal gland, Yiu, S.C., Lambert, R.W., Bradley, M.E., Ingham, C.E., Hales, K.L., Wood, R.L., Mircheff, A.K. 102:185
Carbocyanine dye
—, characterization of chloride channels in membrane vesicles from the kidney outer medulla, Breuer, W. 107:35
Carbohydrates
—, effect of carbohydrates and glycerol on the stability and surface properties of lyophilized liposomes, Alonso-Romanowski, S., Biondi, A.C., Disalvo, E.A. 108:1
Carbonic anhydrase
—, constitutive and transport-related endocytotic pathways in turtle bladder epithelium, Dixon, T.E., Clausen, C., Coachman, D. 102:49
Carboxylate nitroxide
—, amine and carboxylate spin probe permeability in red cells, Todd, A.P., Mehlhorn, R.J., Macey, R.I. 109:41
Carboxylic acid transport
—, characterization of sodium and pyruvate interactions of the two carrier systems specific of mono- and di- or tricarboxylic acids by renal brush-border membrane vesicles, Mengual, R., Claude-Schlageter, M.-H., Poiree, J.-C., Yagello, M., Sudaka, P. 108:197
Cardiac muscle
—, effects of ADP upon the ATP-sensitive K^+ channel in rat ventricular myocytes, Findlay, I. 101:83
Cardiac myocytes
—, evidence for high molecular weight Na–Ca exchange in cardiac sarcolemmal vesicles, Hale, C.C., Kleiboeker, S.B., Carlton, C.G., Rovetto, M.J., Jung, C., Kim, H.D. 106:211
Cardiac sarcolemma
—, role of the sodium pump and the background K^+ channel in passive $K^+(Rb^+)$ uptake by isolated cardiac sarcolemmal vesicles, Otero, A.S., Szabo, G. 104:253
Carrier mechanism
—, inhibition of hexose transport in the human erythrocyte by 5,5′-dithiobis(2-nitrobenzoic acid): role of an exofacial carrier sulfhydryl group, May, J.M. 108:227
—, role of substrate binding forces in exchange-only transport system: I. transition-state theory, Krupka, R.M. 109:151
—, the choline carrier of erythrocytes: location of the NEM-reactive thiol group in the inner gated channel, Krupka, R.M., Devés, R. 101:43
—, the "tunneling" mode of biological carrier-mediated transport, Fröhlich, O. 101:189
Catalytic inefficiency
—, product inhibition during ion:solute cotransport is an alternative to leaks as a cause of low accumulations, Wright, J.K. 109:1
Catecholamine
—, evidence implicating protein kinase C in exocytosis from electropermeabilized bovine chromaffin cells, Knight, D.E., Sugden, D., Baker, P.F. 104:21
Cation channels
—, characterization of a partially degraded Na^+ channel from urinary tract epithelium, Zweifach, A., Lewis, S.A. 101:49
Cation cotransport
—, Na^+ (Li^+)/branched-chain amino acid cotransport in *Pseudomonas aeruginosa*, Uratani, Y., Tsuchiya, T., Akamatsu, Y., Hoshino, T. 107:57
Cation transport
—, structural basis for E_1–E_2 conformational transitions in Na,K-pump and Ca-pump proteins, Jørgensen, P.L., Andersen, J.P. 103:95
CCCP
—, protonophore anion permeability of the human red cell membrane determined in the presence of valinomycin, Bennekou, P. 102:225
—, silver ion (Ag^+)-induced increases in cell membrane K^+ and Na^+ permeability in the renal proximal tubule: reversal by thiol reagents, Kone, B.C., Kaleta, M., Gullans, S.R. 102:11
—, steady-state and transient membrane potentials in human red cells determined by protonophore-mediated pH changes, Bennekou, P. 106:41
Cd^{2+} inhibition
—, cadmium inhibits plasma membrane calcium transport, Verbost, P.M., Flik, G., Lock, R.A.C., Bonga, S.E.W. 102:97
Cell fusion
—, fused cells of frog proximal tubule: II. voltage-dependent intracellular pH, Wang, W., Wang, Y., Silbernagl, S., Oberleithner, H. 101:259
Cell growth
—, neutral amino acid transport systems in animal cells: potential targets of oncogene action and regulators of cellular growth, Saier, M.H., Jr., Daniels, G.A., Boerner, P., Lin, J. 104:1
Cell polarity
—, integral and peripheral protein composition of the apical

and basolateral membrane domains in MDCK cells, Sargiacomo, M., Lisanti, M., Graeve, L., Le Bivic, A., Rodriguez-Boulan, E. 107:277
—, tight junctions and apical/basolateral polarity, Cereijido, M., Ponce, A., González-Mariscal, L. 110:1
Cell polarization
—, regeneration of resistance and ion transport in rabbit corneal epithelium after induced surface cell exfoliation, Wolosin, J.M. 104:45
Cell shape
—, shape determinants of McLeod acanthocytes, Khodadad, J.K., Weinstein, R.S., Marsh, L.W., Steck, T.L. 107:213
Cell-to-cell communication
—, growth factors modulate junctional cell-to-cell communication, Maldonado, P.E., Rose, B., Loewenstein, W.R. 106:203
Cell volume
—, analysis of ion channels by modeling the osmotic effects of weak acids and bases, Hempling, H.G. 110:127
—, ouabain-induced cell swelling in rabbit cortical collecting tubule: NaCl transport by principal cells, Strange, K. 107:249
—, volume-activated Na/H exchange activity in fetal and adult pig red cells: inhibition by cyclic AMP, Sergeant, S., Sohn, D.H., Kim, H.D. 109:209
Cell volume regulation
—, ion channels activated by osmotic and mechanical stress in membranes of opossum kidney cells, Ubl, J., Murer, H., Kolb, H.-A. 104:223
—, leukotriene-D_4 induced cell shrinkage in Ehrlich ascites tumor cells, Lambert, I.H. 108:165
—, stimulation-associated redistribution of Na,K-ATPase in rat lacrimal gland, Yiu, S.C., Lambert, R.W., Bradley, M.E., Ingham, C.E., Hales, K.L., Wood, R.L., Mircheff, A.K. 102:185
—, volume-activated Na/H exchange activity in fetal and adult pig red cells: inhibition by cyclic AMP, Sergeant, S., Sohn, D.H., Kim, H.D. 109:209
—, volume-dependent regulation of ion transport and membrane phosphorylation in human and rat erythrocytes, Orlov, S.N., Pokudin, N.I., Kotelevtsev, Y.V., Gulak, P.V. 107:105
Cellular communication
—, membrane and junctional properties of the isolated frog lens epithelium, Duncan, G., Stewart, S., Prescott, A.R., Warn, R.M. 102:195
Cerebrospinal fluid secretion
—, Ca^{2+}-activated K^+ currents in *Necturus* choroid plexus, Loo, D.D.F., Brown, P.D., Wright, E.M. 105:221
Cesium ion blockade
—, blockade of potassium channels in the plasmalemma of *Chara corallina* by tetraethylammonium, Ba^{2+}, Na^+ and Cs^+, Tester, M. 105:77
—, potassium channels in the plasmalemma of *Chara corallina* are multi-ion pores: voltage-dependent blockade by Cs^+ and anomalous permeabilities, Tester, M. 105:87
CF_o
—, proton channel of the chloroplast ATP synthase, CF_o: its time-averaged single-channel conductance as function of pH, temperature, isotopic and ionic medium composition, Althoff, G., Lill, H., Junge, W. 108:263
cGMP
—, calcium channel activation and inactivation in *Paramecium* biochemically measured by cyclic GMP production, Schultz, J., Schade, U. 109:259
—, veratridine induces a Ca^{2+} influx, cyclic GMP formation, and backward swimming in *Paramecium tetraurelia* wild-type cells and Ca^{2+} current-deficient pawn mutant cells, Schultz, J.E., Schade, U. 109:251
Channel activation
—, activation kinetics of single high-threshold calcium channels in the membrane of sensory neurons from mouse embryos, Kostyuk, P.G., Shuba, Ya.M., Teslenko, V.I. 110:29
—, calcium channel activation and inactivation in *Paramecium* biochemically measured by cyclic GMP production, Schultz, J., Schade, U. 109:259
Channel degradation
—, characterization of a partially degraded Na^+ channel from urinary tract epithelium, Zweifach, A., Lewis, S.A. 101:49
Channel formation
—, on the reported channel-forming activity of HmT toxin, Holden, M.J., Colombini, M. 103:205
Channel gating
—, gating properties of channels formed by colicin Ia in planar lipid bilayer membranes, Nogueira, R.A., Varanda, W.A. 105:143
—, modulation of gating of a metabolically regulated, ATP-dependent K^+ channel by intracellular pH in B cells of the pancreatic islet, Misler, S., Gillis, K., Tabcharani, J. 109:135
—, the gating of nucleotide-sensitive K^+ channels in insulin-secreting cells can be modulated by changes in the ratio ATP^{4-}/ADP^{3-} and by nonhydrolyzable derivatives of both ATP and ADP, Dunne, M.J., West-Jordan, J.A., Abraham, R.J., Edwards, R.H.T., Petersen, O.H. 104:165
Channel inactivation
—, calcium channel activation and inactivation in *Paramecium* biochemically measured by cyclic GMP production, Schultz, J., Schade, U. 109:259
—, mechanism of inactivation of single sodium channels after modification by chloramine-T, sea anemone toxin and scorpion toxin, Nagy, K. 106:29
Channel kinetics
—, characterization of a partially degraded Na^+ channel from urinary tract epithelium, Zweifach, A., Lewis, S.A. 101:49
—, slow kinetics of a potassium channel in *Acetabularia*, Bertl, A., Klieber, H.G., Gradmann, D. 102:141
Channel partitioning
—, characterization of a partially degraded Na^+ channel from urinary tract epithelium, Zweifach, A., Lewis, S.A. 101:49
Channel theory
—, diffusion theory and discrete rate constants in ion permeation, Cooper, K.E., Gates, P.Y., Eisenberg, R.S. 106:95
Chara australis
—, ion permeation in a K^+ channel in *Chara australis*: direct evidence for diffusion limitation of ion flow in a maxi-K channel, Laver, D.R., Fairley, K.A., Walker, N.A. 108:153
—, transport of potassium in *Chara australis*: I. a symport with sodium, Smith, F.A., Walker, N.A. 108:125
Chara corallina
—, blockade of potassium channels in the plasmalemma of *Chara corallina* by tetraethylammonium, Ba^{2+}, Na^+ and Cs^+, Tester, M. 105:77
—, current-voltage relationships of a sodium-sensitive potassium channel in the tonoplast of *Chara corallina*, Bertl, A. 109:9
—, electrical tolerance (breakdown) of the *Chara corallina* plasmalemma: I. necessity of Ca^{2+}, Ohkawa, T., Tsutsui, I. 103:273

—, kinetic response of H^+-coupled transport to extracellular pH: critical role of cytosolic pH as a regulator, Sanders, D., Hopgood, M., Jennings, I.R. 108:253
—, pharmacology of K^+ channels in the plasmalemma of the green alga *Chara corallina*, Tester, M. 103:159
Charybdotoxin
—, an emerging pharmacology of peptide toxins targeted against potassium channels, Moczydlowski, E., Lucchesi, K., Ravindran, A. 105:95
—, analysis of the blocking activity of charybdotoxin homologs and iodinated derivatives against Ca^{2+}-activated K^+ channels, Lucchesi, K., Ravindran, A., Young, H., Moczydlowski, E. 109:269
—, charybdotoxin blocks with high affinity the Ca-activated K^+ channel of Hb A and Hb S red cells: individual differences in the number of channels, Wolff, D., Cecchi, X., Spalvins, A., Canessa, M. 106:243
—, patch-clamp studies in human macrophages: single-channel and whole-cell characterization of two K^+ conductances, Gallin, E.K., McKinney, L.C. 103:55
—, pharmacology of K^+ channels in the plasmalemma of the green alga *Chara corallina*, Tester, M. 103:159
Chemical modification
—, activation of Ca^{2+} release in isolated sarcoplasmic reticulum, Shoshan-Barmatz, V. 103:67
Chemiosmotic circuit
—, transport of potassium in *Chara australis*: I. a symport with sodium, Smith, F.A., Walker, N.A. 108:125
Chemoreception
—, amiloride-blockable sodium currents in isolated taste receptor cells, Avenet, P., Lindemann, B. 105:245
—, odorant response of isolated olfactory receptor cells is blocked by amiloride, Frings, S., Lindemann, B. 105:233
—, distribution of ion channels on taste cells and its relationship to chemosensory transduction, Roper, S.D., McBride, D.W., Jr. 109:29
Chloramine-T
—, mechanism of inactivation of single sodium channels after modification by chloramine-T, sea anemone toxin and scorpion toxin, Nagy, K. 106:29
Chloride
—, a low-salt diet facilitates Cl secretion in hen lower intestine, Clauss, W., Dantzer, V., Skadhauge, E. 102:83
—, bicarbonate and fast-twitch muscle: evidence for a major role in pH regulation, Grossie, J., Collins, C., Julian, M. 105:265
—, electron probe X-ray microanalysis of cellular ions in the eccrine secretory coil cells during methacholine stimulation, Saga, K., Sato, K. 107:13
—, influence of serosal Cl on transport properties and cation activities in frog skin, Klemperer, G., Essig, A. 106:107
—, studies on inactivation of anion transport in human red blood cell membrane by reversibly and irreversibly acting arginine-specific reagents, Julien, T., Zaki, L. 102:217
Chloride channels
—, characterization of chloride channels in membrane vesicles from the kidney outer medulla, Breuer, W. 107:35
—, conductance states activated by glycine and GABA in rat cultured spinal neurones, Smith, S.M., Zorec, R., McBurney, R.N. 108:45
—, secretin-regulated chloride channel on the apical plasma membrane of pancreatic duct cells, Gray, M.A., Greenwell, J.R., Argent, B.E. 105:131
—, single chloride channels in colon mucosa and isolated colonic enterocytes of the rat, Diener, M., Rummel, W., Mestres, P., Lindemann, B. 108:21
—, studies on the tonoplast action potential of *Nitella flexilis*, Shimmen, T., Nishikawa, S. 101:133
Chloride conductance
—, activation of chloride conductance in pig jejunal brush border vesicles, Forsyth, G.W., Gabriel, S.E. 107:137
Chloride currents
—, voltage-gated chloride currents in cultured canine tracheal epithelial cells, Schoppa, N., Shorofsky, S.R., Jow, F., Nelson, D.J. 108:73
Chloride ion channels
—, Ca^{2+}-dependent Cl^- efflux in tonoplast-free cells of *Nitellopsis obtusa*, Shiina, T., Tazawa, M. 106:135
—, rapid effect of light on the K^+ channel in the plasmalemma of *Nitella*, Vanselow, K.H., Hansen, U.-P. 110:175
—, single chloride-selective channel from cardiac sarcoplasmic reticulum studied in planar lipid bilayers, Rousseau, E. 110:39
Chloride ion conductance
—, conductance states activated by glycine and GABA in rat cultured spinal neurones, Smith, S.M., Zorec, R., McBurney, R.N. 108:45
—, is there a Cl^-–OH^- exchange (Cl^-–H^+ cotransport) mechanism in the brush-border membrane of the intestine of the fresh water trout (*Salmo gairdneri*, R.)?, Aguenaou, H., Hubsch, A., Colin, D.A. 108:13
—, voltage-gated chloride currents in cultured canine tracheal epithelial cells, Schoppa, N., Shorofsky, S.R., Jow, F., Nelson, D.J. 108:73
Chloride ion flux
—, Ca^{2+}-dependent Cl^- efflux in tonoplast-free cells of *Nitellopsis obtusa*, Shiina, T., Tazawa, M. 106:135
Chloride ion transport
—, characterization of chloride channels in membrane vesicles from the kidney outer medulla, Breuer, W. 107:35
—, characterization of MgATP-driven H^+ uptake into a microsomal vesicle fraction from rat pancreatic acinar cells, Thévenod, F., Kemmer, T.P., Christian, A.L., Schulz, I. 107:263
—, effect of K^+ channels in the apical plasma membrane on epithelial secretion based on secondary active Cl^- transport, Cook, D.I., Young, J.A. 110:139
—, kinetic response of H^+-coupled transport to extracellular pH: critical role of cytosolic pH as a regulator, Sanders, D., Hopgood, M., Jennings, I.R. 108:253
—, ouabain-induced cell swelling in rabbit cortical collecting tubule: NaCl transport by principal cells, Strange, K. 107:249
—, rabbit distal colon epithelium: II. characterization of (Na^+,K^+,Cl^-) cotransport and [^{3}H]-bumetanide binding, Wiener, H., van Os, C.H. 110:163
Chloride ions
—, apical Na^+ permeability of frog skin during serosal Cl^- replacement, Leibowich, S., DeLong, J., Civan, M.M. 102:121
—, effects of pH, potential, chloride and furosemide on passive Na^+ and K^+ effluxes from human red blood cells, Zade-Oppen, A.M., Adragna, N.C., Tosteson, D.C. 103:217
—, taurine transport by rabbit kidney brush-border membranes: coupling to sodium, chloride, and the membrane potential, Wolff, N.A., Kinne, R. 102:131

—, voltage-gated chloride currents in cultured canine tracheal epithelial cells, Schoppa, N., Shorofsky, S.R., Jow, F., Nelson, D.J. 108:73
Chloride transport
—, a low-salt diet facilitates Cl secretion in hen lower intestine, Clauss, W., Dantzer, V., Skadhauge, E. 102:83
—, chloride transport in apical membrane vesicles from bovine tracheal epithelium: characterization using a fluorescent indicator, Fong, P., Illsley, N.P., Widdicombe, J.H., Verkman, A.S. 104:233
—, dependence of cell membrane conductances on bathing solution HCO_3^-/CO_2 in *Necturus* gallbladder, Stoddard, J.S., Reuss, L. 102:163
—, leukotriene-D_4 induced cell shrinkage in Ehrlich ascites tumor cells, Lambert, I.H. 108:165
Chlorophyll fluorescence
—, rapid effect of light on the K^+ channel in the plasmalemma of *Nitella*, Vanselow, K.H., Hansen, U.-P. 110:175
Chlorotetracycline
—, deliberate quin2 overload as a method for *in situ* characterization of active calcium extrusion systems and cytoplasmic binding: application to the human platelet, Johansson, J.S., Haynes, D.H. 104:147
Chlorpromazine
—, a flow EPR study of deformation and orientation characteristics of erythrocyte ghosts: effects of lysing and resealing conditions, Fukushima, Y., Kon, H. 104:265
—, shape determinants of McLeod acanthocytes, Khodadad, J.K., Weinstein, R.S., Marsh, L.W., Steck, T.L. 107:213
Cholera toxin
—, interaction of the B subunit of cholera toxin with endogenous ganglioside GM1 causes changes in membrane potential of rat thymocytes, Mulhern, S.A., Fishman, P.H., Spiegel, S. 109:21
Cholesterol membrane
—, impermeant potential-sensitive oxonol dyes: II. the dependence of the absorption signal on the length of alkyl substituents attached to the dye, Nyirjesy, P., George, E.B., Gupta, R.K., Basson, M., Pratap, P.R., Freedman, J.C., Raman, K., Waggoner, A.S. 105:45
—, impermeant potential-sensitive oxonol dyes: III. the dependence of the absorption signal on membrane potential, George, E.B., Nyirjesy, P., Pratap, P.R., Freedman, J.C., Waggoner, A.S. 105:55
Choline
—, role of Na^+/Ca^{2+} exchange and the plasma membrane Ca^{2+} pump in hormone-mediated Ca^{2+} efflux from pancreatic acini, Muallem, S., Beeker, T., Pandol, S.J. 102:153
Choline carrier
—, the choline carrier of erythrocytes: location of the NEM-reactive thiol group in the inner gated channel, Krupka, R.M., Devés, R. 101:43
Cholinergic receptors
—, role of Na^+/Ca^{2+} exchange and the plasma membrane Ca^{2+} pump in hormone-mediated Ca^{2+} efflux from pancreatic acini, Muallem, S., Beeker, T., Pandol, S.J. 102:153
Choroid plexus
—, Ca^{2+}-activated K^+ channels in the apical membrane of *Necturus* choroid plexus, Brown, P.D., Loo, D.D.F., Wright, E.M. 105:207
—, Ca^{2+}-activated K^+ currents in *Necturus* choroid plexus, Loo, D.D.F., Brown, P.D., Wright, E.M. 105:221
Citrate
—, characterization of sodium and pyruvate interactions of the two carrier systems specific of mono- and di- or tricarboxylic acids by renal brush-border membrane vesicles, Mengual, R., Claude-Schlageter, M.-H., Poiree, J.-C., Yagello, M., Sudaka, P. 108:197
Cl^-/HCO_3^- exchange
—, evidence for an anion exchanger in the mouse lacrimal gland acinar cell membrane, Ozawa, T., Saito, Y., Nishiyama, A. 105:273
—, regulation of cytoplasmic pH of cultured bovine corneal endothelial cells in the absence and presence of bicarbonate, Jentsch, T.J., Korbmacher, C., Janicke, I., Fischer, D.G., Stahl, F., Helbig, H., Hollwede, H., Cragoe, E.J., Jr., Keller, S.K., Wiederholt, M. 103:29
Cl^-/OH^- exchange
—, is there a Cl^-–OH^- exchange (Cl^-–H^+ cotransport) mechanism in the brush-border membrane of the intestine of the fresh water trout (*Salmo gairdneri*, R.)?, Aguenaou, H., Hubsch, A., Colin, D.A. 108:13
Class 1 antiarrhythmic drugs
—, block of single cardiac Na^+ channels by antiarrhythmic drugs: the effect of amiodarone, propafenone and diprafenone, Kohlhardt, M., Fichtner, H. 102:105
CO_2
—, bicarbonate and fast-twitch muscle: evidence for a major role in pH regulation, Grossie, J., Collins, C., Julian, M. 105:265
Coated pits
—, apical membrane endocytosis via coated pits is stimulated by removal of antidiuretic hormone from isolated, perfused rabbit cortical collecting tubule, Strange, K., Willingham, M.C., Handler, J.S., Harris, H.W., Jr. 103:17
Colicin Ia
—, gating properties of channels formed by colicin Ia in planar lipid bilayer membranes, Nogueira, R.A., Varanda, W.A. 105:143
Collecting ducts
—, apical membrane endocytosis via coated pits is stimulated by removal of antidiuretic hormone from isolated, perfused rabbit cortical collecting tubule, Strange, K., Willingham, M.C., Handler, J.S., Harris, H.W., Jr. 103:17
—, apico-basal osmotic gradient induces transcytosis in cultured renal collecting duct epithelium, Lauer, G., Minuth, W.W. 101:93
—, ouabain-induced cell swelling in rabbit cortical collecting tubule: NaCl transport by principal cells, Strange, K. 107:249
—, pre-steady-state analysis of the turn-on and turn-off of water permeability in the kidney collecting tubule, Kuwahara, M., Verkman, A.S. 110:57
—, relation between the anion exchange protein in kidney medullary collecting duct cells and red cell band 3, Janoshazi, A., Ojcius, D.M., Kone, B., Seifter, J.L., Solomon, A.K. 103:181
—, voltage dependence of the basolateral membrane conductance in the *Amphiuma* collecting tubule, Horisberger, J.-D., Giebisch, G. 105:257
Computer programs
—, analysis of ion channels by modeling the osmotic effects of weak acids and bases, Hempling, H.G. 110:127
Concentration-jump relaxation experiments
—, conformational transitions and charge translocation by the

Na,K pump: comparison of optical and electrical transients elicited by ATP-concentration jumps, Stürmer, W., Apell, A.-J., Wuddel, I., Läuger, P. 110:67

Conductance
—, Ca^{2+}-activated K^+ conductance of human red cell membranes exhibits two different types of voltage dependence, Stampe, P., Vestergaard-Bogind, B. 101:165
—, Ca^{2+}-activated K^+ currents in *Necturus* choroid plexus, Loo, D.D.F., Brown, P.D., Wright, E.M. 105:221
—, Ca^{2+} and cAMP activate K^+ channels in the basolateral membrane of crypt cells isolated from rabbit distal colon, Loo, D.D.F., Kaunitz, J.D. 110:19
—, conduction and blocking properties of a predominantly anion-selective channel from human platelet surface membrane reconstituted into planar phospholipid bilayers, Manning, S.D., Williams, A.J. 109:113
—, dependence of cell membrane conductances on bathing solution HCO_3^-/CO_2 in *Necturus* gallbladder, Stoddard, J.S., Reuss, L. 102:163
—, extracellular Ca^{2+} controls outward rectification by apical cation channels in toad urinary bladder: patch-clamp and whole-bladder studies, Das, S., Palmer, L.G. 107:157
—, influence of serosal Cl on transport properties and cation activities in frog skin, Klemperer, G., Essig, A. 106:107
—, interaction of furosemide with lipid membranes, Bach, D., Vinkler, C., Miller, I.R., Caplan, S.R. 101:103
—, pure lipid vesicles can induce channel-like conductances in planar bilayers, Woodbury, D.J. 109:145
—, quantitative analysis of outward rectifying K^+ channel currents in guard cell protoplasts from *Vicia faba*, Schroeder, J.I. 107:229
—, single-channel recordings from the apical membrane of the toad urinary bladder epithelial cell, Frings, S., Purves, R.D., Macknight, A.D.C. 106:157
—, single chloride-selective channel from cardiac sarcoplasmic reticulum studied in planar lipid bilayers, Rousseau, E. 110:39
—, voltage-activated ionic channels and conductances in embryonic chick osteoblast cultures, Ypey, D.L., Ravesloot, J.H., Buisman, H.P., Nijweide, P.J. 101:141
—, voltage- and time dependence of apical membrane conductance during current clamp in *Necturus* gallbladder epithelium, Stoddard, J.S., Reuss, L. 103:191
—, voltage dependence of cellular current and conductances in frog skin, Nagel, W., Garcia-Díaz, J.F., Essig, A. 106:13

Conductance activation
—, activation of chloride conductance in pig jejunal brush border vesicles, Forsyth, G.W., Gabriel, S.E. 107:137

Conductance states
—, conductance states activated by glycine and GABA in rat cultured spinal neurones, Smith, S.M., Zorec, R., McBurney, R.N. 108:45

Conformational transitions
—, conformational transitions and charge translocation by the Na,K pump: comparison of optical and electrical transients elicited by ATP-concentration jumps, Stürmer, W., Apell, A.-J., Wuddel, I., Läuger, P. 110:67
—, electrogenic properties of the Na,K pump, Apell, H.-J. 110:103

Connexin 43
—, immunological characterization of rat cardiac gap junctions: presence of common antigenic determinants in heart of other vertebrate species and in various organs, Dupont, E., El Aoumari, A., Roustiau-Sévère, S., Briand, J.P., Gros, D. 104:119

Connexons
—, cross-linking of cardiac gap junction connexons by thiol/disulfide exchanges, Dupont, E., El Aoumari, A., Briand, J.P., Fromaget, C., Gros, D. 108:247

Corn mitochondria
—, on the reported channel-forming activity of HmT toxin, Holden, M.J., Colombini, M. 103:205

Corneal endothelium
—, regulation of cytoplasmic pH of cultured bovine corneal endothelial cells in the absence and presence of bicarbonate, Jentsch, T.J., Korbmacher, C., Janicke, I., Fischer, D.G., Stahl, F., Helbig, H., Hollwede, H., Cragoe, E.J., Jr., Keller, S.K., Wiederholt, M. 103:29

Corneal epithelium
—, regeneration of resistance and ion transport in rabbit corneal epithelium after induced surface cell exfoliation, Wolosin, J.M. 104:45

Cortical granule membrane
—, ionic and permeability requirements for exocytosis in vitro in sea urchin eggs, Zimmerberg, J., Liu, J. 101:199
—, isolation of plasma membrane complexes from *Xenopus* oocytes, Wall, D.A., Patel, S. 107:189

Corticoids
—, evidence for the presence of specific binding sites for corticoids in mouse liver plasma membranes, Trueba, M., Vallejo, A.I., Rodriguez, I., Ibarrola, I., Sancho, M.J., Marino, A., Macarulla, J.M. 108:115

Cortisol
—, evidence for the presence of specific binding sites for corticoids in mouse liver plasma membranes, Trueba, M., Vallejo, A.I., Rodriguez, I., Ibarrola, I., Sancho, M.J., Marino, A., Macarulla, J.M. 108:115

Corynanthine
—, isomeric yohimbine alkaloids block calcium-activated K^+ channels in medullary thick ascending limb cells of rabbit kidney, Cornejo, M., Guggino, S.E., Sastre, A., Guggino, W.B. 107:25

Cotransport
—, characterization of a Na^+/glucose cotransporter cloned from rabbit small intestine, Ikeda, T.S., Hwang, E.-S., Coady, M.J., Hirayama, B.A., Hediger, M.A., Wright, E.M. 110:87
—, isolation and reconstitution of furosemide-binding proteins from Ehrlich ascites tumor cells, Jessen, F., Cherksey, B.D., Zeuthen, T., Hoffmann, E.K. 108:139
—, product inhibition during ion : solute cotransport is an alternative to leaks as a cause of low accumulations, Wright, J.K. 109:1
—, stimulation of intestinal Na^+/D-glucose cotransport by monoclonal antibodies, Honold, K., Ludeke, B., Hengartner, H., Semenza, G. 105:165
—, transport of potassium in *Chara australis*: I. a symport with sodium, Smith, F.A., Walker, N.A. 108:125
—, uptake of lysine and proline *via* separate α-neutral amino acid transport pathways in *Mytilus* gill brush border membranes, Pajor, A.M., Wright, S.H. 107:237

Coupled transport
—, role of substrate binding forces in exchange-only transport system: I. transition-state theory, Krupka, R.M. 109:151
—, role of substrate binding forces in exchange-only transport systems: II. implications for the mechanism of the anion exchanger of red cells, Krupka, R.M. 109:159

Crassulacean acid metabolism (CAM)
—, water relations of individual leaf cells of *Mesembryanthemum crystallinum* plants grown at low and high salinity, Rygol, J., Zimmermann, U., Balling, A. 107:203
Crayfish
—, calmodulin acts as an intermediary for the effects of calcium on gap junctions from crayfish lateral axons, Arellano, R.O., Ramón, F., Rivera, A., Zampighi, G.A. 101:119
Crypt cells
—, Ca^{2+} and cAMP activate K^+ channels in the basolateral membrane of crypt cells isolated from rabbit distal colon, Loo, D.D.F., Kaunitz, J.D. 110:19
—, rabbit distal colon epithelium: I. isolation and characterization of basolateral plasma membrane vesicles from surface and crypt cells, Wiener, H., Turnheim, K., van Os, C.H. 110:147
—, rabbit distal colon epithelium: II. characterization of (Na^+,K^+,Cl^-) cotransport and [^{3}H]-bumetanide binding, Wiener, H., van Os, C.H. 110:163
Cultured cells
—, apico-basal oxmotic gradient induces transcytosis in cultured renal collecting duct epithelium, Lauer, G., Minuth, W.W. 101:93
—, conductance states activated by glycine and GABA in rat cultured spinal neurones, Smith, S.M., Zorec, R., McBurney, R.N. 108:45
—, establishment of tight junctions between cells from different animal species and different sealing capacities, González-Mariscal, L., Chávez de Ramirez, B., Lázaro, A., Cereijido, M. 107:43
—, flow cytometric analysis of intracellular pH in cultured opossum kidney (OK) cells, Montrose, M.H., Condrau, M.A., Murer, H. 108:31
—, ion concentration-dependent regulation of Na,K-pump abundance, Pressley, T.A. 105:187
—, neutral amino acid transport systems in animal cells: potential targets of oncogene action and regulators of cellular growth, Saier, M.H., Jr., Daniels, G.A., Boerner, P., Lin, J. 104:1
—, regulation of cytoplasmic pH of cultured bovine corneal endothelial cells in the absence and presence of bicarbonate, Jentsch, T.J., Korbmacher, C., Janicke, I., Fischer, D.G., Stahl, F., Helbig, H., Hollwede, H., Cragoe, E.J., Jr., Keller, S.K., Wiederholt, M. 103:29
—, voltage-dependent channels permeable to K^+ and Na^+ in the membrane of *Acer pseudoplatanus* vacuoles, Colombo, R., Cerana, R., Lado, P., Peres, A. 103:227
—, voltage-gated chloride currents in cultured canine tracheal epithelial cells, Schoppa, N., Shorofsky, S.R., Jow, F., Nelson, D.J. 108:73
Cultured monolayers
—, establishment of tight junctions between cells from different animal species and different sealing capacities, González-Mariscal, L., Chávez de Ramirez, B., Lazaro, A., Cereijido, M. 107:43
Cupric sulfate
—, Na^+/H^+ exchange in Ehrlich ascites tumor cells: activation by cytoplasmic acidification and by treatment with cupric sulphate, Kramhøft, B., Lambert, I.H., Hoffmann, E.K. 102:35
Current clamp
—, voltage- and time dependence of apical membrane conductance during current clamp in *Necturus* gallbladder epithelium, Stoddard, J.S., Reuss, L. 103:191
Current-voltage relation
—, blockade of potassium channels in the plasmalemma of *Chara corallina* by tetraethylammonium, Ba^{2+}, Na^+ and Cs^+, Tester, M. 105:77
—, Ca^{2+}-activated K^+ currents in *Necturus* choroid plexus, Loo, D.D.F., Brown, P.D., Wright, E.M. 105:221
—, current-voltage relationships of a sodium-sensitive potassium channel in the tonoplast of *Chara corallina*, Bertl, A. 109:9
—, electrical tolerance (breakdown) of the *Chara corallina* plasmalemma: I. necessity of Ca^{2+}, Ohkawa, T., Tsutsui, I. 103:273
—, ion permeation and rectification in ATP-sensitive channels from insulin-secreting cells (RINm5F): effects of K^+, Na^+ and Mg^{2+}, Ciani, S., Ribalet, B. 103:171
—, ion permeation in a K^+ channel in *Chara australis*: direct evidence for diffusion limitation of ion flow in a maxi-K channel, Laver, D.R., Fairley, K.A., Walker, N.A. 108:153
—, possible involvement of protein phosphorylation/dephosphorylation in the modulation of Ca^{2+} channel in tonoplast-free cells of *Nitellopsis*, Shiina, T., Wayne, R., Lim Tung, H.Y., Tazawa, M. 102:255
—, potassium channels in the plasmalemma of *Chara corallina* are multi-ion pores: voltage-dependent blockade by Cs^+ and anomalous permeabilities, Tester, M. 105:87
—, potassium-dependent, bipolar gating of K^+ channels in guard cells, Blatt, M.R. 102:235
—, secretin-regulated chloride channel on the apical plasma membrane of pancreatic duct cells, Gray, M.A., Greenwell, J.R., Argent, B.E. 105:131
—, slow kinetics of a potassium channel in *Acetabularia*, Bertl, A., Klieber, H.G., Gradmann, D. 102:141
—, voltage- and time dependence of apical membrane conductance during current clamp in *Necturus* gallbladder epithelium, Stoddard, J.S., Reuss, L. 103:191
—, voltage dependence of cellular current and conductances in frog skin, Nagel, W., Garcia-Díaz, J.F., Essig, A. 106:13
—, voltage dependence of Na/K pump current in *Xenopus* oocytes, Rakowski, R.F., Paxson, C.L. 106:173
—, voltage dependence of the basolateral membrane conductance in the *Amphiuma* collecting tubule, Horisberger, J.-D., Giebisch, G. 105:257
Cut-off effect
—, the interaction of homologous series of alkanols with sodium channels in nerve membrane vesicles, Rodríguez, N., Villegas, R., Requena, J. 104:139
Cyanide
—, potassium-dependent, bipolar gating of K^+ channels in guard cells, Blatt, M.R. 102:235
Cyanine dye
—, effects of membrane potential on Na cotransports in eel intestinal brush-border membrane vesicles: studies with a fluorescent dye, Cassano, G., Maffia, M., Vilella, S., Storelli, C. 101:225
Cyclic model
—, current-voltage relationships of a sodium-sensitive potassium channel in the tonoplast of *Chara corallina*, Bertl, A. 109:9
Cyclic nucleotides
—, volume-activated Na/H exchange activity in fetal and adult pig red cells: inhibition by cyclic AMP, Sergeant, S., Sohn, D.H., Kim, H.D. 109:209

Cystic fibrosis
—, activation of chloride conductance in pig jejunal brush border vesicles, Forsyth, G.W., Gabriel, S.E. 107:137
Cytochrome c
—, role of mobility of redox components in the inner mitochondrial membrane, Lenaz, G. 104:193
Cytoplasmic acidification
—, Na^+/H^+ exchange in Ehrlich ascites tumor cells: activation by cytoplasmic acidification and by treatment with cupric sulphate, Kramhøft, B., Lambert, I.H., Hoffmann, E.K. 102:35
Cytoplasmic calcium
—, cytoplasmic free Ca in isolated snail neurons as revealed by fluorescent probe fura-2: mechanisms of Ca recovery after Ca load and Ca release from intracellular stores, Kostyuk, P.G., Mironov, S.L., Tepikin, A.V., Belan, P.V. 110:11
—, deliberate quin2 overload as a method for *in situ* characterization of active calcium extrusion systems and cytoplasmic binding: application to the human platelet, Johansson, J.S., Haynes, D.H. 104:147
Cytoplasmic drop
—, ion permeation in a K^+ channel in *Chara australis*: direct evidence for diffusion limitation of ion flow in a maxi-K channel, Laver, D.R., Fairley, K.A., Walker, N.A. 108:153
Cytoskeleton
—, a flow EPR study of deformation and orientation characteristics of erythrocyte ghosts: a possible effect of an altered state of cytoskeletal network, Ito, T., Kon, H. 101:57
Cytosolic Ca^{2+}
—, rapid effect of light on the K^+ channel in the plasmalemma of *Nitella*, Vanselow, K.H., Hansen, U.-P. 110:175
Cytosolic factors
—, factors responsible for oscillations of membrane potential recorded with tight-seal-patch electrodes in mouse fibroblasts, Oiki, S., Okada, Y. 105:23
Cytosolic pH
—, kinetic response of H^+-coupled transport to extracellular pH: critical role of cytosolic pH as a regulator, Sanders, D., Hopgood, M., Jennings, I.R. 108:253
DBDS
—, relation between the anion exchange protein in kidney medullary collecting duct cells and red cell band 3, Janoshazi, A., Ojcius, D.M., Kone, B., Seifter, J.L., Solomon, A.K. 103:181
DCCD
—, relation of ATPases in rat renal brush-border membranes to ATP-driven H^+ secretion, Turrini, F., Sabolić, I., Zimolo, Z., Moewes, B., Burckhardt, G. 107:1
Decamethonium
—, pharmacology of K^+ channels in the plasmalemma of the green alga *Chara corallina*, Tester, M. 103:159
Decane
—, interactions of liposomes with planar bilayer membranes, Perin, M.S., MacDonald, R.C. 109:221
Deformability
—, a flow EPR study of deformation and orientation characteristics of erythrocyte ghosts: a possible effect of an altered state of cytoskeletal network, Ito, T., Kon, H. 101:57
—, a flow EPR study of deformation and orientation characteristics of erythrocyte ghosts: effects of lysing and resealing conditions, Fukushima, Y., Kon, H. 104:265
Degradation
—, binding and degradation of ^{125}I-insulin rat renal brush border membranes: evidence for low affinity, high capacity insulin recognition sites, Meezan, E., Pillion, D.J., Elgavish, A. 105:113
Dehydration
—, effect of carbohydrates and glycerol on the stability and surface properties of lyophilized liposomes, Alonso-Romanowski, S., Biondi, A.C., Disalvo, E.A. 108:1
Delayed currents
—, Ca^{2+}-activated K^+ currents in *Necturus* choroid plexus, Loo, D.D.F., Brown, P.D., Wright, E.M. 105:221
Delayed rectifier
—, characterization of a delayed rectifier K^+ channel in NG108-15 neuroblastoma *X* glioma cells: gating kinetics and the effects of enrichment of membrane phospholipids with arachidonic acid, McGee, R., Jr., Sansom, M.S.P., Usherwood, P.N.R. 102:21
Dendrotoxin
—, an emerging pharmacology of peptide toxins targeted against potassium channels, Moczydlowski, E., Lucchesi, K., Ravindran, A. 105:95
—, pharmacology of K^+ channels in the plasmalemma of the green alga *Chara corallina*, Tester, M. 103:159
Deoxynojirimycin
—, role of the Na,K-ATPase β-subunit in the cellular accumulation and maturation of the enzyme as assessed by glycosylation inhibitors, Zamofing, D., Rossier, B.C., Geering, K. 104:69
Depolarization
—, cytoplasmic free Ca in isolated snail neurons as revealed by fluorescent probe fura-2: mechanisms of Ca recovery after Ca load and Ca release from intracellular stores, Kostyuk, P.G., Mironov, S.L., Tepikin, A.V., Belan, P.V. 110:11
—, electrophysiological properties of *Dictyostelium* derived from membrane potential measurements with microelectrodes, Van Duijn, B., Ypey, D.L., Van der Molen, L.G. 106:123
—, influence of serosal Cl on transport properties and cation activities in frog skin, Klemperer, G., Essig, A. 106:107
—, odorant response of isolated olfactory receptor cells is blocked by amiloride, Frings, S., Lindemann, B. 105:233
Diacylglycerol
—, evidence implicating protein kinase C in exocytosis from electropermeabilized bovine chromaffin cells, Knight, D.E., Sugden, D., Baker, P.F. 104:21
Diamide
—, thiol-dependent K:Cl transport in sheep red cells: VIII. activation through metabolically and chemically reversible oxidation by diamide, Lauf, P.K. 101:179
Dibutyrl cAMP
—, secretin-regulated chloride channel on the apical plasma membrane of pancreatic duct cells, Gray, M.A., Greenwell, J.R., Argent, B.E. 105:131
Dictyostelium discoideum
—, electrophysiological properties of *Dictyostelium* derived from membrane potential measurements with microelectrodes, Van Duijn, B., Ypey, D.L., Van der Molen, L.G. 106:123
DIDS
—, anion specificity of the jejunal folate carrier: effects of reduced folate analogues on folate uptake and efflux, Schron, C.M., Washington, C., Jr., Blitzer, B.L. 102:175
—, characterization of chloride channels in membrane vesicles from the kidney outer medulla, Breuer, W. 107:35
—, conduction and blocking properties of a predominantly anion-selective channel from human platelet surface mem-

brane reconstituted into planar phospholipid bilayers, Manning, S.D., Williams, A.J. 109:113
—, electrogenic behavior of the human red cell Ca^{2+} pump revealed by disulfonic stilbenes, Romero, P.J., Ortiz, C.E. 101:237
—, evidence for an anion exchanger in the mouse lacrimal gland acinar cell membrane, Ozawa, T., Saito, Y., Nishiyama, A. 105:273
—, gating behaviors of a voltage-dependent and Ca^{2+}-activated cation channel of yeast vacuolar membrane incorporated into planar lipid bilayer, Tanifuji, M., Sato, M., Wada, Y., Anraku, Y., Kasai, M. 106:47
—, intracellular pH regulation in the mouse lacrimal gland acinar cells, Saito, Y., Ozawa, T., Suzuki, S., Nishiyama, A. 101:73
—, kinetics and stoichiometry of the human red cell Na^+/H^+ exchanger, Semplicini, A., Spalvins, A., Canessa, M. 107:219
—, regulation of cytoplasmic pH of cultured bovine corneal endothelial cells in the absence and presence of bicarbonate, Jentsch, T.J., Korbmacher, C., Janicke, I., Fischer, D.G., Stahl, F., Helbig, H., Hollwede, H., Cragoe, E.J., Jr., Keller, S.K., Wiederholt, M. 103:29
—, single chloride-selective channel from cardiac sarcoplasmic reticulum studied in planar lipid bilayers, Rousseau, E. 110:39
Dielectric constant
—, modification of the erythrocyte membrane dielectric constant by alcohols, Orme, F.W., Moronne, M.M., Macey, R.I. 104:57
Dielectric polarization
—, protein electric response signals from dielectrically polarized systems, Keszthelyi, L., Ormos, P. 109:193
Diet
—, a low-salt diet facilitates Cl secretion in hen lower intestine, Clauss, W., Dantzer, V., Skadhauge, E. 102:83
Differential interference contrast
—, interactions of liposomes with planar bilayer membranes, Perin, M.S., MacDonald, R.C. 109:221
Differential scanning calorimetry
—, interaction of furosemide with lipid membranes, Bach, D., Vinkler, C., Miller, I.R., Caplan, S.R. 101:103
Diffusion
—, diffusive water permeability in isolated kidney proximal tubular cells: nature of the cellular water pathways, Carpi-Medina, P., León, V., Espidel, J., Whittembury, G. 104:35
—, ion permeation in a K^+ channel in *Chara australis*: direct evidence for diffusion limitation of ion flow in a maxi-K channel, Laver, D.R., Fairley, K.A., Walker, N.A. 108:153
—, role of mobility of redox components in the inner mitochondrial membrane, Lenaz, G. 104:193
—, water exchange through erythrocyte membranes: biochemical and nuclear magnetic resonance studies re-evaluating the effects of sulfhydryl reagents and of proteolytic enzymes on human membranes, Benga, G., Popescu, O., Borza, V., Pop, V.I., Hodârnău, A. 108:105
Diffusion theory
—, diffusion theory and discrete rate constants in ion permeation, Cooper, K.E., Gates, P.Y., Eisenberg, R.S. 106:95
Digitonin
—, ionic and permeability requirements for exocytosis in vitro in sea urchin eggs, Zimmerberg, J., Liu, J. 101:199
—, rabbit distal colon epithelium: I. isolation and characterization of basolateral plasma membrane vesicles from surface and crypt cells, Wiener, H., Turnheim, K., van Os, C.H. 110:147
—, regeneration of resistance and ion transport in rabbit corneal epithelium after induced surface cell exfoliation, Wolosin, J.M. 104:45
Dihydroouabain
—, voltage dependence of Na/K pump current in *Xenopus* oocytes, Rakowski, R.F., Paxson, C.L. 106:173
Dihydropyridine
—, calcium channels: molecular pharmacology, structure and regulation, Hosey, M.M., Lazdunski, M. 104:81
Diphenylhexatriene
—, correlation between the synergistic effect of liposomes and endotoxins on the activation of macrophage tumoricidal activity and the effect of liposomes on the rough endoplasmic reticulum of macrophages, Jeannin, J.F., Klein, R., Reisser, D., Lagadec, P., Vincent, M., Tatischeff, I. 104:107
—, very low osmotic water permeability and membrane fluidity in isolated toad bladder granules, Verkman, A.S., Masur, S.K. 104:241
Diprafenone
—, block of single cardiac Na^+ channels by antiarrhythmic drugs: the effect of amiodarone, propafenone and diprafenone, Kohlhardt, M., Fichtner, H. 102:105
Disulfide
—, cross-linking of cardiac gap junction connexons by thiol/disulfide exchanges, Dupont, E., El Aoumari, A., Briand, J.P., Fromaget, C., Gros, D. 108:247
Disulfonic stilbene
—, electrogenic behavior of the human red cell Ca^{2+} pump revealed by disulfonic stilbenes, Romero, P.J., Ortiz, C.E. 101:237
Divalent cations
—, asymmetric effects of divalent cations and protons on active Ca^{2+} efflux and Ca^{2+}-ATPase in intact red blood cells, Xu, Y.-H., Roufogalis, B.D. 105:155
—, ion modulation of membrane permeability: effect of cations on intact cells and on cells and phospholipid bilayers treated with pore-forming agents, Bashford, C.L., Alder, G.M., Graham, J.M., Menestrina, G., Pasternak, C.A. 103:79
DPPC
—, effect of carbohydrates and glycerol on the stability and surface properties of lyophilized liposomes, Alonso-Romanowski, S., Biondi, A.C., Disalvo, E.A. 108:1
DTNB
—, inhibition of hexose transport in the human erythrocyte by 5,5′-dithiobis(2-nitrobenzoic acid): role of an exofacial carrier sulfhydryl group, May, J.M. 108:227
DTT
—, high affinity insulin binding in the human placenta insulin receptor requires $\alpha\beta$ heterodimeric subunit interactions, Swanson, M.L., Pessin, J.E. 108:217
Dye binding
—, impermeant potential-sensitive oxonol dyes: II. the dependence of the absorption signal on the length of alkyl substituents attached to the dye, Nyirjesy, P., George, E.B., Gupta, R.K., Basson, M., Pratap, P.R., Freedman, J.C., Raman, K., Waggoner, A.S. 105:45
Dye transfer
—, membrane and junctional properties of the isolated frog lens epithelium, Duncan, G., Stewart, S., Prescott, A.R., Warn, R.M. 102:195

E_1–E_2 transitions
—, structural basis for E_1–E_2 conformational transitions in Na,K-pump and Ca-pump proteins, Jørgensen, P.L., Andersen, J.P. 103:95
Eccrine sweat secretory coil cells
—, electron probe X-ray microanalysis of cellular ions in the eccrine secretory coil cells during methacholine stimulation, Saga, K., Sato, K. 107:13
Eel intestine
—, effects of membrane potential on Na cotransports in eel intestinal brush-border membrane vesicles: studies with a fluorescent dye, Cassano, G., Maffia, M., Vilella, S., Storelli, C. 101:225
Ehrlich ascites tumor cells
—, isolation and reconstitution of furosemide-binding proteins from Ehrlich ascites tumor cells, Jessen, F., Cherksey, B.D., Zeuthen, T., Hoffmann, E.K. 108:139
—, leukotriene-D_4 induced cell shrinkage in Ehrlich ascites tumor cells, Lambert, I.H. 108:165
—, Na^+/H^+ exchange in Ehrlich ascites tumor cells: activation by cytoplasmic acidification and by treatment with cupric sulphate, Kramhøft, B., Lambert, I.H., Hoffmann, E.K. 102:35
—, purification of proteins of the Na/Cl cotransporter from membranes of Ehrlich ascites cells using a bumetanide-sepharose affinity column, Feit, P.W., Hoffmann, E.K., Schiødt, M., Kristensen, P., Jessen, F., Dunham, P.B. 102:135
—, validation of the use of the lipophilic thiocyanate anion for the determination of membrane potential in Ehrlich ascites tumor cells, Smith, T.C., Robinson, S.C. 107:169
Eicosanoid
—, leukotriene-D_4 induced cell shrinkage in Ehrlich ascites tumor cells, Lambert, I.H. 108:165
Elastic modulus
—, water relations of individual leaf cells of *Mesembryanthemum crystallinum* plants grown at low and high salinity, Rygol, J., Zimmermann, U., Balling, A. 107:203
Electric current
—, conformational transitions and charge translocation by the Na,K pump: comparison of optical and electrical transients elicited by ATP-concentration jumps, Stürmer, W., Apell, A.-J., Wuddel, I., Läuger, P. 110:67
—, pump and displacement currents of reconstituted ATP synthase on black lipid membranes, Christensen, B., Gutweiler, M., Grell, E., Wagner, N., Pabst, R., Dose, K., Bamberg, E. 104:179
—, transcellular ion currents and extension of *Neurospora crassa* hyphae, Takeuchi, Y., Schmid, J., Caldwell, J.H., Harold, F.M. 101:33
Electrical coupling
—, inhibition of electrical coupling in pairs of murine pancreatic acinar cells by OAG and isolated protein kinase C, Somogyi, R., Batzer, A., Kolb, H.-A. 108:273
—, membrane and junctional properties of the isolated frog lens epithelium, Duncan, G., Stewart, S., Prescott, A.R., Warn, R.M. 102:195
Electrical potential differences
—, measurements of electrical potential differences across yeast plasma membranes with microelectrodes are consistent with values from steady-state distribution of tetraphenylphosphonium in *Pichia humboldtii*, Lichtenberg, H.C., Giebeler, H., Höfer, M. 103:255
Electrical properties
—, protein electric response signals from dielectrically polarized systems, Keszthelyi, L., Ormos, P. 109:193
Electrical tolerance
—, electrical tolerance (breakdown) of the *Chara corallina* plasmalemma: I. necessity of Ca^{2+}, Ohkawa, T., Tsutsui, I. 103:273
Electrodiffusion
—, protonophore anion permeability of the human red cell membrane determined in the presence of valinomycin, Bennekou, P. 102:225
Electrogenic pump
—, electrogenic behavior of the human red cell Ca^{2+} pump revealed by disulfonic stilbenes, Romero, P.J., Ortiz, C.E. 101:237
Electrogenic secretion
—, a low-salt diet facilitates Cl secretion in hen lower intestine, Clauss, W., Dantzer, V., Skadhauge, E. 102:83
Electrogenic transport
—, transport of potassium in *Chara australis*: I. a symport with sodium, Smith, F.A., Walker, N.A. 108:125
Electrogenicity
—, conformational transitions and charge translocation by the Na,K pump: comparison of optical and electrical transients elicited by ATP-concentration jumps, Stürmer, W., Apell, A.-J., Wuddel, I., Läuger, P. 110:67
—, electrogenic properties of the Na,K pump, Apell, H.-J. 110:103
—, examination of the substrate stoichiometry of the intestinal Na^+/phosphate cotransporter, Peerce, B.E. 110:189
—, taurine transport by rabbit kidney brush-border membranes: coupling to sodium, chloride, and the membrane potential, Wolff, N.A., Kinne, R. 102:131
Electrolyte secretion
—, stimulation-associated redistribution of Na,K-ATPase in rat lacrimal gland, Yiu, S.C., Lambert, R.W., Bradley, M.E., Ingham, C.E., Hales, K.L., Wood, R.L., Mircheff, A.K. 102:185
Electron transfer
—, role of mobility of redox components in the inner mitochondrial membrane, Lenaz, G. 104:193
Embryonic heart
—, development of the fast sodium current in early embryonic chick heart cells, Fujii, S., Ayer, R.K., Jr., DeHaan, R.L. 101:209
Endocytic vesicles
—, assay and characteristics of the iron binding moiety of reticulocyte endocytic vesicles, Nunez, M.T., Pinto, I., Glass, J. 107:129
Endocytosis
—, apical membrane endocytosis via coated pits is stimulated by removal of antidiuretic hormone from isolated, perfused rabbit cortical collecting tubule, Strange, K., Willingham, M.C., Handler, J.S., Harris, H.W., Jr. 103:17
—, apico-basal osmotic gradient induces transcytosis in cultured renal collecting duct epithelium, Lauer, G., Minuth, W.W. 101:93
—, constitutive and transport-related endocytotic pathways in turtle bladder epithelium, Dixon, T.E., Clausen, C., Coachman, D. 102:49
Endoplasmic reticulum
—, anion channels in giant liposomes made of endoplasmic reticulum vesicles from rat exocrine pancreas, Schmid, A., Gögelein, H., Kemmer, T.P., Schulz, I. 104:275

—, characterization of inositol 1,4,5-trisphosphate-sensitive (IsCaP) and -insensitive (IisCaP) nonmitochondrial Ca^{2+} pools in rat pancreatic acinar cells, Thévenod, F., Dehlinger-Kremer, M., Kemmer, T.P., Christian, A.-L., Potter, B.V.L., Schulz, I. 109:173
—, characterization of MgATP-driven H^+ uptake into a microsomal vesicle fraction from rat pancreatic acinar cells, Thévenod, F., Kemmer, T.P., Christian, A.L., Schulz, I. 107:263
—, correlation between the synergistic effect of liposomes and endotoxins on the activation of macrophage tumoricidal activity and the effect of liposomes on the rough endoplasmic reticulum of macrophages, Jeannin, J.F., Klein, R., Reisser, D., Lagadec, P., Vincent, M., Tatischeff, I. 104:107
Endotoxins
—, correlation between the synergistic effect of liposomes and endotoxins on the activation of macrophage tumoricidal activity and the effect of liposomes on the rough endoplasmic reticulum of macrophages, Jeannin, J.F., Klein, R., Reisser, D., Lagadec, P., Vincent, M., Tatischeff, I. 104:107
Enterocytes
—, identification and comparison of bile acid-binding polypeptides in ileal basolateral membrane, Lin, M.C., Weinberg, S.L., Kramer, W., Burckhardt, G., Wilson, F.A. 106:1
—, is there a Cl^-–OH^- exchange (Cl^-–H^+ cotransport) mechanism in the brush-border membrane of the intestine of the fresh water trout (*Salmo gairdneri*, R.)?, Aguenaou, H., Hubsch, A., Colin, D.A. 108:13
—, single chloride channels in colon mucosa and isolated colonic enterocytes of the rat, Diener, M., Rummel, W., Mestres, P., Lindemann, B. 108:21
Epidermal growth factor
—, growth factors modulate junctional cell-to-cell communication, Maldonado, P.E., Rose, B., Loewenstein, W.R. 106:203
Epithelial cells
—, single-channel recordings from the apical membrane of the toad urinary bladder epithelial cell, Frings, S., Purves, R.D., Macknight, A.D.C. 106:157
Epithelial ion transport
—, extracellular Ca^{2+} controls outward rectification by apical cation channels in toad urinary bladder: patch-clamp and whole-bladder studies, Das, S., Palmer, L.G. 107:157
Epithelial polarity
—, loss of epithelial polarity: a novel hypothesis for reduced proximal tubule Na^+ transport following ischemic injury, Molitoris, B.A., Chan, L.K., Shapiro, J.I., Conger, J.D., Falk, S.A. 107:119
Epithelial transport
—, silver ion (Ag^+)-induced increases in cell membrane K^+ and Na^+ permeability in the renal proximal tubule: reversal by thiol reagents, Kone, B.C., Kaleta, M., Gullans, S.R. 102:11
Epithelium
—, Ca^{2+} and cAMP activate K^+ channels in the basolateral membrane of crypt cells isolated from rabbit distal colon, Loo, D.D.F., Kaunitz, J.D. 110:19
—, characterization of a partially degraded Na^+ channel from urinary tract epithelium, Zweifach, A., Lewis, S.A. 101:49
—, distribution of ion channels on taste cells and its relationship to chemosensory transduction, Roper, S.D., McBride, D.W., Jr. 109:29
—, effect of K^+ channels in the apical plasma membrane on epithelial secretion based on secondary active Cl^- transport, Cook, D.I., Young, J.A. 110:139
—, establishment of tight junctions between cells from different animal species and different sealing capacities, González-Mariscal, L., Chavez de Ramirez, B., Lázaro, A., Cereijido, M. 107:43
—, flow cytometric analysis of intracellular pH in cultured opossum kidney (OK) cells, Montrose, M.H., Condrau, M.A., Murer, H. 108:31
—, integral and peripheral protein composition of the apical and basolateral membrane domains in MDCK cells, Sargiacomo, M., Lisanti, M., Graeve, L., Le Bivic, A., Rodriguez-Boulan, E. 107:277
—, membrane and junctional properties of the isolated frog lens epithelium, Duncan, G., Stewart, S., Prescott, A.R., Warn, R.M. 102:195
—, rabbit distal colon epithelium: I. isolation and characterization of basolateral plasma membrane vesicles from surface and crypt cells, Wiener, H., Turnheim, K., van Os, C.H. 110:147
—, rabbit distal colon epithelium: II. characterization of (Na^+,K^+,Cl^-) cotransport and [^{3}H]-bumetanide binding, Wiener, H., van Os, C.H. 110:163
—, tight junctions and apical/basolateral polarity, Cereijido, M., Ponce, A., González-Mariscal, L. 110:1
EPR
—, a flow EPR study of deformation and orientation characteristics of erythrocyte ghosts: a possible effect of an altered state of cytoskeletal network, Ito, T., Kon, H. 101:57
—, a flow EPR study of deformation and orientation characteristics of erythrocyte ghosts: effects of lysing and resealing conditions, Fukushima, Y., Kon, H. 104:265
—, amine and carboxylate spin probe permeability in red cells, Todd, A.P., Mehlhorn, R.J., Macey, R.I. 109:41
—, amine spin probe permeability in sonicated liposomes, Todd, A.P., Mehlhorn, R.J., Macey, R.I. 109:53
Equivalent circuit analysis
—, dependence of cell membrane conductances on bathing solution HCO_3^-/CO_2 in *Necturus* gallbladder, Stoddard, J.S., Reuss, L. 102:163
—, effect of K^+ channels in the apical plasma membrane on epithelial secretion based on secondary active Cl^- transport, Cook, D.I., Young, J.A. 110:139
—, voltage- and time dependence of apical membrane conductance during current clamp in *Necturus* gallbladder epithelium, Stoddard, J.S., Reuss, L. 103:191
Eremosphaera viridis
—, water transport parameters and regulatory processes in *Eremosphaera viridis*, Frey, N., Büchner, K.-H., Zimmermann, U. 101:151
Erratum
—, *The Journal of Membrane Biology* **97**:215:221 (1987), Gross, E., Malik, Z., Ehrenberg, B. 101:283
Erythrocyte ghost
—, a flow EPR study of deformation and orientation characteristics of erythrocyte ghosts: a possible effect of an altered state of cytoskeletal network, Ito, T., Kon, H. 101:57
—, a flow EPR study of deformation and orientation characteristics of erythrocyte ghosts: effects of lysing and resealing conditions, Fukushima, Y., Kon, H. 104:265
Erythrocytes
—, all or none cell responses of Ca^{2+}-dependent K channels elicited by calcium or lead in human red cells can be ex-

plained by heterogeneity of agonist distribution, Alvarez, J., García-Sancho, J., Herreros, B. 104:129
—, analysis of the blocking activity of charybdotoxin homologs and iodinated derivatives against Ca^{2+}-activated K^+ channels, Lucchesi, K., Ravindran, A., Young, H., Moczydlowski, E. 109:269
—, anion transport during maturation of erythroblastic cells, Kirk, R.G., Lee, P. 101:173
—, degradation of skeletal muscle plasma membrane proteins by calpain, Zaidi, S.I.M., Narahara, H.T. 110:209
—, inhibition of hexose transport in the human erythrocyte by 5,5′-dithiobis(2-nitrobenzoic acid): role of an exofacial carrier sulfhydryl group, May, J.M. 108:227
—, modification of the erythrocyte membrane dielectric constant by alcohols, Orme, F.W., Moronne, M.M., Macey, R.I. 104:57
—, shape determinants of McLeod acanthocytes, Khodadad, J.K., Weinstein, R.S., Marsh, L.W., Steck, T.L. 107:213
—, the choline carrier of erythrocytes: location of the NEM-reactive thiol group in the inner gated channel, Krupka, R.M., Devés, R. 101:43
—, thermal instability of red blood cell membrane bilayers: temperature dependence of hemolysis, Gershfeld, N.L., Murayama, M. 101:67
—, volume-activated Na/H exchange activity in fetal and adult pig red cells: inhibition by cyclic AMP, Sergeant, S., Sohn, D.H., Kim, H.D. 109:209
—, volume-dependent regulation of ion transport and membrane phosphorylation in human and rat erythrocytes, Orlov, S.N., Pokudin, N.I., Kotelevtsev, Y.V., Gulak, P.V. 107:105
—, water exchange through erythrocyte membranes: biochemical and nuclear magnetic resonance studies re-evaluating the effects of sulfhydryl reagents and of proteolytic enzymes on human membranes, Benga, G., Popescu, O., Borza, V., Pop, V.I., Hodârnău, A. 108:105
Escherichia coli
—, proline porters effect the utilization of proline as nutrient or osmoprotectant for bacteria, Wood, J.M. 106:183
Escherichia coli phospholipid
—, solubilization and reconstitution of the *Rickettsia prowazewkii* ATP/ADP translocase, Plano, G.V., Winkler, H.H. 110:227
Exchange-only transport
—, role of substrate binding forces in exchange-only transport system: I. transition-state theory, Krupka, R.M. 109:151
—, role of substrate binding forces in exchange-only transport systems: II. implications for the mechanism of the anion exchanger of red cells, Krupka, R.M. 109:159
Excitation-contraction coupling
—, feet, bridges, and pillars in triad junctions of mammalian skeletal muscle: their possible relationship to calcium buffers in terminal cisternae and T-tubules and to excitation–contraction coupling, Dulhunty, A.F. 109:73
Exfoliation
—, regeneration of resistance and ion transport in rabbit corneal epithelium after induced surface cell exfoliation, Wolosin, J.M. 104:45
Exocrine gland
—, coupled Na^+/H^+ exchange in rat parotid basolateral membrane vesicles, Manganel, M., Turner, R.J. 102:247
Exocytosis
—, constitutive and transport-related endocytotic pathways in turtle bladder epithelium, Dixon, T.E., Clausen, C., Coachman, D. 102:49
—, evidence implicating protein kinase C in exocytosis from electropermeabilized bovine chromaffin cells, Knight, D.E., Sugden, D., Baker, P.F. 104:21
—, ionic and permeability requirements for exocytosis in vitro in sea urchin eggs, Zimmerberg, J., Liu, J. 101:199
Extracellular pH
—, kinetic response of H^+-coupled transport to extracellular pH: critical role of cytosolic pH as a regulator, Sanders, D., Hopgood, M., Jennings, I.R. 108:253
Extrusion
—, deliberate quin2 overload as a method for *in situ* characterization of active calcium extrusion systems and cytoplasmic binding: application to the human platelet, Johansson, J.S., Haynes, D.H. 104:147
Eyring theory
—, diffusion theory and discrete rate constants in ion permeation, Cooper, K.E., Gates, P.Y., Eisenberg, R.S. 106:95
Fast twitch muscle
—, bicarbonate and fast-twitch muscle: evidence for a major role in pH regulation, Grossie, J., Collins, C., Julian, M. 105:265
Fatty acid
—, proton conductance caused by long-chain fatty acids in phospholipid bilayer membranes, Gutknecht, J. 106:83
Fibroblasts
—, characterization of Na^+ transport in normal human fibroblasts and neoplastic H.Ep.2 cells and the role of inhibitin, Spurlock, G., Morgan, K., Mir, M.A. 106:219
—, factors responsible for oscillations of membrane potential recorded with tight-seal-patch electrodes in mouse fibroblasts, Oiki, S., Okada, Y. 105:23
Flow cytometry
—, flow cytometric analysis of intracellular pH in cultured opossum kidney (OK) cells, Montrose, M.H., Condrau, M.A., Murer, H. 108:31
Fluid flow
—, Ca^{2+}-activated K^+ conductance causes membrane hyperpolarizations in a monkey kidney cell line (JTC-12), Chang, H., Yamashita, N., Matsunaga, H., Kurokawa, K. 103:263
Fluid secretion
—, coupled Na^+/H^+ exchange in rat parotid basolateral membrane vesicles, Manganel, M., Turner, R.J. 102:247
—, stimulation-associated redistribution of Na,K-ATPase in rat lacrimal gland, Yiu, S.C., Lambert, R.W., Bradley, M.E., Ingham, C.E., Hales, K.L., Wood, R.L., Mircheff, A.K. 102:185
Fluid transport
—, dependence of cell membrane conductances on bathing solution HCO_3^-/CO_2 in *Necturus* gallbladder, Stoddard, J.S., Reuss, L. 102:163
Fluorescein isothiocyanate
—, isoforms of Na,K-ATPase in *Artemia salina*: I. detection by FITC binding and time course, Salon, J., Cortas, N., Edelman, I.S. 108:177
—, isoforms of Na,K-ATPase in *Artemia salina*: II. tissue distribution and kinetic characterization, Cortas, N., Arnaout, M., Salon, J., Edelman, I.S. 108:187
Fluoresceinmercuric acetate (FMA)
—, effect of mercurial compounds on net water transport and intramembrane particle aggregates in ADH-treated frog urinary bladder, Ibarra, C., Ripoche, P., Bourguet, J. 110:115
Fluorescence
—, activation of Ca^{2+} release in isolated sarcoplasmic reticulum, Shoshan-Barmatz, V. 103:67
—, chloride transport in apical membrane vesicles from bo-

vine tracheal epithelium: characterization using a fluorescent indicator, Fong, P., Illsley, N.P., Widdicombe, J.H., Verkman, A.S. 104:233
—, conformational transitions and charge translocation by the Na,K pump: comparison of optical and electrical transients elicited by ATP-concentration jumps, Stürmer, W., Apell, A.-J., Wuddel, I., Läuger, P. 110:67
—, cytoplasmic free Ca in isolated snail neurons as revealed by fluorescent probe fura-2: mechanisms of Ca recovery after Ca load and Ca release from intracellular stores, Kostyuk, P.G., Mironov, S.L., Tepikin, A.V., Belan, P.V. 110:11
—, deliberate quin2 overload as a method for *in situ* characterization of active calcium extrusion systems and cytoplasmic binding: application to the human platelet, Johansson, J.S., Haynes, D.H. 104:147
—, effects of membrane potential on Na cotransports in eel intestinal brush-border membrane vesicles: studies with a fluorescent dye, Cassano, G., Maffia, M., Vilella, S., Storelli, C. 101:225
—, examination of the substrate stoichiometry of the intestinal Na^+/phosphate cotransporter, Peerce, B.E. 110:189
—, flow cytometric analysis of intracellular pH in cultured opossum kidney (OK) cells, Montrose, M.H., Condrau, M.A., Murer, H. 108:31
Fluorescence anisotropy
—, correlation between the synergistic effect of liposomes and endotoxins on the activation of macrophage tumoricidal activity and the effect of liposomes on the rough endoplasmic reticulum of macrophages, Jeannin, J.F., Klein, R., Reisser, D., Lagadec, P., Vincent, M., Tatischeff, I. 104:107
—, very low osmotic water permeability and membrane fluidity in isolated toad bladder granules, Verkman, A.S., Masur, S.K. 104:241
Fluorescence microscopy
—, interactions of liposomes with planar bilayer membranes, Perin, M.S., MacDonald, R.C. 109:221
Fluorescence polarization
—, correlation between the synergistic effect of liposomes and endotoxins on the activation of macrophage tumoricidal activity and the effect of liposomes on the rough endoplasmic reticulum of macrophages, Jeannin, J.F., Klein, R., Reisser, D., Lagadec, P., Vincent, M., Tatischeff, I. 104:107
Folate
—, mediated uptake of folate by a high-affinity binding protein in sublines of L1210 cells adapted to nanomolar concentrations of folate, Henderson, G.B., Tsuji, J.M., Kumar, H.P. 101:247
Folate transport
—, anion specificity of the jejunal folate carrier: effects of reduced folate analogues on folate uptake and efflux, Schron, C.M., Washington, C., Jr., Blitzer, B.L. 102:175
—, mediated uptake of folate by a high-affinity binding protein in sublines of L1210 cells adapted to nanomolar concentrations of folate, Henderson, G.B., Tsuji, J.M., Kumar, H.P. 101:247
Forskolin
—, forskolin and phorbol esters decrease the same K^+ conductance in cultured oligodendrocytes, Soliven, B., Szuchet, S., Arnason, B.G.W., Nelson, D.J. 105:177
—, secretin-regulated chloride channel on the apical plasma membrane of pancreatic duct cells, Gray, M.A., Greenwell, J.R., Argent, B.E. 105:131
—, voltage-gated chloride currents in cultured canine tracheal epithelial cells, Schoppa, N., Shorofsky, S.R., Jow, F., Nelson, D.J. 108:73
Four-state model
—, activation kinetics of single high-threshold calcium channels in the membrane of sensory neurons from mouse embryos, Kostyuk, P.G., Shuba, Ya.M., Teslenko, V.I. 110:29
Frog
—, degradation of skeletal muscle plasma membrane proteins by calpain, Zaidi, S.I.M., Narahara, H.T. 110:209
—, effect of mercurial compounds on net water transport and intramembrane particle aggregates in ADH-treated frog urinary bladder, Ibarra, C., Ripoche, P., Bourguet, J. 110:115
—, effect of taurine on the isolated retinal pigment epithelium of the frog: electrophysiologic evidence for stimulation of an apical, electrogenic Na^+–K^+ pump, Scharschmidt, B.F., Griff, E.R., Steinberg, R.H. 106:71
—, effects of internal Na and external K concentration on Na/K coupling of Na,K-pump in frog skeletal muscle, Marunaka, Y. 101:19
—, membrane and junctional properties of the isolated frog lens epithelium, Duncan, G., Stewart, S., Prescott, A.R., Warn, R.M. 102:195
Frog kidney
—, fused cells of frog proximal tubule: II. voltage-dependent intracellular pH, Wang, W., Wang, Y., Silbernagl, S., Oberleithner, H. 101:259
Frog skin
—, apical Na^+ permeability of frog skin during serosal Cl^- replacement, Leibowich, S., DeLong, J., Civan, M.M. 102:121
—, influence of serosal Cl on transport properties and cation activities in frog skin, Klemperer, G., Essig, A. 106:107
—, voltage dependence of cellular current and conductances in frog skin, Nagel, W., Garcia-Díaz, J.F., Essig, A. 106:13
Furosemide
—, anion specificity of the jejunal folate carrier: effects of reduced folate analogues on folate uptake and efflux, Schron, C.M., Washington, C., Jr., Blitzer, B.L. 102:175
—, effects of pH, potential, chloride and furosemide on passive Na^+ and K^+ effluxes from human red blood cells, Zade-Oppen, A.M., Adragna, N.C., Tosteson, D.C. 103:217
—, interaction of furosemide with lipid membranes, Bach, D., Vinkler, C., Miller, I.R., Caplan, S.R. 101:103
—, isolation and reconstitution of furosemide-binding proteins from Ehrlich ascites tumor cells, Jessen, F., Cherksey, B.D., Zeuthen, T., Hoffmann, E.K. 108:139
—, Na^+ and K^+ fluxes stimulated by Na^+-coupled glucose transport: evidence for a Ba^{2+}-insensitive K^+ efflux pathway in rabbit proximal tubules, Avison, M.J., Gullans, S.R., Ogino, T., Giebisch, G. 105:197
—, penetration of furosemide into phospholipid monolayers, Miller, I.R. 101:113
—, volume-activated Na/H exchange activity in fetal and adult pig red cells: inhibition by cyclic AMP, Sergeant, S., Sohn, D.H., Kim, H.D. 109:209
Fusion
—, ionic and permeability requirements for exocytosis in vitro in sea urchin eggs, Zimmerberg, J., Liu, J. 101:199
G protein
—, leukotriene-D_4 induced cell shrinkage in Ehrlich ascites tumor cells, Lambert, I.H. 108:165
Gamma-aminobutyric acid (GABA)
—, conductance states activated by glycine and GABA in rat cultured spinal neurones, Smith, S.M., Zorec, R., McBurney, R.N. 108:45
Ganglioside GM1
—, interaction of the B subunit of cholera toxin with endogenous ganglioside GM1 causes changes in membrane poten-

tial of rat thymocytes, Mulhern, S.A., Fishman, P.H., Spiegel, S. 109:21
Gap junctions
—, calmodulin acts as an intermediary for the effects of calcium on gap junctions from crayfish lateral axons, Arellano, R.O., Ramón, F., Rivera, A., Zampighi, G.A. 101:119
—, cross-linking of cardiac gap junction connexons by thiol/disulfide exchanges, Dupont, E., El Aoumari, A., Briand, J.P., Fromaget, C., Gros, D. 108:247
—, growth factors modulate junctional cell-to-cell communication, Maldonado, P.E., Rose, B., Loewenstein, W.R. 106:203
—, immunological characterization of rat cardiac gap junctions: presence of common antigenic determinants in heart of other vertebrate species and in various organs, Dupont, E., El Aoumari, A., Roustiau-Sévère, S., Briand, J.P., Gros, D. 104:119
—, inhibition of electrical coupling in pairs of murine pancreatic acinar cells by OAG and isolated protein kinase C, Somogyi, R., Batzer, A., Kolb, H.-A. 108:273
—, phosphorylation of MP26, a lens junction protein, is enhanced by activators of protein kinase C, Lampe, P.D., Johnson, R.G. 107:145
Gated channel
—, the choline carrier of erythrocytes: location of the NEM-reactive thiol group in the inner gated channel, Krupka, R.M., Devés, R. 101:43
Gating kinetics
—, characterization of a delayed rectifier K^+ channel in NG108-15 neuroblastoma *X* glioma cells: gating kinetics and the effects of enrichment of membrane phospholipids with arachidonic acid, McGee, R., Jr., Sansom, M.S.P., Usherwood, P.N.R. 102:21
Gating mechanism
—, effects of pyridine nucleotides on the gating of ATP-sensitive potassium channels in insulin-secreting cells, Dunne, M.J., Findlay, I., Petersen, O.H. 102:205
—, potassium-dependent, bipolar gating of K^+ channels in guard cells, Blatt, M.R. 102:235
General anesthesia
—, the interaction of homologous series of alkanols with sodium channels in nerve membrane vesicles, Rodríguez, N., Villegas, R., Requena, J. 104:139
Genetics
—, proline porters effect the utilization of proline as nutrient or osmoprotectant for bacteria, Wood, J.M. 106:183
Giant axons
—, anomalous influence of reduced internal ATP levels on sodium efflux in *Myxicola* giant axons, Sjodin, R.A., Ortiz, O.E., Montes, J.G. 108:61
Glucocorticoids
—, evidence for the presence of specific binding sites for corticoids in mouse liver plasma membranes, Trueba, M., Vallejo, A.I., Rodriguez, I., Ibarrola, I., Sancho, M.J., Marino, A., Macarulla, J.M. 108:115
Gluconate
—, apical Na^+ permeability of frog skin during serosal Cl^- replacement, Leibowich, S., DeLong, J., Civan, M.M. 102:121
—, influence of serosal Cl on transport properties and cation activities in frog skin, Klemperer, G., Essig, A. 106:107
Glucose-modulated K^+ channels
—, comparative study of K channel behavior in β cell lines with different secretory responses to glucose, Eddlestone, G.T., Ribalet, B., Ciani, S. 109:123
Glucose transport
—, characterization of a Na^+/glucose cotransporter cloned from rabbit small intestine, Ikeda, T.S., Hwang, E.-S., Coady, M.J., Hirayama, B.A., Hediger, M.A., Wright, E.M. 110:87
—, Na^+ and K^+ fluxes stimulated by Na^+-coupled glucose transport: evidence for a Ba^{2+}-insensitive K^+ efflux pathway in rabbit proximal tubules, Avison, M.J., Gullans, S.R., Ogino, T., Giebisch, G. 105:197
—, sodium D-glucose cotransport in the gill of marine mussels: studies with intact tissue and brush-border membrane vesicles, Pajor, A.M., Moon, D.A., Wright, S.H. 107:77
—, stimulation of intestinal Na^+/D-glucose cotransport by monoclonal antibodies, Honold, K., Ludeke, B., Hengartner, H., Semenza, G. 105:165
Glutathione
—, silver ion (Ag^+)-induced increases in cell membrane K^+ and Na^+ permeability in the renal proximal tubule: reversal by thiol reagents, Kone, B.C., Kaleta, M., Gullans, S.R. 102:11
—, thiol-dependent K : Cl transport in sheep red cells: VIII. activation through metabolically and chemically reversible oxidation by diamide, Lauf, P.K. 101:179
Glutathione-maleimide-I
—, inhibition of hexose transport in the human erythrocyte by 5,5′-dithiobis(2-nitrobenzoic acid): role of an exofacial carrier sulfhydryl group, May, J.M. 108:227
Glycerol
—, effect of carbohydrates and glycerol on the stability and surface properties of lyophilized liposomes, Alonso-Romanowski, S., Biondi, A.C., Disalvo, E.A. 108:1
Glycine
—, conductance states activated by glycine and GABA in rat cultured spinal neurones, Smith, S.M., Zorec, R., McBurney, R.N. 108:45
Glycine betaine
—, proline porters effect the utilization of proline as nutrient or osmoprotectant for bacteria, Wood, J.M. 106:183
Glycolipids
—, tight junctions and apical/basolateral polarity, Cereijido, M., Ponce, A., González-Mariscal, L. 110:1
Glycoprotein
—, isolation of plasma membrane complexes from *Xenopus* oocytes, Wall, D.A., Patel, S. 107:189
Glycosylation
—, role of the Na,K-ATPase β-subunit in the cellular accumulation and maturation of the enzyme as assessed by glycosylation inhibitors, Zamofing, D., Rossier, B.C., Geering, K. 104:69
Golgi complex
—, mannose 6-phosphate receptors and their role in targeting proteins to lysosomes, Pfeffer, S.R. 103:7
—, stimulation-associated redistribution of Na,K-ATPase in rat lacrimal gland, Yiu, S.C., Lambert, R.W., Bradley, M.E., Ingham, C.E., Hales, K.L., Wood, R.L., Mircheff, A.K. 102:185
Gram-negative bacteria
—, reconstitution of the lipid matrix of the outer membrane of gram-negative bacteria as asymmetric planar bilayer, Seydel, U., Schröder, G., Brandenburg, K. 109:95
Gramicidin
—, proton flux mechanisms in model and biological membranes, Deamer, D.W., Nichols, J.W. 107:91
—, silver ions induce a rapid Ca^{2+} release from isolated intact bovine rod outer segments by a cooperative mechanism, Schnetkamp, P.P.M., Szerencsei, R.T. 108:91

Growth control
—, neutral amino acid transport systems in animal cells: potential targets of oncogene action and regulators of cellular growth, Saier, M.H., Jr., Daniels, G.A., Boerner, P., Lin, J. 104:1
GTP binding proteins
—, calcium channels: molecular pharmacology, structure and regulation, Hosey, M.M., Lazdunski, M. 104:81
Guard cell protoplasts
—, quantitative analysis of outward rectifying K^+ channel currents in guard cell protoplasts from *Vicia faba*, Schroeder, J.I. 107:229
H^+-ATPase
—, characterization of MgATP-driven H^+ uptake into a microsomal vesicle fraction from rat pancreatic acinar cells, Thévenod, F., Kemmer, T.P., Christian, A.L., Schulz, I. 107:263
—, relation of ATPases in rat renal brush-border membranes to ATP-driven H^+ secretion, Turrini, F., Sabolić, I., Zimolo, Z., Moewes, B., Burckhardt, G. 107:1
—, transcellular ion currents and extension of *Neurospora crassa* hyphae, Takeuchi, Y., Schmid, J., Caldwell, J.H., Harold, F.M. 101:33
3H-bumetanide binding
—, rabbit distal colon epithelium: II. characterization of (Na^+,K^+,Cl^-) cotransport and [^{3}H]-bumetanide binding, Wiener, H., van Os, C.H. 110:163
H^+-coupled transport
—, kinetic response of H^+-coupled transport to extracellular pH: critical role of cytosolic pH as a regulator, Sanders, D., Hopgood, M., Jennings, I.R. 108:253
Halorhodopsin
—, protein electric response signals from dielectrically polarized systems, Keszthelyi, L., Ormos, P. 109:193
Harmaline
—, sodium D-glucose cotransport in the gill of marine mussels: studies with intact tissue and brush-border membrane vesicles, Pajor, A.M., Moon, D.A., Wright, S.H. 107:77
Hb A cells
—, charybdotoxin blocks with high affinity the Ca-activated K^+ channel of Hb A and Hb S red cells: individual differences in the number of channels, Wolff, D., Cecchi, X., Spalvins, A., Canessa, M. 106:243
Hb S cells
—, charybdotoxin blocks with high affinity the Ca-activated K^+ channel of Hb A and Hb S red cells: individual differences in the number of channels, Wolff, D., Cecchi, X., Spalvins, A., Canessa, M. 106:243
HCO_3
—, bicarbonate and fast-twitch muscle: evidence for a major role in pH regulation, Grossie, J., Collins, C., Julian, M. 105:265
HCO_3^-
—, evidence for an anion exchanger in the mouse lacrimal gland acinar cell membrane, Ozawa, T., Saito, Y., Nishiyama, A. 105:273
HCO_3^- transport
—, fused cells of frog proximal tubule: II. voltage-dependent intracellular pH, Wang, W., Wang, Y., Silbernagl, S., Oberleithner, H. 101:259
HCO_3^-/Cl^- exchange
—, intracellular pH regulation in the mouse lacrimal gland acinar cells, Saito, Y., Ozawa, T., Suzuki, S., Nishiyama, A. 101:73
Heart cells
—, surface charge near the cardiac inward-rectifier channel measured from single-channel conductance, Kell, M.J., DeFelice, L.J. 102:1
Hemolysis
—, thermal instability of red blood cell membrane bilayers: temperature dependence of hemolysis, Gershfeld, N.L., Murayama, M. 101:67
H.Ep.2 cells
—, characterization of Na^+ transport in normal human fibroblasts and neoplastic H.Ep.2 cells and the role of inhibitin, Spurlock, G., Morgan, K., Mir, M.A. 106:219
Heterogeneity
—, all or none cell responses of Ca^{2+}-dependent K channels elicited by calcium or lead in human red cells can be explained by heterogeneity of agonist distribution, Alvarez, J., García-Sancho, J., Herreros, B. 104:129
Hexose transport
—, inhibition of hexose transport in the human erythrocyte by 5,5′-dithiobis(2-nitrobenzoic acid): role of an exofacial carrier sulfhydryl group, May, J.M. 108:227
High performance liquid chromatography
—, evidence for high molecular weight Na-Ca exchange in cardiac sarcolemmal vesicles, Hale, C.C., Kleiboeker, S.B., Carlton, C.G., Rovetto, M.J., Jung, C., Kim, H.D. 106:211
HIT cells
—, comparative study of K channel behavior in β cell lines with different secretory responses to glucose, Eddlestone, G.T., Ribalet, B., Ciani, S. 109:123
Hodgkin–Huxley equations
—, activation kinetics of single high-threshold calcium channels in the membrane of sensory neurons from mouse embryos, Kostyuk, P.G., Shuba, Ya.M., Teslenko, V.I. 110:29
—, effects of arachidonic acid and the other long-chain fatty acids on the membrane currents in the squid giant axon, Takenaka, T., Horie, H., Hori, H., Kawakami, T. 106:141
Hormones
—, calcium mobilizing hormones activate the plasma membrane Ca^{2+} pump of pancreatic acinar cells, Muallem, S., Pandol, S.J., Beeker, T.G. 106:57
—, role of Na^+/Ca^{2+} exchange and the plasma membrane Ca^{2+} pump in hormone-mediated Ca^{2+} efflux from pancreatic acini, Muallem, S., Beeker, T., Pandol, S.J. 102:153
Horseradish peroxidase
—, apical membrane endocytosis via coated pits is stimulated by removal of antidiuretic hormone from isolated, perfused rabbit cortical collecting tubule, Strange, K., Willingham, M.C., Handler, J.S., Harris, H.W., Jr. 103:17
Human placenta membrane
—, high affinity insulin binding in the human placenta insulin receptor requires $\alpha\beta$ heterodimeric subunit interactions, Swanson, M.L., Pessin, J.E. 108:217
Human platelet surface membrane
—, conduction and blocking properties of a predominantly anion-selective channel from human platelet surface membrane reconstituted into planar phospholipid bilayers, Manning, S.D., Williams, A.J. 109:113
Human platelets
—, deliberate quin2 overload as a method for *in situ* characterization of active calcium extrusion systems and cytoplasmic binding: application to the human platelet, Johansson, J.S., Haynes, D.H. 104:147
Human red cells
—, all or none cell responses of Ca^{2+}-dependent K channels elicited by calcium or lead in human red cells can be explained by heterogeneity of agonist distribution, Alvarez, J., García-Sancho, J., Herreros, B. 104:129

—, amine and carboxylate spin probe permeability in red cells, Todd, A.P., Mehlhorn, R.J., Macey, R.I. 109:41
—, asymmetric effects of divalent cations and protons on active Ca^{2+} efflux and Ca^{2+}-ATPase in intact red blood cells, Xu, Y.-H., Roufogalis, B.D. 105:155
—, Ca^{2+}-activated K^+ conductance of human red cell membranes exhibits two different types of voltage dependence, Stampe, P., Vestergaard-Bogind, B. 101:165
—, charybdotoxin blocks with high affinity the Ca-activated K^+ channel of Hb A and Hb S red cells: individual differences in the number of channels, Wolff, D., Cecchi, X., Spalvins, A., Canessa, M. 106:243
—, effects of pH, potential, chloride and furosemide on passive Na^+ and K^+ effluxes from human red blood cells, Zade-Oppen, A.M., Adragna, N.C., Tosteson, D.C. 103:217
—, electrogenic behavior of the human red cell Ca^{2+} pump revealed by disulfonic stilbenes, Romero, P.J., Ortiz, C.E. 101:237
—, impermeant potential-sensitive oxonol dyes: I. evidence for an "on–off" mechanism, George, E.B., Nyirjesy, P., Basson, M., Ernst, L.A., Pratap, P.R., Freedman, J.C., Waggoner, A.S. 103:245
—, kinetics and stoichiometry of the human red cell Na^+/H^+ exchanger, Semplicini, A., Spalvins, A., Canessa, M. 107:219
—, protonophore anion permeability of the human red cell membrane determined in the presence of valinomycin, Bennekou, P. 102:225
—, steady-state and transient membrane potentials in human red cells determined by protonophore-mediated pH changes, Bennekou, P. 106:41
—, studies on inactivation of anion transport in human red blood cell membrane by reversibly and irreversibly acting arginine-specific reagents, Julien, T., Zaki, L. 102:217
—, thermal instability of red blood cell membrane bilayers: temperature dependence of hemolysis, Gershfeld, N.L., Murayama, M. 101:67
—, water exchange through erythrocyte membranes: biochemical and nuclear magnetic resonance studies re-evaluating the effects of sulfhydryl reagents and of proteolytic enzymes on human membranes, Benga, G., Popescu, O., Borza, V., Pop, V.I., Hodârnău, A. 108:105
Hydraulic conductivity
—, water relations of individual leaf cells of *Mesembryanthemum crystallinum* plants grown at low and high salinity, Rygol, J., Zimmermann, U., Balling, A. 107:203
Hydrogen ion flux
—, apical and basolateral Na^+/H^+ exchange in the rabbit outer medullary thin descending limb of Henle: role in intracellular pH regulation, Kurtz, I. 106:253
Hydrogen ion pump
—, characterization of inositol 1,4,5-trisphosphate-sensitive (IsCaP) and -insensitive (IisCaP) nonmitochondrial Ca^{2+} pools in rat pancreatic acinar cells, Thévenod, F., Dehlinger-Kremer, M., Kemmer, T.P., Christian, A.-L., Potter, B.V.L., Schulz, I. 109:173
—, characterization of MgATP-driven H^+ uptake into a microsomal vesicle fraction from rat pancreatic acinar cells, Thévenod, F., Kemmer, T.P., Christian, A.L., Schulz, I. 107:263
—, electrical tolerance (breakdown) of the *Chara corallina* plasmalemma: I. necessity of Ca^{2+}, Ohkawa, T., Tsutsui, I. 103:273
—, involvement of photosynthesis in the action of temperature on plasmalemma transport in *Nitella*, Stein, S., Hansen, U.-P. 103:149
—, rapid effect of light on the K^+ channel in the plasmalemma of *Nitella*, Vanselow, K.H., Hansen, U.-P. 110:175
Hydrogen ion secretion
—, relation of ATPases in rat renal brush-border membranes to ATP-driven H^+ secretion, Turrini, F., Sabolić, I., Zimolo, Z., Moewes, B., Burckhardt, G. 107:1
Hydrogen ion transport
—, characterization of MgATP-driven H^+ uptake into a microsomal vesicle fraction from rat pancreatic acinar cells, Thévenod, F., Kemmer, T.P., Christian, A.L., Schulz, I. 107:263
—, kinetics and stoichiometry of the human red cell Na^+/H^+ exchanger, Semplicini, A., Spalvins, A., Canessa, M. 107:219
—, relation of ATPases in rat renal brush-border membranes to ATP-driven H^+ secretion, Turrini, F., Sabolić, I., Zimolo, Z., Moewes, B., Burckhardt, G. 107:1
—, solubilization and reconstitution of renal brush border Na^+–H^+ exchanger, Weinman, E.J., Shenolikar, S., Cragoe, E.J., Jr., Dubinsky, W.P. 101:1
Hydrogen ions
—, the choline carrier of erythrocytes: location of the NEM-reactive thiol group in the inner gated channel, Krupka, R.M., Devés, R. 101:43
Hydrophobic ions
—, modification of the erythrocyte membrane dielectric constant by alcohols, Orme, F.W., Moronne, M.M., Macey, R.I. 104:57
Hydrophobicity
—, surface hydrophobicity and water transport of the toad urinary bladder: effects of vasopressin, Dial, E.J., Huang, J., O'Neil, R.G., Hills, B.A., Lichtenberger, L.M. 106:119
Hyperpolarization
—, Ca^{2+}-activated K^+ conductance causes membrane hyperpolarizations in a monkey kidney cell line (JTC-12), Chang, H., Yamashita, N., Matsunaga, H., Kurokawa, K. 103:263
—, electrophysiological properties of *Dictyostelium* derived from membrane potential measurements with microelectrodes, Van Duijn, B., Ypey, D.L., Van der Molen, L.G. 106:123
—, factors responsible for oscillations of membrane potential recorded with tight-seal-patch electrodes in mouse fibroblasts, Oiki, S., Okada, Y. 105:23
—, interaction of the β subunit of cholera toxin with endogenous ganglioside GM1 causes changes in membrane potential of rat thymocytes, Mulhern, S.A., Fishman, P.H., Spiegel, S. 109:21
—, voltage-dependent channels permeable to K^+ and Na^+ in the membrane of *Acer pseudoplatanus* vacuoles, Colombo, R., Cerana, R., Lado, P., Peres, A. 103:227
Hypotonic shock
—, Na^+/H^+ exchange in Ehrlich ascites tumor cells: activation by cytoplasmic acidification and by treatment with cupric sulphate, Kramhøft, B., Lambert, I.H., Hoffmann, E.K. 102:35
IGF-II receptor
—, mannose 6-phosphate receptors and their role in targeting proteins to lysosomes, Pfeffer, S.R. 103:7
^{125}I-Insulin
—, binding and degradation of ^{125}I-insulin rat renal brush border membranes: evidence for low affinity, high capacity insulin recognition sites, Meezan, E., Pillion, D.J., Elgavish, A. 105:113

Immunoblotting
—, immunological characterization of rat cardiac gap junctions: presence of common antigenic determinants in heart of other vertebrate species and in various organs, Dupont, E., El Aoumari, A., Roustiau-Sévère, S., Briand, J.P., Gros, D. 104:119
Immunoprecipitation
—, stimulation of intestinal Na^+/D-glucose cotransport by monoclonal antibodies, Honold, K., Ludeke, B., Hengartner, H., Semenza, G. 105:165
Impedance analysis
—, constitutive and transport-related endocytotic pathways in turtle bladder epithelium, Dixon, T.E., Clausen, C., Coachman, D. 102:49
Inhibitin
—, characterization of Na^+ transport in normal human fibroblasts and neoplastic H.Ep.2 cells and the role of inhibitin, Spurlock, G., Morgan, K., Mir, M.A. 106:219
Inosine
—, all or none cell responses of Ca^{2+}-dependent K channels elicited by calcium or lead in human red cells can be explained by heterogeneity of agonist distribution, Alvarez, J., García-Sancho, J., Herreros, B. 104:129
Inositol
—, characterization of inositol 1,4,5-trisphosphate-sensitive (IsCaP) and -insensitive (IisCaP) nonmitochondrial Ca^{2+} pools in rat pancreatic acinar cells, Thévenod, F., Dehlinger-Kremer, M., Kemmer, T.P., Christian, A.-L., Potter, B.V.L., Schulz, I. 109:173
—, pharmacology of K^+ channels in the plasmalemma of the green alga *Chara corallina*, Tester, M. 103:159
Inositol tetrakisphosphate
—, inositol 1,2,3,5-tetrakisphosphate is essential for sustained activation of the Ca^{2+}-dependent K^+ current in single internally perfused mouse lacrimal acinar cells, Changya, L., Gallacher, D.V., Irvine, R.F., Potter, B.V.L., Petersen, O.H. 109:85
Inositol trisphosphate
—, inositol 1,2,3,5-tetrakisphosphate is essential for sustained activation of the Ca^{2+}-dependent K^+ current in single internally perfused mouse lacrimal acinar cells, Changya, L., Gallacher, D.V., Irvine, R.F., Potter, B.V.L., Petersen, O.H. 109:85
Insulin binding
—, high affinity insulin binding in the human placenta insulin receptor requires $\alpha\beta$ heterodimeric subunit interactions, Swanson, M.L., Pessin, J.E. 108:217
Insulin receptor
—, high affinity insulin binding in the human placenta insulin receptor requires $\alpha\beta$ heterodimeric subunit interactions, Swanson, M.L., Pessin, J.E. 108:217
Insulin-secreting cells
—, comparative study of K channel behavior in β cell lines with different secretory responses to glucose, Eddlestone, G.T., Ribalet, B., Ciani, S. 109:123
Insulin secretion
—, effects of pyridine nucleotides on the gating of ATP-sensitive potassium channels in insulin-secreting cells, Dunne, M.J., Findlay, I., Petersen, O.H. 102:205
—, the gating of nucleotide-sensitive K^+ channels in insulin-secreting cells can be modulated by changes in the ratio ATP^{4-}/ADP^{3-} and by nonhydrolyzable derivatives of both ATP and ADP, Dunne, M.J., West-Jordan, J.A., Abraham, R.J., Edwards, R.H.T., Petersen, O.H. 104:165
Intercalated cell
—, ouabain-induced cell swelling in rabbit cortical collecting tubule: NaCl transport by principal cells, Strange, K. 107:249
Internal dialysis
—, anomalous influence of reduced internal ATP levels on sodium efflux in *Myxicola* giant axons, Sjodin, R.A., Ortiz, O.E., Montes, J.G. 108:61
Internal perfusion
—, voltage-independent barium-permeable channel activated in *Lymnaea* neurons by internal perfusion or patch excision, Yazejian, B., Byerly, L. 107:63
Intestinal electrolyte transport
—, anion specificity of the jejunal folate carrier: effects of reduced folate analogues on folate uptake and efflux, Schron, C.M., Washington, C., Jr., Blitzer, B.L. 102:175
Intestinal secretion
—, activation of chloride conductance in pig jejunal brush border vesicles, Forsyth, G.W., Gabriel, S.E. 107:137
Intracellular calcium
—, Ca^{2+} dependency of Na^+ transport by rabbit renal brush border membrane, Morduchowicz, G.A., Yanagawa, N. 109:105
—, inward rectifier K channels in renal epithelioid cels (MDCK) activated by serotonin, Friedrich, F., Paulmichl, M., Kolb, H.A., Lang, F. 106:149
Intracellular calcium ions
—, Ca^{2+}-activated K^+ conductance causes membrane hyperpolarizations in a monkey kidney cell line (JTC-12), Chang, H., Yamashita, N., Matsunaga, H., Kurokawa, K. 103:263
—, Ca^{2+}-activated K^+ currents in *Necturus* choroid plexus, Loo, D.D.F., Brown, P.D., Wright, E.M. 105:221
—, voltage-independent barium-permeable channel activated in *Lymnaea* neurons by internal perfusion or patch excision, Yazejian, B., Byerly, L. 107:63
Intracellular chloride ions
—, evidence for an anion exchanger in the mouse lacrimal gland acinar cell membrane, Ozawa, T., Saito, Y., Nishiyama, A. 105:273
Intracellular concentration
—, the gating of nucleotide-sensitive K^+ channels in insulin-secreting cells can be modulated by changes in the ratio ATP^{4-}/ADP^{3-} and by nonhydrolyzable derivatives of both ATP and ADP, Dunne, M.J., West-Jordan, J.A., Abraham, R.J., Edwards, R.H.T., Petersen, O.H. 104:165
Intracellular electrolytes
—, differential effects of aldosterone and ADH on intracellular electrolytes in the toad urinary bladder epithelium, Rick, R., Spancken, G., Dörge, A. 101:275
Intracellular hydrogen ions
—, evidence for an anion exchanger in the mouse lacrimal gland acinar cell membrane, Ozawa, T., Saito, Y., Nishiyama, A. 105:273
Intracellular pH
—, apical and basolateral Na^+/H^+ exchange in the rabbit outer medullary thin descending limb of Henle: role in intracellular pH regulation, Kurtz, I. 106:253
—, Ca^{2+}-activated K^+ channels in the apical membrane of *Necturus* choroid plexus, Brown, P.D., Loo, D.D.F., Wright, E.M. 105:207
—, evidence for an anion exchanger in the mouse lacrimal gland acinar cell membrane, Ozawa, T., Saito, Y., Nishiyama, A. 105:273
—, flow cytometric analysis of intracellular pH in cultured

opossum kidney (OK) cells, Montrose, M.H., Condrau, M.A., Murer, H. 108:31
—, fused cells of frog proximal tubule: II. voltage-dependent intracellular pH, Wang, W., Wang, Y., Silbernagl, S., Oberleithner, H. 101:259
—, intracellular pH regulation in the mouse lacrimal gland acinar cells, Saito, Y., Ozawa, T., Suzuki, S., Nishiyama, A. 101:73
—, modulation of gating of a metabolically regulated, ATP-dependent K^+ channel by intracellular pH in B cells of the pancreatic islet, Misler, S., Gillis, K., Tabcharani, J. 109:135
—, regulation of cytoplasmic pH of cultured bovine corneal endothelial cells in the absence and presence of bicarbonate, Jentsch, T.J., Korbmacher, C., Janicke, I., Fischer, D.G., Stahl, F., Helbig, H., Hollwede, H., Cragoe, E.J., Jr., Keller, S.K., Wiederholt, M. 103:29
—, the choline carrier of erythrocytes: location of the NEM-reactive thiol group in the inner gated channel, Krupka, R.M., Déves, R. 101:43
Intracellular potassium ions
—, Na^+ and K^+ fluxes stimulated by Na^+-coupled glucose transport: evidence for a Ba^{2+}-insensitive K^+ efflux pathway in rabbit proximal tubules, Avison, M.J., Gullans, S.R., Ogino, T., Giebisch, G. 105:197
Intracellular potential
—, apical Na^+ permeability of frog skin during serosal Cl^- replacement, Leibowich, S., DeLong, J., Civan, M.M. 102:121
Intracellular protein processing
—, role of the Na,K-ATPase β-subunit in the cellular accumulation and maturation of the enzyme as assessed by glycosylation inhibitors, Zamofing, D., Rossier, B.C., Geering, K. 104:69
Intracellular protons
—, analysis of ion channels by modeling the osmotic effects of weak acids and bases, Hempling, H.G. 110:127
Intracellular sodium ions
—, characterization of Na^+ transport in normal human fibroblasts and neoplastic H.Ep.2 cells and the role of inhibitin, Spurlock, G., Morgan, K., Mir, M.A. 106:219
—, ion concentration-dependent regulation of Na,K-pump abundance, Pressley, T.A. 105:187
—, Na^+ and K^+ fluxes stimulated by Na^+-coupled glucose transport: evidence for a Ba^{2+}-insensitive K^+ efflux pathway in rabbit proximal tubules, Avison, M.J., Gullans, S.R., Ogino, T., Giebisch, G. 105:197
Intramembrane particle aggregates
—, effect of mercurial compounds on net water transport and intramembrane particle aggregates in ADH-treated frog urinary bladder, Ibarra, C., Ripoche, P., Bourguet, J. 110:115
Invertebrates
—, species specificity in the extrinsic absorption changes exhibited by some invertebrates stained with voltage-sensitive dyes, Yagodin, S., Pushkarev, Y.P., Slutsky, V.M. 109:201
Inward rectifier
—, inward rectifier K channels in renal epithelioid cels (MDCK) activated by serotonin, Friedrich, F., Paulmichl, M., Kolb, H.A., Lang, F. 106:149
—, surface charge near the cardiac inward-rectifier channel measured from single-channel conductance, Kell, M.J., DeFelice, L.J. 102:1
Iodination
—, analysis of the blocking activity of charybdotoxin homologs and iodinated derivatives against Ca^{2+}-activated K^+ channels, Lucchesi, K., Ravindran, A., Young, H., Moczydlowski, E. 109:269
Iodoacetate
—, all or none cell responses of Ca^{2+}-dependent K channels elicited by calcium or lead in human red cells can be explained by heterogeneity of agonist distribution, Alvarez, J., García-Sancho, J., Herreros, B. 104:129
Ion channels
—, a nonselective cation channel activated by membrane deformation in oocytes of the ascidian *Boltenia villosa*, Moody, W.J., Bosma, M.M. 107:179
—, analysis of ion channels by modeling the osmotic effects of weak acids and bases, Hempling, H.G. 110:127
—, distribution of ion channels on taste cells and its relationship to chemosensory transduction, Roper, S.D., McBride, D.W., Jr. 109:29
—, extracellular Ca^{2+} controls outward rectification by apical cation channels in toad urinary bladder: patch-clamp and whole-bladder studies, Das, S., Palmer, L.G. 107:157
—, ion channels activated by osmotic and mechanical stress in membranes of opussum kidney cells, Ubl, J., Murer, H., Kolb, H.-A. 104:223
—, proton flux mechanisms in model and biological membranes, Deamer, D.W., Nichols, J.W. 107:91
—, single-channel recordings from the apical membrane of the toad urinary bladder epithelial cell, Frings, S., Purves, R.D., Macknight, A.D.C. 106:157
—, transport-specific isolation of large channels reconstituted into lipid vesicles, Harris, A.L., Walter, A., Zimmerberg, J. 109:243
—, voltage-activated ionic channels and conductances in embryonic chick osteoblast cultures, Ypey, D.L., Ravesloot, J.H., Buisman, H.P., Nijweide, P.J. 101:141
Ion currents, transcellular
—, transcellular ion currents and extension of *Neurospora crassa* hyphae, Takeuchi, Y., Schmid, J., Caldwell, J.H., Harold, F.M. 101:33
Ion pump
—, electrogenic properties of the Na,K pump, Apell, H.-J. 110:103
Ion selectivity
—, conduction and blocking properties of a predominantly anion-selective channel from human platelet surface membrane reconstituted into planar phospholipid bilayers, Manning, S.D., Williams, A.J. 109:113
Ion transport
—, amiloride and its analogs as tools in the study of ion transport, Kleyman, T.R., Cragoe, E.J., Jr. 105:1
—, effects of monensin on ATP levels and cell functions in rat liver and lung in vitro, Mariani, M.F., Thomas, L., DeFeo, B., van Rossum, G.D.B. 108:235
—, regeneration of resistance and ion transport in rabbit corneal epithelium after induced surface cell exfoliation, Wolosin, J.M. 104:45
—, volume-dependent regulation of ion transport and membrane phosphorylation in human and rat erythrocytes, Orlov, S.N., Pokudin, N.I., Kotelevtsev, Y.V., Gulak, P.V. 107:105
Ionomycin
—, calcium mobilizing hormones activate the plasma membrane Ca^{2+} pump of pancreatic acinar cells, Muallem, S., Pandol, S.J., Beeker, T.G. 106:57
—, deliberate quin2 overload as a method for *in situ* character-

ization of active calcium extrusion systems and cytoplasmic binding: application to the human platelet, Johansson, J.S., Haynes, D.H. 104:147
Ion : solute cotransport
—, product inhibition during ion : solute cotransport is an alternative to leaks as a cause of low accumulations, Wright, J.K. 109:1
Iron binding
—, assay and characteristics of the iron binding moiety of reticulocyte endocytic vesicles, Nunez, M.T., Pinto, I., Glass, J. 107:129
Ischemia
—, characterization of ischemia-induced loss of epithelial polarity, Molitoris, B.A., Hoilien, C.A., Dahl, R., Ahnen, D.J., Wilson, P.D., Kim, J. 106:233
—, loss of epithelial polarity: a novel hypothesis for reduced proximal tubule Na^+ transport following ischemic injury, Molitoris, B.A., Chan, L.K., Shapiro, J.I., Conger, J.D., Falk, S.A. 107:119
Isoleucine
—, Na^+ (Li^+)/branched-chain amino acid cotransport in *Pseudomonas aeruginosa*, Uratani, Y., Tsuchiya, T., Akamatsu, Y., Hoshino, T. 107:57
JTC-12 cells
—, Ca^{2+}-activated K^+ conductance causes membrane hyperpolarizations in a monkey kidney cell line (JTC-12), Chang, H., Yamashita, N., Matsunaga, H., Kurokawa, K. 103:263
Junctional communication
—, growth factors modulate junctional cell-to-cell communication, Maldonado, P.E., Rose, B., Loewenstein, W.R. 106:203
Junctional permeability
—, growth factors modulate junctional cell-to-cell communication, Maldonado, P.E., Rose, B., Loewenstein, W.R. 106:203
K/Cl transport
—, thiol-dependent K : Cl transport in sheep red cells: VIII. activation through metabolically and chemically reversible oxidation by diamide, Lauf, P.K. 101:179
Kidney
—, apico-basal osmotic gradient induces transcytosis in cultured renal collecting duct epithelium, Lauer, G., Minuth, W.W. 101:93
—, binding and degradation of ^{125}I-insulin rat renal brush border membranes: evidence for low affinity, high capacity insulin recognition sites, Meezan, E., Pillion, D.J., Elgavish, A. 105:113
—, diffusive water permeability in isolated kidney proximal tubular cells: nature of the cellular water pathways, Carpi-Medina, P., León, V., Espidel, J., Whittembury, G. 104:35
—, pre-steady-state analysis of the turn-on and turn-off of water permeability in the kidney collecting tubule, Kuwahara, M., Verkman, A.S. 110:57
Kinetic analysis
—, activation kinetics of single high-threshold calcium channels in the membrane of sensory neurons from mouse embryos, Kostyuk, P.G., Shuba, Ya.M., Teslenko, V.I. 110:29
—, kinetics of voltage- and Ca^{2+} activation and Ba^{2+} blockade of a large-conductance K^+ channel from *Necturus* enterocytes, Sheppard, D.N., Giraldez, F., Sepúlveda, F.V. 105:65
—, pre-steady-state analysis of the turn-on and turn-off of water permeability in the kidney collecting tubule, Kuwahara, M., Verkman, A.S. 110:57
—, rapid effect of light on the K^+ channel in the plasmalemma of *Nitella*, Vanselow, K.H., Hansen, U.-P. 110:175
—, single chloride-selective channel from cardiac sarcoplasmic reticulum studied in planar lipid bilayers, Rousseau, E. 110:39
—, studies on inactivation of anion transport in human red blood cell membrane by reversibly and irreversibly acting arginine-specific reagents, Julien, T., Zaki, L. 102:217
Kinetic model
—, kinetic response of H^+-coupled transport to extracellular pH: critical role of cytosolic pH as a regulator, Sanders, D., Hopgood, M., Jennings, I.R. 108:253
—, kinetics and stoichiometry of the human red cell Na^+/H^+ exchanger, Semplicini, A., Spalvins, A., Canessa, M. 107:219
—, protonophore anion permeability of the human red cell membrane determined in the presence of valinomycin, Bennekou, P. 102:225
—, quantitative analysis of outward rectifying K^+ channel currents in guard cell protoplasts from *Vicia faba*, Schroeder, J.I. 107:229
—, slow kinetics of a potassium channel in *Acetabularia*, Bertl, A., Klieber, H.G., Gradmann, D. 102:141
Kramer's equation
—, diffusion theory and discrete rate constants in ion permeation, Cooper, K.E., Gates, P.Y., Eisenberg, R.S. 106:95
L cells
—, factors responsible for oscillations of membrane potential recorded with tight-seal-patch electrodes in mouse fibroblasts, Oiki, S., Okada, Y. 105:23
L1210 cells
—, mediated uptake of folate by a high-affinity binding protein in sublines of L1210 cells adapted to nanomolar concentrations of folate, Henderson, G.B., Tsuji, J.M., Kumar, H.P. 101:247
Lacrimal gland
—, evidence for an anion exchanger in the mouse lacrimal gland acinar cell membrane, Ozawa, T., Saito, Y., Nishiyama, A. 105:273
—, inositol 1,2,3,5-tetrakisphosphate is essential for sustained activation of the Ca^{2+}-dependent K^+ current in single internally perfused mouse lacrimal acinar cells, Changya, L., Gallacher, D.V., Irvine, R.F., Potter, B.V.L., Petersen, O.H. 109:85
—, intracellular pH regulation in the mouse lacrimal gland acinar cells, Saito, Y., Ozawa, T., Suzuki, S., Nishiyama, A. 101:73
—, stimulation-associated redistribution of Na,K-ATPase in rat lacrimal gland, Yiu, S.C., Lambert, R.W., Bradley, M.E., Ingham, C.E., Hales, K.L., Wood, R.L., Mircheff, A.K. 102:185
Large intestine
—, a low-salt diet facilitates Cl secretion in hen lower intestine, Clauss, W., Dantzer, V., Skadhauge, E. 102:83
Lead
—, all or none cell responses of Ca^{2+}-dependent K channels elicited by calcium or lead in human red cells can be explained by heterogeneity of agonist distribution, Alvarez, J., García-Sancho, J., Herreros, B. 104:129
Lens
—, phosphorylation of MP26, a lens junction protein, is enhanced by activators of protein kinase C, Lampe, P.D., Johnson, R.G. 107:145

Lens physiology
—, membrane and junctional properties of the isolated frog lens epithelium, Duncan, G., Stewart, S., Prescott, A.R., Warn, R.M. 102:195
Leucine
—, Na^+ (Li^+)/branched-chain amino acid cotransport in *Pseudomonas aeruginosa*, Uratani, Y., Tsuchiya, T., Akamatsu, Y., Hoshino, T. 107:57
Leucine aminopeptidase
—, characterization of ischemia-induced loss of epithelial polarity, Molitoris, B.A., Hoilien, C.A., Dahl, R., Ahnen, D.J., Wilson, P.D., Kim, J. 106:233
Leukotriene-D_4
—, leukotriene-D_4 induced cell shrinkage in Ehrlich ascites tumor cells, Lambert, I.H. 108:165
Light
—, involvement of photosynthesis in the action of temperature on plasmalemma transport in *Nitella*, Stein, S., Hansen, U.-P. 103:149
—, pump and displacement currents of reconstituted ATP synthase on black lipid membranes, Christensen, B., Gutweiler, M., Grell, E., Wagner, N., Pabst, R., Dose, K., Bamberg, E. 104:179
—, rapid effect of light on the K^+ channel in the plasmalemma of *Nitella*, Vanselow, K.H., Hansen, U.-P. 110:175
Light absorbance
—, impermeant potential-sensitive oxonol dyes: I. evidence for an "on–off" mechanism, George, E.B., Nyirjesy, P., Basson, M., Ernst, L.A., Pratap, P.R., Freedman, J.C., Waggoner, A.S. 103:245
—, impermeant potential-sensitive oxonol dyes: II. the dependence of the absorption signal on the length of alkyl substituents attached to the dye, Nyirjesy, P., George, E.B., Gupta, R.K., Basson, M., Pratap, P.R., Freedman, J.C., Raman, K., Waggoner, A.S. 105:45
—, impermeant potential-sensitive oxonol dyes: III. the dependence of the absorption signal on membrane potential, George, E.B., Nyirjesy, P., Pratap, P.R., Freedman, J.C., Waggoner, A.S. 105:55
Light scattering
—, very low osmotic water permeability and membrane fluidity in isolated toad bladder granules, Verkman, A.S., Masur, S.K. 104:241
Lipid bilayers
—, characterization of a partially degraded Na^+ channel from urinary tract epithelium, Zweifach, A., Lewis, S.A. 101:49
—, interaction of furosemide with lipid membranes, Bach, D., Vinkler, C., Miller, I.R., Caplan, S.R. 101:103
—, modification of the erythrocyte membrane dielectric constant by alcohols, Orme, F.W., Moronne, M.M., Macey, R.I. 104:57
—, proton flux mechanisms in model and biological membranes, Deamer, D.W., Nichols, J.W. 107:91
Lipid vesicles
—, interactions of liposomes with planar bilayer membranes, Perin, M.S., MacDonald, R.C. 109:221
—, pure lipid vesicles can induce channel-like conductances in planar bilayers, Woodbury, D.J. 109:145
—, transport-specific isolation of large channels reconstituted into lipid vesicles, Harris, A.L., Walter, A., Zimmerberg, J. 109:243
Lipids
—, tight junctions and apical/basolateral polarity, Cereijido, M., Ponce, A., González-Mariscal, L. 110:1
Lipophilic anions
—, validation of the use of the lipophilic thiocyanate anion for the determination of membrane potential in Ehrlich ascites tumor cells, Smith, T.C., Robinson, S.C. 107:169
Lipopolysaccharides
—, reconstitution of the lipid matrix of the outer membrane of gram-negative bacteria as asymmetric planar bilayer, Seydel, U., Schröder, G., Brandenburg, K. 109:95
Liposomes
—, amine spin probe permeability in sonicated liposomes, Todd, A.P., Mehlhorn, R.J., Macey, R.I. 109:53
—, anion channels in giant liposomes made of endoplasmic reticulum vesicles from rat exocrine pancreas, Schmid, A., Gögelein, H., Kemmer, T.P., Schulz, I. 104:275
—, correlation between the synergistic effect of liposomes and endotoxins on the activation of macrophage tumoricidal activity and the effect of liposomes on the rough endoplasmic reticulum of macrophages, Jeannin, J.F., Klein, R., Reisser, D., Lagadec, P., Vincent, M., Tatischeff, I. 104:107
—, effect of carbohydrates and glycerol on the stability and surface properties of lyophilized liposomes, Alonso-Romanowski, S., Biondi, A.C., Disalvo, E.A. 108:1
—, interactions of liposomes with planar bilayer membranes, Perin, M.S., MacDonald, R.C. 109:221
—, proton flux mechanisms in model and biological membranes, Deamer, D.W., Nichols, J.W. 107:91
—, pure lipid vesicles can induce channel-like conductances in planar bilayers, Woodbury, D.J. 109:145
Lithium ions
—, Na^+ (Li^+)/branched-chain amino acid cotransport in *Pseudomonas aeruginosa*, Uratani, Y., Tsuchiya, T., Akamatsu, Y., Hoshino, T. 107:57
Long-chain fatty acids
—, effects of arachidonic acid and the other long-chain fatty acids on the membrane currents in the squid giant axon, Takenaka, T., Horie, H., Hori, H., Kawakami, T. 106:141
Loop diuretics
—, ionic dependence of bumetanide binding to the rabbit parotid Na/K/Cl cotransporter, Turner, R.J., George, J.N. 102:71
—, rabbit distal colon epithelium: II. characterization of (Na^+,K^+,Cl^-) cotransport and [^{3}H]-bumetanide binding, Wiener, H., van Os, C.H. 110:163
Lymnaea stagnalis
—, voltage-independent barium-permeable channel activated in *Lymnaea* neurons by internal perfusion or patch excision, Yazejian, B., Byerly, L. 107:63
Lysine transport
—, uptake of lysine and proline *via* separate α-neutral amino acid transport pathways in *Mytilus* gill brush border membranes, Pajor, A.M., Wright, S.H. 107:237
Lysis
—, a flow EPR study of deformation and orientation characteristics of erythrocyte ghosts: effects of lysing and resealing conditions, Fukushima, Y., Kon, H. 104:265
Lysosomal enzymes
—, mannose 6-phosphate receptors and their role in targeting proteins to lysosomes, Pfeffer, S.R. 103:7
Macrophage
—, correlation between the synergistic effect of liposomes and endotoxins on the activation of macrophage tumoricidal activity and the effect of liposomes on the rough endoplasmic reticulum of macrophages, Jeannin, J.F., Klein, R., Reisser, D., Lagadec, P., Vincent, M., Tatischeff, I. 104:107

—, inwardly rectifying whole-cell and single-channel K currents in the murine macrophage cell line J774.1, McKinney, L.C., Gallin, E.K. 103:41
—, patch-clamp studies in human macrophages: single-channel and whole-cell characterization of two K^+ conductances, Gallin, E.K., McKinney, L.C. 103:55
Magnesium ions
—, effects of ADP upon the ATP-sensitive K^+ channel in rat ventricular myocytes, Findlay, I. 101:83
Mammalian nerve
—, calcium efflux and intracellular exchangeable calcium in mammalian nonmyelinated nerve fibers, Jirounek, P., Vitus, J., Pralong, W.F., Straub, R.W. 103:121
Mammalian skeletal muscle
—, feet, bridges, and pillars in triad junctions of mammalian skeletal muscle: their possible relationship to calcium buffers in terminal cisternae and T-tubules and to excitation-contraction coupling, Dulhunty, A.F. 109:73
Mannose 6-phosphate receptors
—, mannose 6-phosphate receptors and their role in targeting proteins to lysosomes, Pfeffer, S.R. 103:7
Marine bivalve gills
—, sodium D-glucose cotransport in the gill of marine mussels: studies with intact tissue and brush-border membrane vesicles, Pajor, A.M., Moon, D.A., Wright, S.H. 107:77
Maturation
—, anion transport during maturation of erythroblastic cells, Kirk, R.G., Lee, P. 101:173
MCD
—, an emerging pharmacology of peptide toxins targeted against potassium channels, Moczydlowski, E., Lucchesi, K., Ravindran, A. 105:95
McLeod cells
—, shape determinants of McLeod acanthocytes, Khodadad, J.K., Weinstein, R.S., Marsh, L.W., Steck, T.L. 107:213
MDCK cells
—, establishment of tight junctions between cells from different animal species and different sealing capacities, González-Mariscal, L., Chávez de Ramirez, B., Lázaro, A., Cereijido, M. 107:43
—, integral and peripheral protein composition of the apical and basolateral membrane domains in MDCK cells, Sargiacomo, M., Lisanti, M., Graeve, L., Le Bivic, A., Rodriguez-Boulan, E. 107:277
—, inward rectifier K channels in renal epithelioid cels (MDCK) activated by serotonin, Friedrich, F., Paulmichl, M., Kolb, H.A., Lang, F. 106:149
—, neutral amino acid transport systems in animal cells: potential targets of oncogene action and regulators of cellular growth, Saier, M.H., Jr., Daniels, G.A., Boerner, P., Lin, J. 104:1
Mean first passage theory
—, diffusion theory and discrete rate constants in ion permeation, Cooper, K.E., Gates, P.Y., Eisenberg, R.S. 106:95
Mechanical stress
—, ion channels activated by osmotic and mechanical stress in membranes of opussum kidney cells, Ubl, J., Murer, H., Kolb, H.-A. 104:223
Medullary thick ascending limb cells
—, activation of K^+ channels in renal medullary vesicles by cAMP-dependent protein kinase, Reeves, W.B., McDonald, G.A., Mehta, P., Andreoli, T.E. 109:65
—, Ca^{2+}-activated K^+ channels from cultured renal medullary thick ascending limb cells: effects of pH, Cornejo, M., Guggino, S.E., Guggino, W.B. 110:49
—, characterization of chloride channels in membrane vesicles from the kidney outer medulla, Breuer, W. 107:35
—, isomeric yohimbine alkaloids block calcium-activated K^+ channels in medullary thick ascending limb cells of rabbit kidney, Cornejo, M., Guggino, S.E., Sastre, A., Guggino, W.B. 107:25
Medullary thin descending limb cells
—, apical and basolateral Na^+/H^+ exchange in the rabbit outer medullary thin descending limb of Henle: role in intracellular pH regulation, Kurtz, I. 106:253
Membrane channel
—, development of the fast sodium current in early embryonic chick heart cells, Fujii, S., Ayer, R.K., Jr., DeHaan, R.L. 101:209
Membrane currents
—, effects of arachidonic acid and the other long-chain fatty acids on the membrane currents in the squid giant axon, Takenaka, T., Horie, H., Hori, H., Kawakami, T. 106:141
Membrane excitation
—, Ca^{2+}-dependent Cl^- efflux in tonoplast-free cells of *Nitellopsis obtusa*, Shiina, T., Tazawa, M. 106:135
—, possible involvement of protein phosphorylation/dephosphorylation in the modulation of Ca^{2+} channel in tonoplast-free cells of *Nitellopsis*, Shiina, T., Wayne, R., Lim Tung, H.Y., Tazawa, M. 102:255
Membrane fluidity
—, very low osmotic water permeability and membrane fluidity in isolated toad bladder granules, Verkman, A.S., Masur, S.K. 104:241
Membrane fusion
—, interactions of liposomes with planar bilayer membranes, Perin, M.S., MacDonald, R.C. 109:221
—, transport-specific isolation of large channels reconstituted into lipid vesicles, Harris, A.L., Walter, A., Zimmerberg, J. 109:243
Membrane-membrane interactions
—, interactions of liposomes with planar bilayer membranes, Perin, M.S., MacDonald, R.C. 109:221
Membrane potential
—, ATP-dependent calcium transport in rat parotid basolateral membrane vesicles is modulated by membrane potential, Ambudkar, I.S., Baum, B.J. 102:59
—, Ca^{2+}-activated K^+ conductance causes membrane hyperpolarizations in a monkey kidney cell line (JTC-12), Chang, H., Yamashita, N., Matsunaga, H., Kurokawa, K. 103:263
—, characterization of chloride channels in membrane vesicles from the kidney outer medulla, Breuer, W. 107:35
—, effects of internal Na and external K concentration on Na/K coupling of Na,K-pump in frog skeletal muscle, Marunaka, Y. 101:19
—, effects of membrane potential on Na cotransports in eel intestinal brush-border membrane vesicles: studies with a fluorescent dye, Cassano, G., Maffia, M., Vilella, S., Storelli, C. 101:225
—, effects of pH, potential, chloride and furosemide on passive Na^+ and K^+ effluxes from human red blood cells, Zade-Oppen, A.M., Adragna, N.C., Tosteson, D.C. 103:217
—, electrogenic behavior of the human red cell Ca^{2+} pump revealed by disulfonic stilbenes, Romero, P.J., Ortiz, C.E. 101:237
—, electrophysiological properties of *Dictyostelium* derived from membrane potential measurements with microelec-

trodes, Van Duijn, B., Ypey, D.L., Van der Molen, L.G. 106:123
—, examination of the substrate stoichiometry of the intestinal Na^+/phosphate cotransporter, Peerce, B.E. 110:189
—, fused cells of frog proximal tubule: II. voltage-dependent intracellular pH, Wang, W., Wang, Y., Silbernagl, S., Oberleithner, H. 101:259
—, impermeant potential-sensitive oxonol dyes: I. evidence for an "on–off" mechanism, George, E.B., Nyirjesy, P., Basson, M., Ernst, L.A., Pratap, P.R., Freedman, J.C., Waggoner, A.S. 103:245
—, impermeant potential-sensitive oxonol dyes: III. the dependence of the absorption signal on membrane potential, George, E.B., Nyirjesy, P., Pratap, P.R., Freedman, J.C., Waggoner, A.S. 105:55
—, interaction of the B subunit of cholera toxin with endogenous ganglioside GM1 causes changes in membrane potential of rat thymocytes, Mulhern, S.A., Fishman, P.H., Spiegel, S. 109:21
—, involvement of photosynthesis in the action of temperature on plasmalemma transport in *Nitella*, Stein, S., Hansen, U.-P. 103:149
—, ion channels activated by osmotic and mechanical stress in membranes of opussum kidney cells, Ubl, J., Murer, H., Kolb, H.-A. 104:223
—, measurements of electrical potential differences across yeast plasma membranes with microelectrodes are consistent with values from steady-state distribution of tetraphenylphosphonium in *Pichia humboldtii*, Lichtenberg, H.C., Giebeler, H., Höfer, M. 103:255
—, membrane and junctional properties of the isolated frog lens epithelium, Duncan, G., Stewart, S., Prescott, A.R., Warn, R.M. 102:195
—, microelectrode characterization of the basolateral membrane of rabbit S3 proximal tubule, Vance, B.A., Biagi, B.A. 108:53
—, rapid effect of light on the K^+ channel in the plasmalemma of *Nitella*, Vanselow, K.H., Hansen, U.-P. 110:175
—, sodium D-glucose cotransport in the gill of marine mussels: studies with intact tissue and brush-border membrane vesicles, Pajor, A.M., Moon, D.A., Wright, S.H. 107:77
—, steady-state and transient membrane potentials in human red cells determined by protonophore-mediated pH changes, Bennekou, P. 106:41
—, taurine transport by rabbit kidney brush-border membranes: coupling to sodium, chloride, and the membrane potential, Wolff, N.A., Kinne, R. 102:131
—, uptake of lysine and proline *via* separate α-neutral amino acid transport pathways in *Mytilus* gill brush border membranes, Pajor, A.M., Wright, S.H. 107:237
—, validation of the use of the lipophilic thiocyanate anion for the determination of membrane potential in Ehrlich ascites tumor cells, Smith, T.C., Robinson, S.C. 107:169
—, voltage dependence of Na/K pump current in *Xenopus* oocytes, Rakowski, R.F., Paxson, C.L. 106:173
Membrane potential oscillation
—, factors responsible for oscillations of membrane potential recorded with tight-seal-patch electrodes in mouse fibroblasts, Oiki, S., Okada, Y. 105:23
Membrane resistance
—, measurements of electrical potential differences across yeast plasma membranes with microelectrodes are consistent with values from steady-state distribution of tetraphenylphosphonium in *Pichia humboldtii*, Lichtenberg, H.C., Giebeler, H., Höfer, M. 103:255
Membrane transport
—, evidence for an anion exchanger in the mouse lacrimal gland acinar cell membrane, Ozawa, T., Saito, Y., Nishiyama, A. 105:273
Membrane turnover
—, the role of membrane turnover in the water permeability response to antidiuretic hormone, Harris, H.W., Jr., Handler, J.S. 103:207
Merocyanine spectra
—, effect of carbohydrates and glycerol on the stability and surface properties of lyophilized liposomes, Alonso-Romanowski, S., Biondi, A.C., Disalvo, E.A. 108:1
Mesembryanthemum crystallinum
—, water relations of individual leaf cells of *Mesembryanthemum crystallinum* plants grown at low and high salinity, Rygol, J., Zimmermann, U., Balling, A. 107:203
Methacholine
—, electron probe X-ray microanalysis of cellular ions in the eccrine secretory coil cells during methacholine stimulation, Saga, K., Sato, K. 107:13
Methotrexate
—, anion specificity of the jejunal folate carrier: effects of reduced folate analogues on folate uptake and efflux, Schron, C.M., Washington, C., Jr., Blitzer, B.L. 102:175
Mg^{2+} blocking
—, ion permeation and rectification in ATP-sensitive channels from insulin-secreting cells (RINm5F): effects of K^+, Na^+ and Mg^{2+}, Ciani, S., Ribalet, B. 103:171
Mg^{2+} concentration
—, electrical tolerance (breakdown) of the *Chara corallina* plasmalemma: I. necessity of Ca^{2+}, Ohkawa, T., Tsutsui, I. 103:273
MgATP
—, characterization of MgATP-driven H^+ uptake into a microsomal vesicle fraction from rat pancreatic acinar cells, Thévenod, F., Kemmer, T.P., Christian, A.L., Schulz, I. 107:263
Microelectrodes
—, electrophysiological properties of *Dictyostelium* derived from membrane potential measurements with microelectrodes, Van Duijn, B., Ypey, D.L., Van der Molen, L.G. 106:123
—, measurements of electrical potential differences across yeast plasma membranes with microelectrodes are consistent with values from steady-state distribution of tetraphenylphosphonium in *Pichia humboldtii*, Lichtenberg, H.C., Giebeler, H., Höfer, M. 103:255
Mineralocorticoids
—, ouabain-induced cell swelling in rabbit cortical collecting tubule: NaCl transport by principal cells, Strange, K. 107:249
Mitochondria
—, role of mobility of redox components in the inner mitochondrial membrane, Lenaz, G. 104:193
—, solubilization and reconstitution of the *Rickettsia prowazekii* ATP/ADP translocase, Plano, G.V., Winkler, H.H. 110:227
Mitochondrial buffering
—, calcium efflux and intracellular exchangeable calcium in mammalian nonmyelinated nerve fibers, Jirounek, P., Vitus, J., Pralong, W.F., Straub, R.W. 103:121
Mitochondrial inhibitor
—, ion permeation and rectification in ATP-sensitive channels from insulin-secreting cells (RINm5F): effects of K^+, Na^+ and Mg^{2+}, Ciani, S., Ribalet, B. 103:171

Monensin
—, effects of monensin on ATP levels and cell functions in rat liver and lung in vitro, Mariani, M.F., Thomas, L., DeFeo, B., van Rossum, G.D.B. 108:235
Monoclonal antibodies
—, stimulation of intestinal Na^+/D-glucose cotransport by monoclonal antibodies, Honold, K., Ludeke, B., Hengartner, H., Semenza, G. 105:165
Mouse liver
—, evidence for the presence of specific binding sites for corticoids in mouse liver plasma membranes, Trueba, M., Vallejo, A.I., Rodriguez, I., Ibarrola, I., Sancho, M.J., Marino, A., Macarulla, J.M. 108:115
MP26
—, phosphorylation of MP26, a lens junction protein, is enhanced by activators of protein kinase C, Lampe, P.D., Johnson, R.G. 107:145
mRNA
—, ion concentration-dependent regulation of Na,K-pump abundance, Pressley, T.A. 105:187
Multi-ion pores
—, potassium channels in the plasmalemma of *Chara corallina* are multi-ion pores: voltage-dependent blockade by Cs^+ and anomalous permeabilities, Tester, M. 105:87
Mutant cells
—, veratridine induces a Ca^{2+} influx, cyclic GMP formation, and backward swimming in *Paramecium tetraurelia* wild-type cells and Ca^{2+} current-deficient pawn mutant cells, Schultz, J.E., Schade, U. 109:251
Myelination
—, forskolin and phorbol esters decrease the same K^+ conductance in cultured oligodendrocytes, Soliven, B., Szuchet, S., Arnason, B.G.W., Nelson, D.J. 105:177
Myocardium
—, immunological characterization of rat cardiac gap junctions: presence of common antigenic determinants in heart of other vertebrate species and in various organs, Dupont, E., El Aoumari, A., Roustiau-Sévère, S., Briand, J.P., Gros, D. 104:119
Myoglobin
—, protein electric response signals from dielectrically polarized systems, Keszthelyi, L., Ormos, P. 109:193
Mytilus edulis
—, sodium D-glucose cotransport in the gill of marine mussels: studies with intact tissue and brush-border membrane vesicles, Pajor, A.M., Moon, D.A., Wright, S.H. 107:77
—, uptake of lysine and proline *via* separate α-neutral amino acid transport pathways in *Mytilus* gill brush border membranes, Pajor, A.M., Wright, S.H. 107:237
Myxicola
—, anomalous influence of reduced internal ATP levels on sodium efflux in *Myxicola* giant axons, Sjodin, R.A., Ortiz, O.E., Montes, J.G. 108:61
Na/Ca exchange
—, calcium efflux and intracellular exchangeable calcium in mammalian nonmyelinated nerve fibers, Jirounek, P., Vitus, J., Pralong, W.F., Straub, R.W. 103:121
—, evidence for high molecular weight Na–Ca exchange in cardiac sarcolemmal vesicles, Hale, C.C., Kleiboeker, S.B., Carlton, C.G., Rovetto, M.J., Jung, C., Kim, H.D. 106:211
Na^+/Ca^{2+} exchange
—, amiloride and its analogs as tools in the study of ion transport, Kleyman, T.R., Cragoe, E.J., Jr. 105:1
—, role of Na^+/Ca^{2+} exchange and the plasma membrane Ca^{2+} pump in hormone-mediated Ca^{2+} efflux from pancreatic acini, Muallem, S., Beeker, T., Pandol, S.J. 102:153
Na/Cl cotransport
—, purification of proteins of the Na/Cl cotransporter from membranes of Ehrlich ascites cells using a bumetanide-sepharose affinity column, Feit, P.W., Hoffmann, E.K., Schiødt, M., Kristensen, P., Jessen, F., Dunham, P.B. 102:135
NaCl transport
—, ouabain-induced cell swelling in rabbit cortical collecting tubule: NaCl transport by principal cells, Strange, K. 107:249
NAD kinase
—, rapid effect of light on the K^+ channel in the plasmalemma of *Nitella*, Vanselow, K.H., Hansen, U.-P. 110:175
Na^+/H^+ antiport
—, amiloride and its analogs as tools in the study of ion transport, Kleyman, T.R., Cragoe, E.J., Jr. 105:1
—, coupled Na^+/H^+ exchange in rat parotid basolateral membrane vesicles, Manganel, M., Turner, R.J. 102:247
—, intracellular pH regulation in the mouse lacrimal gland acinar cells, Saito, Y., Ozawa, T., Suzuki, S., Nishiyama, A. 101:73
—, regulation of cytoplasmic pH of cultured bovine corneal endothelial cells in the absence and presence of bicarbonate, Jentsch, T.J., Korbmacher, C., Janicke, I., Fischer, D.G., Stahl, F., Helbig, H., Hollwede, H., Cragoe, E.J., Jr., Keller, S.K., Wiederholt, M. 103:29
—, role of calcium and calmodulin in the regulation of the rabbit ileal brush-border membrane Na^+/H^+ antiporter, Emmer, E., Rood, R.P., Wesolek, J.H., Cohen, M.E., Braithwaite, R.S., Sharp, G.W.G., Murer, H., Donowitz, M. 108:207
Na/H exchange
—, volume-activated Na/H exchange activity in fetal and adult pig red cells: inhibition by cyclic AMP, Sergeant, S., Sohn, D.H., Kim, H.D. 109:209
Na^+/H^+ exchange
—, amiloride and its analogs as tools in the study of ion transport, Kleyman, T.R., Cragoe, E.J., Jr. 105:1
—, apical and basolateral Na^+/H^+ exchange in the rabbit outer medullary thin descending limb of Henle: role in intracellular pH regulation, Kurtz, I. 106:253
—, Ca^{2+} dependency of Na^+ transport by rabbit renal brush border membrane, Morduchowicz, G.A., Yanagawa, N. 109:105
—, characterization of Na^+ transport in normal human fibroblasts and neoplastic H.Ep.2 cells and the role of inhibitin, Spurlock, G., Morgan, K., Mir, M.A. 106:219
—, coupled Na^+/H^+ exchange in rat parotid basolateral membrane vesicles, Manganel, M., Turner, R.J. 102:247
—, effect of limited trypsin digestion on the renal Na^+–H^+ exchanger and its regulation by cAMP-dependent protein kinase, Weinman, E.J., Dubinsky, W.P., Dinh, Q., Steplock, D., Shenolikar, S. 109:233
—, flow cytometric analysis of intracellular pH in cultured opossum kidney (OK) cells, Montrose, M.H., Condrau, M.A., Murer, H. 108:31
—, intracellular pH regulation in the mouse lacrimal gland acinar cells, Saito, Y., Ozawa, T., Suzuki, S., Nishiyama, A. 101:73
—, kinetics and stoichiometry of the human red cell Na^+/H^+ exchanger, Semplicini, A., Spalvins, A., Canessa, M. 107:219

—, Na^+/H^+ exchange in Ehrlich ascites tumor cells: activation by cytoplasmic acidification and by treatment with cupric sulphate, Kramhøft, B., Lambert, I.H., Hoffmann, E.K. 102:35
—, reconstitution of cAMP-dependent protein kinase regulated renal Na^+–H^+ exchanger, Weinman, E.J., Dubinsky, W.P., Shenolikar, S. 101:11
—, regulation of reconstituted renal Na^+/H^+ exchanger by calcium-dependent protein kinases, Weinman, E.J., Dubinsky, W.P., Fisher, K., Steplock, D., Dinh, Q., Chang, L., Shenolikar, S. 103:237
—, relation of ATPases in rat renal brush-border membranes to ATP-driven H^+ secretion, Turrini, F., Sabolić, I., Zimolo, Z., Moewes, B., Burckhardt, G. 107:1
—, role of calcium and calmodulin in the regulation of the rabbit ileal brush-border membrane Na^+/H^+ antiporter, Emmer, E., Rood, R.P., Wesolek, J.H., Cohen, M.E., Braithwaite, R.S., Sharp, G.W.G., Murer, H., Donowitz, M. 108:207
—, solubilization and reconstitution of renal brush border Na^+–H^+ exchanger, Weinman, E.J., Shenolikar, S., Cragoe, E.J., Jr., Dubinsky, W.P. 101:1
—, volume-dependent regulation of ion transport and membrane phosphorylation in human and rat erythrocytes, Orlov, S.N., Pokudin, N.I., Kotelevtsev, Y.V., Gulak, P.V. 107:105

Na/K-ATPase
—, characterization of ischemia-induced loss of epithelial polarity, Molitoris, B.A., Hoilien, C.A., Dahl, R., Ahnen, D.J., Wilson, P.D., Kim, J. 106:233
—, conformational transitions and charge translocation by the Na,K pump: comparison of optical and electrical transients elicited by ATP-concentration jumps, Sturmer, W., Apell, A.-J., Wuddel, I., Läuger, P. 110:67
—, different sensitivity of ATP + Mg + Na (I) and P_i + Mg (II) dependent types of ouabain binding to phospholipase A_2, Svoboda, P., Amler, E., Teisinger, J. 104:211
—, electrogenic properties of the Na,K pump, Apell, H.-J. 110:103
—, ion concentration-dependent regulation of Na,K-pump abundance, Pressley, T.A. 105:187
—, loss of epithelial polarity: a novel hypothesis for reduced proximal tubule Na^+ transport following ischemic injury, Molitoris, B.A., Chan, L.K., Shapiro, J.I., Conger, J.D., Falk, S.A. 107:119
—, role of the Na,K-ATPase β-subunit in the cellular accumulation and maturation of the enzyme as assessed by glycosylation inhibitors, Zamofing, D., Rossier, B.C., Geering, K. 104:69
—, stimulation-associated redistribution of Na,K-ATPase in rat lacrimal gland, Yiu, S.C., Lambert, R.W., Bradley, M.E., Ingham, C.E., Hales, K.L., Wood, R.L., Mircheff, A.K. 102:185
—, structural basis for E_1–E_2 conformational transitions in Na,K-pump and Ca-pump proteins, Jørgensen, P.L., Andersen, J.P. 103:95

Na^+/K^+-ATPase
—, effect of taurine on the isolated retinal pigment epithelium of the frog: electrophysiologic evidence for stimulation of an apical, electrogenic Na^+–K^+ pump, Scharschmidt, B.F., Griff, E.R., Steinberg, R.H. 106:71
—, rabbit distal colon epithelium: I. isolation and characterization of basolateral plasma membrane vesicles from surface and crypt cells, Wiener, H., Turnheim, K., van Os, C.H. 110:147

Na/K-ATPase isoforms
—, isoforms of Na,K-ATPase in *Artemia salina*: I. detection by FITC binding and time course, Salon, J., Cortas, N., Edelman, I.S. 108:177
—, isoforms of Na,K-ATPase in *Artemia salina*: II. tissue distribution and kinetic characterization, Cortas, N., Arnaout, M., Salon, J., Edelman, I.S. 108:187

Na^+/K^+ cotransport
—, effects of pH, potential, chloride and furosemide on passive Na^+ and K^+ effluxes from human red blood cells, Zade-Oppen, A.M., Adragna, N.C., Tosteson, D.C. 103:217

Na/K coupling
—, effects of internal Na and external K concentration on Na/K coupling of Na,K-pump in frog skeletal muscle, Marunaka, Y. 101:19

Na/K-exchange pump
—, apical Na^+ permeability of frog skin during serosal Cl^- replacement, Leibowich, S., DeLong, J., Civan, M.M. 102:121

Na,K pump
—, conformational transitions and charge translocation by the Na,K pump: comparison of optical and electrical transients elicited by ATP-concentration jumps, Stürmer, W., Apell, A.-J., Wuddel, I., Läuger, P. 110:67
—, effects of internal Na and external K concentration on Na/K coupling of Na,K-pump in frog skeletal muscle, Marunaka, Y. 101:19
—, electrogenic properties of the Na,K pump, Apell, H.-J. 110:103
—, ion concentration-dependent regulation of Na,K-pump abundance, Pressley, T.A. 105:187
—, microelectrode characterization of the basolateral membrane of rabbit S3 proximal tubule, Vance, B.A., Biagi, B.A. 108:53
—, structural basis for E_1–E_2 conformational transitions in Na,K-pump and Ca-pump proteins, Jorgensen, P.L., Andersen, J.P. 103:95
—, voltage dependence of Na/K pump current in *Xenopus* oocytes, Rakowski, R.F., Paxson, C.L. 106:173

Na^+,K^+ pump
—, effect of taurine on the isolated retinal pigment epithelium of the frog: electrophysiologic evidence for stimulation of an apical, electrogenic Na^+–K^+ pump, Scharschmidt, B.F., Griff, E.R., Steinberg, R.H. 106:71
—, rabbit distal colon epithelium: I. isolation and characterization of basolateral plasma membrane vesicles from surface and crypt cells, Wiener, H., Turnheim, K., van Os, C.H. 110:147

Na/K symport
—, transport of potassium in *Chara australis*: I. a symport with sodium, Smith, F.A., Walker, N.A. 108:125

Na/K/Cl cotransport
—, ionic dependence of bumetanide binding to the rabbit parotid Na/K/Cl cotransporter, Turner, R.J., George, J.N. 102:71

$Na^+/K^+/Cl^-$ cotransport
—, rabbit distal colon epithelium: II. characterization of (Na^+,K^+,Cl^-) cotransport and [^{3}H]-bumetanide binding, Wiener, H., van Os, C.H. 110:163

Na/Na exchange
—, anomalous influence of reduced internal ATP levels on sodium efflux in *Myxicola* giant axons, Sjodin, R.A., Ortiz, O.E., Montes, J.G. 108:61

Na^+/Na^+ exchange
—, characterization of Na^+ transport in normal human fibro-

blasts and neoplastic H.Ep.2 cells and the role of inhibitin, Spurlock, G., Morgan, K., Mir, M.A. 106:219
Na^+/phosphate cotransport
—, examination of the substrate stoichiometry of the intestinal Na^+/phosphate cotransporter, Peerce, B.E. 110:189
Necturus
—, Ca^{2+}-activated K^+ channels in the apical membrane of *Necturus* choroid plexus, Brown, P.D., Loo, D.D.F., Wright, E.M. 105:207
—, Ca^{2+}-activated K^+ currents in *Necturus* choroid plexus, Loo, D.D.F., Brown, P.D., Wright, E.M. 105:221
Necturus enterocytes
—, kinetics of voltage- and Ca^{2+} activation and Ba^{2+} blockade of a large-conductance K^+ channel from *Necturus* enterocytes, Sheppard, D.N., Giraldez, F., Sepúlveda, F.V. 105:65
Necturus gallbladder
—, dependence of cell membrane conductances on bathing solution HCO_3^-/CO_2 in *Necturus* gallbladder, Stoddard, J.S., Reuss, L. 102:163
—, voltage- and time dependence of apical membrane conductance during current clamp in *Necturus* gallbladder epithelium, Stoddard, J.S., Reuss, L. 103:191
Necturus maculosus
—, distribution of ion channels on taste cells and its relationship to chemosensory transduction, Roper, S.D., McBride, D.W., Jr. 109:29
NEM
—, relation of ATPases in rat renal brush-border membranes to ATP-driven H^+ secretion, Turrini, F., Sabolic, I., Zimolo, Z., Moewes, B., Burckhardt, G. 107:1
Neonatal cardiocytes
—, predominance of poorly reopening single Na^+ channels and lack of slow Na^+ inactivation in neonatal cardiocytes, Kohlhardt, M., Fichtner, H., Frobe, U. 103:283
Nerve
—, the interaction of homologous series of alkanols with sodium channels in nerve membrane vesicles, Rodríguez, N., Villegas, R., Requena, J. 104:139
Nerve cells
—, species specificity in the extrinsic absorption changes exhibited by some invertebrates stained with voltage-sensitive dyes, Yagodin, S., Pushkarev, Y.P., Slutsky, V.M. 109:201
Nerve fibers
—, species specificity in the extrinsic absorption changes exhibited by some invertebrates stained with voltage-sensitive dyes, Yagodin, S., Pushkarev, Y.P., Slutsky, V.M. 109:201
N-Ethylmaleimide
—, the choline carrier of erythrocytes: location of the NEM-reactive thiol group in the inner gated channel, Krupka, R.M., Devés, R. 101:43
—, ATP-sensitive potassium channels in adult mouse skeletal muscle: characterization of the ATP-binding site, Weik, R., Neumcke, B. 110:217
Neuroblastoma cells
—, characterization of a delayed rectifier K^+ channel in NG108-15 neuroblastoma *X* glioma cells: gating kinetics and the effects of enrichment of membrane phospholipids with arachidonic acid, McGee, R., Jr., Sansom, M.S.P., Usherwood, P.N.R. 102:21
—, mechanism of inactivation of single sodium channels after modification by chloramine-T, sea anemone toxin and scorpion toxin, Nagy, K. 106:29
Neuronal membranes
—, species specificity in the extrinsic absorption changes exhibited by some invertebrates stained with voltage-sensitive dyes, Yagodin, S., Pushkarev, Y.P., Slutsky, V.M. 109:201
Neurons
—, activation kinetics of single high-threshold calcium channels in the membrane of sensory neurons from mouse embryos, Kostyuk, P.G., Shuba, Ya.M., Teslenko, V.I. 110:29
Neurospora crassa
—, transcellular ion currents and extension of *Neurospora crassa* hyphae, Takeuchi, Y., Schmid, J., Caldwell, J.H., Harold, F.M. 101:33
Nigericin
—, modulation of gating of a metabolically regulated, ATP-dependent K^+ channel by intracellular pH in B cells of the pancreatic islet, Misler, S., Gillis, K., Tabcharani, J. 109:135
Nitella
—, involvement of photosynthesis in the action of temperature on plasmalemma transport in *Nitella*, Stein, S., Hansen, U.-P. 103:149
—, rapid effect of light on the K^+ channel in the plasmalemma of *Nitella*, Vanselow, K.H., Hansen, U.-P. 110:175
Nitella flexilis
—, studies on the tonoplast action potential of *Nitella flexilis*, Shimmen, T., Nishikawa, S. 101:133
Nitellopsis
—, possible involvement of protein phosphorylation/dephosphorylation in the modulation of Ca^{2+} channel in tonoplast-free cells of *Nitellopsis*, Shiina, T., Wayne, R., Lim Tung, H.Y., Tazawa, M. 102:255
Nitellopsis obtusa
—, Ca^{2+}-dependent Cl^- efflux in tonoplast-free cells of *Nitellopsis obtusa*, Shiina, T., Tazawa, M. 106:135
NMR
—, diffusive water permeability in isolated kidney proximal tubular cells: nature of the cellular water pathways, Carpi-Medina, P., León, V., Espidel, J., Whittembury, G. 104:35
—, the gating of nucleotide-sensitive K^+ channels in insulin-secreting cells can be modulated by changes in the ratio ATP^{4-}/ADP^{3-} and by nonhydrolyzable derivatives of both ATP and ADP, Dunne, M.J., West-Jordan, J.A., Abraham, R.J., Edwards, R.H.T., Petersen, O.H. 104:165
—, water exchange through erythrocyte membranes: biochemical and nuclear magnetic resonance studies re-evaluating the effects of sulfhydryl reagents and of proteolytic enzymes on human membranes, Benga, G., Popescu, O., Borza, V., Pop, V.I., Hodârnău, A. 108:105
Noxiustoxin
—, an emerging pharmacology of peptide toxins targeted against potassium channels, Moczydlowski, E., Lucchesi, K., Ravindran, A. 105:95
Nutrient transport
—, neutral amino acid transport systems in animal cells: potential targets of oncogene action and regulators of cellular growth, Saier, M.H., Jr., Daniels, G.A., Boerner, P., Lin, J. 104:1
OAG
—, inhibition of electrical coupling in pairs of murine pancreatic acinar cells by OAG and isolated protein kinase C, Somogyi, R., Batzer, A., Kolb, H.-A. 108:273
Octylglucoside
—, solubilization and reconstitution of the *Rickettsia prowazewkii* ATP/ADP translocase, Plano, G.V., Winkler, H.H. 110:227

Odorant
—, odorant response of isolated olfactory receptor cells is blocked by amiloride, Frings, S., Lindemann, B. 105:233
Olfactory receptor cells
—, odorant response of isolated olfactory receptor cells is blocked by amiloride, Frings, S., Lindemann, B. 105:233
Oligodendrocytes
—, forskolin and phorbol esters decrease the same K^+ conductance in cultured oligodendrocytes, Soliven, B., Szuchet, S., Arnason, B.G.W., Nelson, D.J. 105:177
Oncogene action
—, neutral amino acid transport systems in animal cells: potential targets of oncogene action and regulators of cellular growth, Saier, M.H., Jr., Daniels, G.A., Boerner, P., Lin, J. 104:1
Oocytes
—, a nonselective cation channel activated by membrane deformation in oocytes of the ascidian *Boltenia villosa*, Moody, W.J., Bosma, M.M. 107:179
—, characterization of a Na^+/glucose cotransporter cloned from rabbit small intestine, Ikeda, T.S., Hwang, E.-S., Coady, M.J., Hirayama, B.A., Hediger, M.A., Wright, E.M. 110:87
—, isolation of plasma membrane complexes from *Xenopus* oocytes, Wall, D.A., Patel, S. 107:189
—, voltage dependence of Na/K pump current in *Xenopus* oocytes, Rakowski, R.F., Paxson, C.L. 106:173
Open channel
—, current-voltage relationships of a sodium-sensitive potassium channel in the tonoplast of *Chara corallina*, Bertl, A. 109:9
Open time
—, predominance of poorly reopening single Na^+ channels and lack of slow Na^+ inactivation in neonatal cardiocytes, Kohlhardt, M., Fichtner, H., Frobe, U. 103:283
Opossum kidney
—, flow cytometric analysis of intracellular pH in cultured opossum kidney (OK) cells, Montrose, M.H., Condrau, M.A., Murer, H. 108:31
—, ion channels activated by osmotic and mechanical stress in membranes of opussum kidney cells, Ubl, J., Murer, H., Kolb, H.-A. 104:223
Optical signals
—, species specificity in the extrinsic absorption changes exhibited by some invertebrates stained with voltage-sensitive dyes, Yagodin, S., Pushkarev, Y.P., Slutsky, V.M. 109:201
Osmoregulation
—, water transport parameters and regulatory processes in *Eremosphaera viridis*, Frey, N., Büchner, K.-H., Zimmermann, U. 101:151
Osmotic effects
—, analysis of ion channels by modeling the osmotic effects of weak acids and bases, Hempling, H.G. 110:127
Osmotic gradient
—, apico-basal osmotic gradient induces transcytosis in cultured renal collecting duct epithelium, Lauer, G., Minuth, W.W. 101:93
Osmotic gradient dependence
—, osmotic gradient dependence of osmotic water permeability in rabbit proximal convoluted tubule, Berry, C.A., Verkman, A.S. 105:33
Osmotic stress
—, ion channels activated by osmotic and mechanical stress in membranes of opussum kidney cells, Ubl, J., Murer, H., Kolb, H.-A. 104:223
Osmotic water permeability
—, osmotic gradient dependence of osmotic water permeability in rabbit proximal convoluted tubule, Berry, C.A., Verkman, A.S. 105:33
—, rabbit distal colon epithelium: I. isolation and characterization of basolateral plasma membrane vesicles from surface and crypt cells, Wiener, H., Turnheim, K., van Os, C.H. 110:147
—, very low osmotic water permeability and membrane fluidity in isolated toad bladder granules, Verkman, A.S., Masur, S.K. 104:241
Osmotolerance
—, proline porters effect the utilization of proline as nutrient or osmoprotectant for bacteria, Wood, J.M. 106:183
Osteoblast
—, voltage-activated ionic channels and conductances in embryonic chick osteoblast cultures, Ypey, D.L., Ravesloot, J.H., Buisman, H.P., Nijweide, P.J. 101:141
Ouabain
—, effects of pH, potential, chloride and furosemide on passive Na^+ and K^+ effluxes from human red blood cells, Zade-Oppen, A.M., Adragna, N.C., Tosteson, D.C. 103:217
—, electron probe X-ray microanalysis of cellular ions in the eccrine secretory coil cells during methacholine stimulation, Saga, K., Sato, K. 107:13
—, isoforms of Na,K-ATPase in *Artemia salina*: II. tissue distribution and kinetic characterization, Cortas, N., Arnaout, M., Salon, J., Edelman, I.S. 108:187
—, ouabain-induced cell swelling in rabbit cortical collecting tubule: NaCl transport by principal cells, Strange, K. 107:249
—, role of the sodium pump and the background K^+ channel in passive $K^+(Rb^+)$ uptake by isolated cardiac sarcolemmal vesicles, Otero, A.S., Szabo, G. 104:253
—, thiol-dependent K : Cl transport in sheep red cells: VIII. activation through metabolically and chemically reversible oxidation by diamide, Lauf, P.K. 101:179
—, volume-activated Na/H exchange activity in fetal and adult pig red cells: inhibition by cyclic AMP, Sergeant, S., Sohn, D.H., Kim, H.D. 109:209
Ouabain binding
—, different sensitivity of ATP + Mg + Na (I) and P_i + Mg (II) dependent types of ouabain binding to phospholipase A_2, Svoboda, P., Amler, E., Teisinger, J. 104:211
Outer membrane
—, reconstitution of the lipid matrix of the outer membrane of gramnegative bacteria as asymmetric planar bilayer, Seydel, U., Schröder, G., Brandenburg, K. 109:95
Oxidation
—, thiol-dependent K:Cl transport in sheep red cells: VIII. activation through metabolically and chemically reversible oxidation by diamide, Lauf, P.K. 101:179
Oxonol
—, impermeant potential-sensitive oxonol dyes: I. evidence for an "on–off" mechanism, George, E.B., Nyirjesy, P., Basson, M., Ernst, L.A., Prataps, P.R., Freedman, J.C., Waggoner, A.S. 103:245
—, impermeant potential-sensitive oxonol dyes: II. the dependence of the absorption signal on the length of alkyl substituents attached to the dye, Nyirjesy, P., George, E.B., Gupta, R.K., Basson, M., Pratap, P.R., Freedman, J.C., Raman, K., Waggoner, A.S. 105:45
—, impermeant potential-sensitive oxonol dyes: III. the dependence of the absorption signal on membrane potential,

George, E.B., Nyirjesy, P., Pratap, P.R., Freedman, J.C., Waggoner, A.S. 105:55
Oxygen consumption
—, silver ion (Ag^+)-induced increases in cell membrane K^+ and Na^+ permeability in the renal proximal tubule: reversal by thiol reagents, Kone, B.C., Kaleta, M., Gullans, S.R. 102:11
Oxytocin
—, effect of mercurial compounds on net water transport and intramembrane particle aggregates in ADH-treated frog urinary bladder, Ibarra, C., Ripoche, P., Bourguet, J. 110:115
Pancreatic acinar cells
—, calcium mobilizing hormones activate the plasma membrane Ca^{2+} pump of pancreatic acinar cells, Muallem, S., Pandol, S.J., Beeker, T.G. 106:57
—, characterization of inositol 1,4,5-trisphosphate-sensitive (IsCaP) and -insensitive (IisCaP) nonmitochondrial Ca^{2+} pools in rat pancreatic acinar cells, Thévenod, F., Dehlinger-Kremer, M., Kemmer, T.P., Christian, A.-L., Potter, B.V.L., Schulz, I. 109:173
—, characterization of MgATP-driven H^+ uptake into a microsomal vesicle fraction from rat pancreatic acinar cells, Thévenod, F., Kemmer, T.P., Christian, A.L., Schulz, I. 107:263
—, inhibition of electrical coupling in pairs of murine pancreatic acinar cells by OAG and isolated protein kinase C, Somogyi, R., Batzer, A., Kolb, H.-A. 108:273
Pancreatic duct cells
—, secretin-regulated chloride channel on the apical plasma membrane of pancreatic duct cells, Gray, M.A., Greenwell, J.R., Argent, B.E. 105:131
Paramecium
—, calcium channel activation and inactivation in *Paramecium* biochemically measured by cyclic GMP production, Schultz, J., Schade, U. 109:259
Paramecium tetraurelia
—, veratridine induces a Ca^{2+} influx, cyclic GMP formation, and backward swimming in *Paramecium tetraurelia* wild-type cells and Ca^{2+} current-deficient pawn mutant cells, Schultz, J.E., Schade, U. 109:251
Parathyroid hormone
—, flow cytometric analysis of intracellular pH in cultured opossum kidney (OK) cells, Montrose, M.H., Condrau, M.A., Murer, H. 108:31
Parotid gland
—, ATP-dependent calcium transport in rat parotid basolateral membrane vesicles is modulated by membrane potential, Ambudkar, I.S., Baum, B.J. 102:59
—, coupled Na^+/H^+ exchange in rat parotid basolateral membrane vesicles, Manganel, M., Turner, R.J. 102:247
—, ionic dependence of bumetanide binding to the rabbit parotid Na/K/Cl cotransporter, Turner, R.J., George, J.N. 102:71
Partition coefficient
—, interaction of furosemide with lipid membranes, Bach, D., Vinkler, C., Miller, I.R., Caplan, S.R. 101:103
Patch clamp
—, a nonselective cation channel activated by membrane deformation in oocytes of the ascidian *Boltenia villosa*, Moody, W.J., Bosma, M.M. 107:179
—, amiloride-blockable sodium currents in isolated taste receptor cells, Avenet, P., Lindemann, B. 105:245
—, block of single cardiac Na^+ channels by antiarrhythmic drugs: the effect of amiodarone, propafenone and diprafenone, Kohlhardt, M., Fichtner, H. 102:105
—, Ca^{2+} and cAMP activate K^+ channels in the basolateral membrane of crypt cells isolated from rabbit distal colon, Loo, D.D.F., Kaunitz, J.D. 110:19
—, Ca^{2+}-activated K^+ channels from cultured renal medullary thick ascending limb cells: effects of pH, Cornejo, M., Guggino, S.E., Guggino, W.B. 110:49
—, Ca^{2+}-activated K^+ currents in *Necturus* choroid plexus, Loo, D.D.F., Brown, P.D., Wright, E.M. 105:221
—, comparative study of K channel behavior in β cell lines with different secretory responses to glucose, Eddlestone, G.T., Ribalet, B., Ciani, S. 109:123
—, development of the fast sodium current in early embryonic chick heart cells, Fujii, S., Ayer, R.K., Jr., DeHaan, R.L. 101:209
—, extracellular Ca^{2+} controls outward rectification by apical cation channels in toad urinary bladder: patch-clamp and whole-bladder studies, Das, S., Palmer, L.G. 107:157
—, inhibition of electrical coupling in pairs of murine pancreatic acinar cells by OAG and isolated protein kinase C, Somogyi, R., Batzer, A., Kolb, H.-A. 108:273
—, inwardly rectifying whole-cell and single-channel K currents in the murine macrophage cell line J774.1, McKinney, L.C., Gallin, E.K. 103:41
—, ion channels activated by osmotic and mechanical stress in membranes of opossum kidney cells, Ubl, J., Murer, H., Kolb, H.-A. 104:223
—, ion permeation in a K^+ channel in *Chara australis*: direct evidence for diffusion limitation of ion flow in a maxi-K channel, Laver, D.R., Fairley, K.A., Walker, N.A. 108:153
—, kinetics of voltage- and Ca^{2+} activation and Ba^{2+} blockade of a large-conductance K^+ channel from *Necturus* enterocytes, Sheppard, D.N., Giraldez, F., Sepúlveda, F.V. 105:65
—, patch-clamp studies in human macrophages: single-channel and wholecell characterization of two K^+ conductances, Gallin, E.K., McKinney, L.C. 103:55
—, quantitative analysis of outward rectifying K^+ channel currents in guard cell protoplasts from *Vicia faba*, Schroeder, J.I. 107:229
—, single-channel recordings from the apical membrane of the toad urinary bladder epithelial cell, Frings, S., Purves, R.D., Macknight, A.D.C. 106:157
—, slow kinetics of a potassium channel in *Acetabularia*, Bertl, A., Klieber, H.G., Gradmann, D. 102:141
—, voltage-activated ionic channels and conductances in embryonic chick osteoblast cultures, Ypey, D.L., Ravesloot, J.H., Buisman, H.P., Nijweide, P.J. 101:141
—, voltage-dependent channels permeable to K^+ and Na^+ in the membrane of *Acer pseudoplatanus* vacuoles, Colombo, R., Cerana, R., Lado, P., Peres, A. 103:227
—, voltage-independent barium-permeable channel activated in *Lymnaea* neurons by internal perfusion or patch excision, Yazejian, B., Byerly, L. 107:63
p-Chloromercuribenzene sulfonate (PCMBS)
—, effect of mercurial comp0unds on net water transport and intramembrane particle aggregates in ADH-treated frog urinary bladder, Ibarra, C., Ripoche, P., Bourguet, J. 110:115
Peptides
—, an emerging pharmacology of peptide toxins targeted against potassium channels, Moczydlowski, E., Lucchesi, K., Ravindran, A. 105:95
—, analysis of the blocking activity of charybdotoxin homologs and iodinated derivatives against Ca^{2+}-activated K^+ channels, Lucchesi, K., Ravindran, A., Young, H., Moczydlowski, E. 109:269

Permeability
—, amine and carboxylate spin probe permeability in red cells, Todd, A.P., Mehlhorn, R.J., Macey, R.I. 109:41
—, amine spin probe permeability in sonicated liposomes, Todd, A.P., Mehlhorn, R.J., Macey, R.I. 109:53
—, analysis of ion channels by modeling the osmotic effects of weak acids and bases, Hempling, H.G. 110:127
—, apical Na^+ permeability of frog skin during serosal Cl^- replacement, Leibowich, S., DeLong, J., Civan, M.M. 102:121
—, effect of mercurial compounds on net water transport and intramembrane particle aggregates in ADH-treated frog urinary bladder, Ibarra, C., Ripoche, P., Bourguet, J. 110:115
—, interaction of the B subunit of cholera toxin with endogenous ganglioside GM1 causes changes in membrane potential of rat thymocytes, Mulhern, S.A., Fishman, P.H., Spiegel, S. 109:21
—, ion modulation of membrane permeability: effect of cations on intact cells and on cells and phospholipid bilayers treated with pore-forming agents, Bashford, C.L., Alder, G.M., Graham, J.M., Menestrina, G., Pasternak, C.A. 103:79
—, ion permeation and rectification in ATP-sensitive channels from insulin-secreting cells (RINm5F): effects of K^+, Na^+ and Mg^{2+}, Ciani, S., Ribalet, B. 103:171
—, ion permeation in a K^+ channel in *Chara australis*: direct evidence for diffusion limitation of ion flow in a maxi-K channel, Laver, D.R., Fairley, K.A., Walker, N.A. 108:153
—, modification of the erythrocyte membrane dielectric constant by alcohols, Orme, F.W., Moronne, M.M., Macey, R.I. 104:57
—, proton flux mechanisms in model and biological membranes, Deamer, D.W., Nichols, J.W. 107:91
—, protonophore anion permeability of the human red cell membrane determined in the presence of valinomycin, Bennekou, P. 102:225
—, regeneration of resistance and ion transport in rabbit corneal epithelium after induced surface cell exfoliation, Wolosin, J.M. 104:45
—, silver ion (Ag^+)-induced increases in cell membrane K^+ and Na^+ permeability in the renal proximal tubule: reversal by thiol reagents, Kone, B.C., Kaleta, M., Gullans, S.R. 102:11
—, the role of membrane turnover in the water permeability response to antidiuretic hormone, Harris, H.W., Jr., Handler, J.S. 103:207
pH
—, activation of Ca^{2+} release in isolated sarcoplasmic reticulum, Shoshan-Barmatz, V. 103:67
—, characterization of MgATP-driven H^+ uptake into a microsomal vesicle fraction from rat pancreatic acinar cells, Thévenod, F., Kemmer, T.P., Christian, A.L., Schulz, I. 107:263
—, effects of pH, potential, chloride and furosemide on passive Na^+ and K^+ effluxes from human red blood cells, Zade-Oppen, A.M., Adragna, N.C., Tosteson, D.C. 103:217
pH dependence
—, Ca^{2+}-activated K^+ channels from cultured renal medullary thick ascending limb cells: effects of pH, Cornejo, M., Guggino, S.E., Guggino, W.B. 110:49
—, gating properties of channels formed by colicin Ia in planar lipid bilayer membranes, Nogueira, R.A., Varanda, W.A. 105:143
—, high affinity insulin binding in the human placenta insulin receptor requires $\alpha\beta$ heterodimeric subunit interactions, Swanson, M.L., Pessin, J.E. 108:217
—, kinetic response of H^+-coupled transport to extracellular pH: critical role of cytosolic pH as a regulator, Sanders, D., Hopgood, M., Jennings, I.R. 108:253
—, kinetics and stoichiometry of the human red cell Na^+/H^+ exchanger, Semplicini, A., Spalvins, A., Canessa, M. 107:219
—, proton channel of the chloroplast ATP synthase, CF_o: its time-averaged single-channel conductance as function of pH, temperature, isotopic and ionic medium composition, Althoff, G., Lill, H., Junge, W. 108:263
pH gradient
—, transcellular ion currents and extension of *Neurospora crassa* hyphae, Takeuchi, Y., Schmid, J., Caldwell, J.H., Harold, F.M. 101:33
pH regulation
—, apical and basolateral Na^+/H^+ exchange in the rabbit outer medullary thin descending limb of Henle: role in intracellular pH regulation, Kurtz, I. 106:253
—, bicarbonate and fast-twitch muscle: evidence for a major role in pH regulation, Grossie, J., Collins, C., Julian, M. 105:265
—, coupled Na^+/H^+ exchange in rat parotid basolateral membrane vesicles, Manganel, M., Turner, R.J. 102:247
—, Na^+/H^+ exchange in Ehrlich ascites tumor cells: activation by cytoplasmic acidification and by treatment with cupric sulphate, Kramhøft, B., Lambert, I.H., Hoffmann, E.K. 102:35
Phase transition
—, thermal instability of red blood cell membrane bilayers: temperature dependence of hemolysis, Gershfeld, N.L., Murayama, M. 101:67
Phenylglyoxal
—, examination of the substrate stoichiometry of the intestinal Na^+/phosphate cotransporter, Peerce, B.E. 110:189
—, studies on inactivation of anion transport in human red blood cell membrane by reversibly and irreversibly acting arginine-specific reagents, Julien, T., Zaki, L. 102:217
Phlorizin
—, characterization of a Na^+/glucose cotransporter cloned from rabbit small intestine, Ikeda, T.S., Hwang, E.-S., Coady, M.J., Hirayama, B.A., Hediger, M.A., Wright, E.M. 110:87
—, sodium D-glucose cotransport in the gill of marine mussels: studies with intact tissue and brush-border membrane vesicles, Pajor, A.M., Moon, D.A., Wright, S.H. 107:77
Phorbol ester
—, evidence implicating protein kinase C in exocytosis from electropermeabilized bovine chromaffin cells, Knight, D.E., Sugden, D., Baker, P.F. 104:21
—, forskolin and phorbol esters decrease the same K^+ conductance in cultured oligodendrocytes, Soliven, B., Szuchet, S., Arnason, B.G.W., Nelson, D.J. 105:177
—, Na^+/H^+ exchange in Ehrlich ascites tumor cells: activation by cytoplasmic acidification and by treatment with cupric sulphate, Kramhøft, B., Lambert, I.H., Hoffmann, E.K. 102:35
Phosphate
—, calcium efflux and intracellular exchangeable calcium in mammalian nonmyelinated nerve fibers, Jirounek, P., Vitus, J., Pralong, W.F., Straub, R.W. 103:121

—, identification and functional reconstitution of phosphate: sugar phosphate antiport of *Staphylococcus aureus*, Sonna, L.A., Maloney, P.C. 101:267
Phosphate uptake
—, examination of the substrate stoichiometry of the intestinal Na^+/phosphate cotransporter, Peerce, B.E. 110:189
Phospholipase A_2
—, different sensitivity of ATP + Mg + Na (I) and P_i + Mg (II) dependent types of ouabain binding to phospholipase A_2, Svoboda, P., Amler, E., Teisinger, J. 104:211
Phospholipid dependence
—, regulation of reconstituted renal Na^+/H^+ exchanger by calcium-dependent protein kinases, Weinman, E.J., Dubinsky, W.P., Fisher, K., Steplock, D., Dinh, Q., Chang, L., Shenolikar, S. 103:237
Phospholipids
—, characterization of ischemia-induced loss of epithelial polarity, Molitoris, B.A., Hoilien, C.A., Dahl, R., Ahnen, D.J., Wilson, P.D., Kim, J. 106:233
—, conduction and blocking properties of a predominantly anion-selective channel from human platelet surface membrane reconstituted into planar phospholipid bilayers, Manning, S.D., Williams, A.J. 109:113
—, effect of carbohydrates and glycerol on the stability and surface properties of lyophilized liposomes, Alonso-Romanowski, S., Biondi, A.C., Disalvo, E.A. 108:1
—, interactions of liposomes with planar bilayer membranes, Perin, M.S., MacDonald, R.C. 109:221
—, ion modulation of membrane permeability: effect of cations on intact cells and on cells and phospholipid bilayers treated with pore-forming agents, Bashford, C.L., Alder, G.M., Graham, J.M., Menestrina, G., Pasternak, C.A. 103:79
—, penetration of furosemide into phospholipid monolayers, Miller, I.R. 101:113
—, proton conductance caused by long-chain fatty acids in phospholipid bilayer membranes, Gutknecht, J. 106:83
—, reconstitution of the lipid matrix of the outer membrane of gram-negative bacteria as asymmetric planar bilayer, Seydel, U., Schröder, G., Brandenburg, K. 109:95
—, surface hydrophobicity and water transport of the toad urinary bladder: effects of vasopressin, Dial, E.J., Huang, J., O'Neil, R.G., Hills, B.A., Lichtenberger, L.M. 106:119
—, thermal instability of red blood cell membrane bilayers: temperature dependence of hemolysis, Gershfeld, N.L., Murayama, M. 101:67
Phosphoprotein phosphatase
—, activation of chloride conductance in pig jejunal brush border vesicles, Forsyth, G.W., Gabriel, S.E. 107:137
—, possible involvement of protein phosphorylation/dephosphorylation in the modulation of Ca^{2+} channel in tonoplast-free cells of *Nitellopsis*, Shiina, T., Wayne, R., Lim Tung, H.Y., Tazawa, M. 102:255
Phosphorylation
—, activation of chloride conductance in pig jejunal brush border vesicles, Forsyth, G.W., Gabriel, S.E. 107:137
—, activation of K^+ channels in renal medullary vesicles by cAMP-dependent protein kinase, Reeves, W.B., McDonald, G.A., Mehta, P., Andreoli, T.E. 109:65
—, effect of limited trypsin digestion on the renal Na^+–H^+ exchanger and its regulation by cAMP-dependent protein kinase, Weinman, E.J., Dubinsky, W.P., Dinh, Q., Steplock, D., Shenolikar, S. 109:233
—, phosphorylation of MP26, a lens junction protein, is enhanced by activators of protein kinase C, Lampe, P.D., Johnson, R.G. 107:145
—, role of calcium and calmodulin in the regulation of the rabbit ileal brush-border membrane Na^+/H^+ antiporter, Emmer, E., Rood, R.P., Wesolek, J.H., Cohen, M.E., Braithwaite, R.S., Sharp, G.W.G., Murer, H., Donowitz, M. 108:207
—, volume-dependent regulation of ion transport and membrane phosphorylation in human and rat erythrocytes, Orlov, S.N., Pokudin, N.I., Kotelevtsev, Y.V., Gulak, P.V. 107:105
Photoaffinity labeling
—, identification and comparison of bile acid-binding polypeptides in ileal basolateral membrane, Lin, M.C., Weinberg, S.L., Kramer, W., Burckhardt, G., Wilson, F.A. 106:1
Photoreceptors
—, silver ions induce a rapid Ca^{2+} release from isolated intact bovine rod outer segments by a cooperative mechanism, Schnetkamp, P.P.M., Szerencsei, R.T. 108:91
Photosynthesis
—, involvement of photosynthesis in the action of temperature on plasmalemma transport in *Nitella*, Stein, S., Hansen, U.-P. 103:149
Pichia humboldtii
—, measurements of electrical potential differences across yeast plasma membranes with microelectrodes are consistent with values from steady-state distribution of tetraphenylphosphonium in *Pichia humboldtii*, Lichtenberg, H.C., Giebeler, H., Höfer, M. 103:255
Pinacidil
—, pharmacology of K^+ channels in the plasmalemma of the green alga *Chara corallina*, Tester, M. 103:159
Pinocytosis
—, constitutive and transport-related endocytotic pathways in turtle bladder epithelium, Dixon, T.E., Clausen, C., Coachman, D. 102:49
Planar lipid bilayers
—, conduction and blocking properties of a predominantly anion-selective channel from human platelet surface membrane reconstituted into planar phospholipid bilayers, Manning, S.D., Williams, A.J. 109:113
—, conformational transitions and charge translocation by the Na,K pump: comparison of optical and electrical transients elicited by ATP-concentration jumps, Stürmer, W., Apell, A.-J., Wuddel, I., Läuger, P. 110:67
—, gating behaviors of a voltage-dependent and Ca^{2+}-activated cation channel of yeast vacuolar membrane incorporated into planar lipid bilayer, Tanifuji, M., Sato, M., Wada, Y., Anraku, Y., Kasai, M. 106:47
—, gating properties of channels formed by colicin Ia in planar lipid bilayer membranes, Nogueira, R.A., Varanda, W.A. 105:143
—, interactions of liposomes with planar bilayer membranes, Perin, M.S., MacDonald, R.C. 109:221
—, polypeptide neurotoxins modify gating and apparent single-channel conductance of veratridine-activated sodium channels in planar lipid bilayers, Corbett, A.M., Krueger, B.K. 110:199
—, proton flux mechanisms in model and biological membranes, Deamer, D.W., Nichols, J.W. 107:91
—, pump and displacement currents of reconstituted ATP synthase on black lipid membranes, Christensen, B., Gutweiler,

M., Grell, E., Wagner, N., Pabst, R., Dose, K., Bamberg, E. 104:179
—, pure lipid vesicles can induce channel-like conductances in planar bilayers, Woodbury, D.J. 109:145
—, reconstitution of the lipid matrix of the outer membrane of gram-negative bacteria as asymmetric planar bilayer, Seydel, U., Schröder, G., Brandenburg, K. 109:95
—, single chloride-selective channel from cardiac sarcoplasmic reticulum studied in planar lipid bilayers, Rousseau, E. 110:39
Plant vacuole
—, voltage-dependent channels permeable to K^+ and Na^+ in the membrane of *Acer pseudoplatanus* vacuoles, Colombo, R., Cerana, R., Lado, P., Peres, A. 103:227
Plasma membrane
—, apico-basal osmotic gradient induces transcytosis in cultured renal collecting duct epithelium, Lauer, G., Minuth, W.W. 101:93
—, cadmium inhibits plasma membrane calcium transport, Verbost, P.M., Flik, G., Lock, R.A.C., Bonga, S.E.W. 102:97
—, calcium mobilizing hormones activate the plasma membrane Ca^{2+} pump of pancreatic acinar cells, Muallem, S., Pandol, S.J., Beeker, T.G. 106:57
—, degradation of skeletal muscle plasma membrane proteins by calpain, Zaidi, S.I.M., Narahara, H.T. 110:209
—, diffusive water permeability in isolated kidney proximal tubular cells: nature of the cellular water pathways, Carpi-Medina, P., Léon, V., Espidel, J., Whittembury, G. 104:35
—, effect of K^+ channels in the apical plasma membrane on epithelial secretion based on secondary active Cl^- transport, Cook, D.I., Young, J.A. 110:139
—, evidence for the presence of specific binding sites for corticoids in mouse liver plasma membranes, Trueba, M., Vallejo, A.I., Rodriguez, I., Ibarrola, I., Sancho, M.J., Marino, A., Macarulla, J.M. 108:115
—, interaction of the B subunit of cholera toxin with endogenous ganglioside GM1 causes changes in membrane potential of rat thymocytes, Mulhern, S.A., Fishman, P.H., Spiegel, S. 109:21
—, ion modulation of membrane permeability: effect of cations on intact cells and on cells and phospholipid bilayers treated with pore-forming agents, Bashford, C.L., Alder, G.M., Graham, J.M., Menestrina, G., Pasternak, C.A. 103:79
—, isolation of plasma membrane complexes from *Xenopus* oocytes, Wall, D.A., Patel, S. 107:189
—, measurements of electrical potential differences across yeast plasma membranes with microelectrodes are consistent with values from steady-state distribution of tetraphenylphosphonium in *Pichia humboldtii*, Lichtenberg, H.C., Giebeler, H., Höfer, M. 103:255
—, rabbit distal colon epithelium: I. isolation and characterization of basolateral plasma membrane vesicles from surface and crypt cells, Wiener, H., Turnheim, K., van Os, C.H. 110:147
—, role of Na^+/Ca^{2+} exchange and the plasma membrane Ca^{2+} pump in hormone-mediated Ca^{2+} efflux from pancreatic acini, Muallem, S., Beeker, T., Pandol, S.J. 102:153
Plasmalemma
—, studies on the tonoplast action potential of *Nitella flexilis*, Shimmen, T., Nishikawa, S. 101:133
Platelet-derived growth factor
—, growth factors modulate junctional cell-to-cell communication, Maldonado, P.E., Rose, B., Loewenstein, W.R. 106:203
PMA
—, forskolin and phorbol esters decrease the same K^+ conductance in cultured oligodendrocytes, Soliven, B., Szuchet, S., Arnason, B.G.W., Nelson, D.J. 105:177
Polarographic current
—, penetration of furosemide into phospholipid monolayers, Miller, I.R. 101:113
Polymyxin B
—, inhibition of electrical coupling in pairs of murine pancreatic acinar cells by OAG and isolated protein kinase C, Somogyi, R., Batzer, A., Kolb, H.-A. 108:273
Polypeptides
—, polypeptide neurotoxins modify gating and apparent single-channel conductance of veratridine-activated sodium channels in planar lipid bilayers, Corbett, A.M., Krueger, B.K. 110:199
Polyphosphoinositide
—, volume-dependent regulation of ion transport and membrane phosphorylation in human and rat erythrocytes, Orlov, S.N., Pokudin, N.I., Kotelevtsev, Y.V., Gulak, P.V. 107:105
Pore-formers
—, ion modulation of membrane permeability: effect of cations on intact cells and on cells and phospholipid bilayers treated with pore-forming agents, Bashford, C.L., Alder, G.M., Graham, J.M., Menestrina, G., Pasternak, C.A. 103:79
Potassium
—, effects of internal Na and external K concentration on Na/K coupling of Na,K-pump in frog skeletal muscle, Marunaka, Y. 101:19
—, electron probe X-ray microanalysis of cellular ions in the eccrine secretory coil cells during methacholine stimulation, Saga, K., Sato, K. 107:13
Potassium activity
—, influence of serosal Cl on transport properties and cation activities in frog skin, Klemperer, G., Essig, A. 106:107
Potassium channels
—, all or none cell responses of Ca^{2+}-dependent K channels elicited by calcium or lead in human red cells can be explained by heterogeneity of agonist distribution, Alvarez, J., García-Sancho, J., Herreros, B. 104:129
—, an emerging pharmacology of peptide toxins targeted against potassium channels, Moczydlowski, E., Lucchesi, K., Ravindran, A. 105:95
—, ATP-sensitive potassium channels in adult mouse skeletal muscle: characterization of the ATP-binding site, Weik, R., Neumcke, B. 110:217
—, blockade of potassium channels in the plasmalemma of *Chara corallina* by tetraethylammonium, Ba^{2+}, Na^+ and Cs^+, Tester, M. 105:77
—, comparative study of K channel behavior in β cell lines with different secretory responses to glucose, Eddlestone, G.T., Ribalet, B., Ciani, S. 109:123
—, inward rectifier K channels in renal epithelioid cels (MDCK) activated by serotonin, Friedrich, F., Paulmichl, M., Kolb, H.A., Lang, F. 106:149
—, ion permeation and rectification in ATP-sensitive channels from insulin-secreting cells (RINm5F): effects of K^+, Na^+ and Mg^{2+}, Ciani, S., Ribalet, B. 103:171
—, potassium channels in the plasmalemma of *Chara corallina* are multi-ion pores: voltage-dependent blockade by Cs^+ and anomalous permeabilities, Tester, M. 105:87

—, slow kinetics of a potassium channel in *Acetabularia*, Bertl, A., Klieber, H.G., Gradmann, D. 102:141
—, surface charge near the cardiac inward-rectifier channel measured from single-channel conductance, Kell, M.J., DeFelice, L.J. 102:1
Potassium conductance
—, activation of K^+ channels in renal medullary vesicles by cAMPdependent protein kinase, Reeves, W.B., McDonald, G.A., Mehta, P., Andreoli, T.E. 109:65
—, microelectrode characterization of the basolateral membrane of rabbit S3 proximal tubule, Vance, B.A., Biagi, B.A. 108:53
—, patch-clamp studies in human macrophages: single-channel and whole-cell characterization of two K^+ conductances, Gallin, E.K., McKinney, L.C. 103:55
—, voltage dependence of the basolateral membrane conductance in the *Amphiuma* collecting tubule, Horisberger, J.-D., Giebisch, G. 105:257
Potassium current
—, inwardly rectifying whole-cell and single-channel K currents in the murine macrophage cell line J774.1, McKinney, L.C., Gallin, E.K. 103:41
Potassium flux
—, thiol-dependent K:Cl transport in sheep red cells: VIII. activation through metabolically and chemically reversible oxidation by diamide, Lauf, P.K. 101:179
—, volume-activated Na/H exchange activity in fetal and adult pig red cells: inhibition by cyclic AMP, Sergeant, S., Sohn, D.H., Kim, H.D. 109:209
Potassium ion channels
—, activation of K^+ channels in renal medullary vesicles by cAMP-dependent protein kinase, Reeves, W.B., McDonald, G.A., Mehta, P., Andreoli, T.E. 109:65
—, analysis of the blocking activity of charybdotoxin homologs and iodinated derivatives against Ca^{2+}-activated K^+ channels, Lucchesi, K., Ravindran, A., Young, H., Moczydlowski, E. 109:269
—, Ca^{2+}-activated K^+ channels from cultured renal medullary thick ascending limb cells: effects of pH, Cornejo, M., Guggino, S.E., Guggino, W.B. 110:49
—, characterization of a delayed rectifier K^+ channel in NG108-15 neuroblastoma *X* glioma cells: gating kinetics and the effects of enrichment of membrane phospholipids with arachidonic acid, McGee, R., Jr., Sansom, M.S.P., Usherwood, P.N.R. 102:21
—, current-voltage relationships of a sodium-sensitive potassium channel in the tonoplast of *Chara corallina*, Bertl, A. 109:9
—, effect of K^+ channels in the apical plasma membrane on epithelial secretion based on secondary active Cl^- transport, Cook, D.I., Young, J.A. 110:139
—, effects of ADP upon the ATP-sensitive K^+ channel in rat ventricular myocytes, Findlay, I. 101:83
—, effects of pyridine nucleotides on the gating of ATP-sensitive potassium channels in insulin-secreting cells, Dunne, M.J., Findlay, I., Petersen, O.H. 102:205
—, involvement of photosynthesis in the action of temperature on plasmalemma transport in *Nitella*, Stein, S., Hansen, U.-P. 103:149
—, ion permeation in a K^+ channel in *Chara australis*: direct evidence for diffusion limitation of ion flow in a maxi-K channel, Laver, D.R., Fairley, K.A., Walker, N.A. 108:153
—, kinetics of voltage- and Ca^{2+} activation and Ba^{2+} blockade of a large-conductance K^+ channel from *Necturus* enterocytes, Sheppard, D.N., Giraldez, F., Sepúlveda, F.V. 105:65
—, modulation of gating of a metabolically regulated, ATP-dependent K^+ channel by intracellular pH in B cells of the pancreatic islet, Misler, S., Gillis, K., Tabcharani, J. 109:135
—, pharmacology of K^+ channels in the plasmalemma of the green alga *Chara corallina*, Tester, M. 103:159
—, potassium-dependent, bipolar gating of K^+ channels in guard cells, Blatt, M.R. 102:235
—, quantitative analysis of outward rectifying K^+ channel currents in guard cell protoplasts from *Vicia faba*, Schroeder, J.I. 107:229
—, rapid effect of light on the K^+ channel in the plasmalemma of *Nitella*, Vanselow, K.H., Hansen, U.-P. 110:175
—, role of the sodium pump and the background K^+ channel in passive $K^+(Rb^+)$ uptake by isolated cardiac sarcolemmal vesicles, Otero, A.S., Szabo, G. 104:253
—, the gating of nucleotide-sensitive K^+ channels in insulin-secreting cells can be modulated by changes in the ratio ATP^{4-}/ADP^{3-} and by nonhydrolyzable derivatives of both ATP and ADP, Dunne, M.J., West-Jordan, J.A., Abraham, R.J., Edwards, R.H.T., Petersen, O.H. 104:165
—, voltage- and time dependence of apical membrane conductance during current clamp in *Necturus* gallbladder epithelium, Stoddard, J.S., Reuss, L. 103:191
—, voltage-dependent channels permeable to K^+ and Na^+ in the membrane of *Acer pseudoplatanus* vacuoles, Colombo, R., Cerana, R., Lado, P., Peres, A. 103:227
Potassium ion conductance
—, apical Na^+ permeability of frog skin during serosal Cl^- replacement, Leibowich, S., DeLong, J., Civan, M.M. 102:121
—, Ca^{2+}-activated K^+ conductance causes membrane hyperpolarizations in a monkey kidney cell line (JTC-12), Chang, H., Yamashita, N., Matsunaga, H., Kurokawa, K. 103:263
—, effect of K^+ channels in the apical plasma membrane on epithelial secretion based on secondary active Cl^- transport, Cook, D.I., Young, J.A. 110:139
—, forskolin and phorbol esters decrease the same K^+ conductance in cultured oligodendrocytes, Soliven, B., Szuchet, S., Arnason, B.G.W., Nelson, D.J. 105:177
—, kinetics of voltage- and Ca^{2+} activation and Ba^{2+} blockade of a large-conductance K^+ channel from *Necturus* enterocytes, Sheppard, D.N., Giraldez, F., Sepúlveda, F.V. 105:65
—, patch-clamp studies in human macrophages: single-channel and wholecell characterization of two K^+ conductances, Gallin, E.K., McKinney, L.C. 103:55
Potassium ion current
—, blockade of potassium channels in the plasmalemma of *Chara corallina* by tetraethylammonium, Ba^{2+}, Na^+ and Cs^+, Tester, M. 105:77
—, Ca^{2+}-activated K^+ currents in *Necturus* choroid plexus, Loo, D.D.F., Brown, P.D., Wright, E.M. 105:221
—, forskolin and phorbol esters decrease the same K^+ conductance in cultured oligodendrocytes, Soliven, B., Szuchet, S., Arnason, B.G.W., Nelson, D.J. 105:177
—, potassium channels in the plasmalemma of *Chara corallina* are multi-ion pores: voltage-dependent blockade by Cs^+ and anomalous permeabilities, Tester, M. 105:87
—, potassium-dependent, bipolar gating of K^+ channels in guard cells, Blatt, M.R. 102:235
—, quantitative analysis of outward rectifying K^+ channel currents in guard cell protoplasts from *Vicia faba*, Schroeder, J.I. 107:229

Potassium ion flux
—, effects of pH, potential, chloride and furosemide on passive Na^+ and K^+ effluxes from human red blood cells, Zade-Oppen, A.M., Adragna, N.C., Tosteson, D.C. 103:217
—, Na^+ and K^+ fluxes stimulated by Na^+-coupled glucose transport: evidence for a Ba^{2+}-insensitive K^+ efflux pathway in rabbit proximal tubules, Avison, M.J., Gullans, S.R., Ogino, T., Giebisch, G. 105:197
Potassium ion selectivity
—, current-voltage relationships of a sodium-sensitive potassium channel in the tonoplast of *Chara corallina*, Bertl, A. 109:9
Potassium ion transport
—, isolation and reconstitution of furosemide-binding proteins from Ehrlich ascites tumor cells, Jessen, F., Cherksey, B.D., Zeuthen, T., Hoffmann, E.K. 108:139
—, role of the sodium pump and the background K^+ channel in passive $K^+(Rb^+)$ uptake by isolated cardiac sarcolemmal vesicles, Otero, A.S., Szabo, G. 104:253
—, transport of potassium in *Chara australis*: I. a symport with sodium, Smith, F.A., Walker, N.A. 108:125
Potassium ions
—, conformational transitions and charge translocation by the Na,K pump: comparison of optical and electrical transients elicited by ATP-concentration jumps, Stürmer, W., Apell, A.-J., Wuddel, I., Läuger, P. 110:67
—, extracellular Ca^{2+} controls outward rectification by apical cation channels in toad urinary bladder: patch-clamp and whole-bladder studies, Das, S., Palmer, L.G. 107:157
—, ion concentration-dependent regulation of Na,K-pump abundance, Pressley, T.A. 105:187
—, isomeric yohimbine alkaloids block calcium-activated K^+ channels in medullary thick ascending limb cells of rabbit kidney, Cornejo, M., Guggino, S.E., Sastre, A., Guggino, W.B. 107:25
—, silver ion (Ag^+)-induced increases in cell membrane K^+ and Na^+ permeability in the renal proximal tubule: reversal by thiol reagents, Kone, B.C., Kaleta, M., Gullans, S.R. 102:11
—, validation of the use of the lipophilic thiocyanate anion for the determination of membrane potential in Ehrlich ascites tumor cells, Smith, T.C., Robinson, S.C. 107:169
—, voltage-activated ionic channels and conductances in embryonic chick osteoblast cultures, Ypey, D.L., Ravesloot, J.H., Buisman, H.P., Nijweide, P.J. 101:141
Potassium transport
—, leukotriene-D_4 induced cell shrinkage in Ehrlich ascites tumor cells, Lambert, I.H. 108:165
Potential-sensitive dyes
—, impermeant potential-sensitive oxonol dyes: I. evidence for an "on–off" mechanism, George, E.B., Nyirjesy, P., Basson, M., Ernst, L.A., Pratap, P.R., Freedman, J.C., Waggoner, A.S. 103:245
—, impermeant potential-sensitive oxonol dyes: II. the dependence of the absorption signal on the length of alkyl substituents attached to the dye, Nyirjesy, P., George, E.B., Gupta, R.K., Basson, M., Pratap, P.R., Freedman, J.C., Raman, K., Waggoner, A.S. 105:45
—, impermeant potential-sensitive oxonol dyes: III. the dependence of the absorption signal on membrane potential, George, E.B., Nyirjesy, P., Pratap, P.R., Freedman, J.C., Waggoner, A.S. 105:55
Principal cell
—, ouabain-induced cell swelling in rabbit cortical collecting tubule: NaCl transport by principal cells, Strange, K. 107:249
Product inhibition
—, product inhibition during ion:solute cotransport is an alternative to leaks as a cause of low accumulations, Wright, J.K. 109:1
Proline transport
—, proline porters effect the utilization of proline as nutrient or osmoprotectant for bacteria, Wood, J.M. 106:183
—, uptake of lysine and proline *via* separate α-neutral amino acid transport pathways in *Mytilus* gill brush border membranes, Pajor, A.M., Wright, S.H. 107:237
Propafenone
—, block of single cardiac Na^+ channels by antiarrhythmic drugs: the effect of amiodarone, propafenone and diprafenone, Kohlhardt, M., Fichtner, H. 102:105
Propidium iodide
—, flow cytometric analysis of intracellular pH in cultured opossum kidney (OK) cells, Montrose, M.H., Condrau, M.A., Murer, H. 108:31
Propranolol
—, validation of the use of the lipophilic thiocyanate anion for the determination of membrane potential in Ehrlich ascites tumor cells, Smith, T.C., Robinson, S.C. 107:169
Protein electric response signals
—, protein electric response signals from dielectrically polarized systems, Keszthelyi, L., Ormos, P. 109:193
Protein kinase
—, activation of chloride conductance in pig jejunal brush border vesicles, Forsyth, G.W., Gabriel, S.E. 107:137
—, activation of K^+ channels in renal medullary vesicles by cAMP-dependent protein kinase, Reeves, W.B., McDonald, G.A., Mehta, P., Andreoli, T.E. 109:65
—, Ca^{2+} dependency of Na^+ transport by rabbit renal brush border membrane, Morduchowicz, G.A., Yanagawa, N. 109:105
—, calcium channels: molecular pharmacology, structure and regulation, Hosey, M.M., Lazdunski, M. 104:81
—, calcium mobilizing hormones activate the plasma membrane Ca^{2+} pump of pancreatic acinar cells, Muallem, S., Pandol, S.J., Beeker, T.G. 106:57
—, effect of limited trypsin digestion on the renal Na^+–H^+ exchanger and its regulation by cAMP-dependent protein kinase, Weinman, E.J., Dubinsky, W.P., Dinh, Q., Steplock, D., Shenolikar, S. 109:233
—, evidence implicating protein kinase C in exocytosis from electropermeabilized bovine chromaffin cells, Knight, D.E., Sugden, D., Baker, P.F. 104:21
—, forskolin and phorbol esters decrease the same K^+ conductance in cultured oligodendrocytes, Soliven, B., Szuchet, S., Arnason, B.G.W., Nelson, D.J. 105:177
—, inhibition of electrical coupling in pairs of murine pancreatic acinar cells by OAG and isolated protein kinase C, Somogyi, R., Batzer, A., Kolb, H.-A. 108:273
—, neutral amino acid transport systems in animal cells: potential targets of oncogene action and regulators of cellular growth, Saier, M.H., Jr., Daniels, G.A., Boerner, P., Lin, J. 104:1
—, phosphorylation of MP26, a lens junction protein, is enhanced by activators of protein kinase C, Lampe, P.D., Johnson, R.G. 107:145
—, reconstitution of cAMP-dependent protein kinase regulated renal Na^+–H^+ exchanger, Weinman, E.J., Dubinsky, W.P., Shenolikar, S. 101:11
—, regulation of reconstituted renal Na^+/H^+ exchanger by calciumdependent protein kinases, Weinman, E.J., Dubinsky, W.P., Fisher, K., Steplock, D., Dinh, Q., Chang, L., Shenolikar, S. 103:237

—, role of calcium and calmodulin in the regulation of the rabbit ileal brush-border membrane Na^+/H^+ antiporter, Emmer, E., Rood, R.P., Wesolek, J.H., Cohen, M.E., Braithwaite, R.S., Sharp, G.W.G., Murer, H., Donowitz, M. 108:207

Protein phosphorylation

—, calcium channels: molecular pharmacology, structure and regulation, Hosey, M.M., Lazdunski, M. 104:81

—, possible involvement of protein phosphorylation/dephosphorylation in the modulation of Ca^{2+} channel in tonoplast-free cells of *Nitellopsis*, Shiina, T., Wayne, R., Lim Tung, H.Y., Tazawa, M. 102:255

—, reconstitution of cAMP-dependent protein kinase regulated renal Na^+–H^+ exchanger, Weinman, E.J., Dubinsky, W.P., Shenolikar, S. 101:11

—, regulation of reconstituted renal Na^+/H^+ exchanger by calcium-dependent protein kinases, Weinman, E.J., Dubinsky, W.P., Fisher, K., Steplock, D., Dinh, Q., Chang, L., Shenolikar, S. 103:237

Protein reabsorption

—, binding and degradation of ^{125}I-insulin rat renal brush border membranes: evidence for low affinity, high capacity insulin recognition sites, Meezan, E., Pillion, D.J., Elgavish, A. 105:113

Protein sorting

—, mannose 6-phosphate receptors and their role in targeting proteins to lysosomes, Pfeffer, S.R. 103:7

Protein synthesis

—, effects of monensin on ATP levels and cell functions in rat liver and lung in vitro, Mariani, M.F., Thomas, L., DeFeo, B., van Rossum, G.D.B. 108:235

—, role of the Na,K-ATPase β-subunit in the cellular accumulation and maturation of the enzyme as assessed by glycosylation inhibitors, Zamofing, D., Rossier, B.C., Geering, K. 104:69

Proteins

—, characterization of ischemia-induced loss of epithelial polarity, Molitoris, B.A., Hoilien, C.A., Dahl, R., Ahnen, D.J., Wilson, P.D., Kim, J. 106:233

—, degradation of skeletal muscle plasma membrane proteins by calpain, Zaidi, S.I.M., Narahara, H.T. 110:209

—, effect of limited trypsin digestion on the renal Na^+–H^+ exchanger and its regulation by cAMP-dependent protein kinase, Weinman, E.J., Dubinsky, W.P., Dinh, Q., Steplock, D., Shenolikar, S. 109:233

—, integral and peripheral protein composition of the apical and basolateral membrane domains in MDCK cells, Sargiacomo, M., Lisanti, M., Graeve, L., Le Bivic, A., Rodriguez-Boulan, E. 107:277

—, isolation and reconstitution of furosemide-binding proteins from Ehrlich ascites tumor cells, Jessen, F., Cherksey, B.D., Zeuthen, T., Hoffmann, E.K. 108:139

—, purification of proteins of the Na/Cl cotransporter from membranes of Ehrlich ascites cells using a bumetanide-sepharose affinity column, Feit, P.W., Hoffmann, E.K., Schiødt, M., Kristensen, P., Jessen, F., Dunham, P.B. 102:135

—, structural basis for E_1–E_2 conformational transitions in Na,K-pump and Ca-pump proteins, Jorgensen, P.L., Andersen, J.P. 103:95

—, tight junctions and apical/basolateral polarity, Cereijido, M., Ponce, A., González-Mariscal, L. 110:1

—, transport-specific isolation of large channels reconstituted into lipid vesicles, Harris, A.L., Walter, A., Zimmerberg, J. 109:243

—, volume-dependent regulation of ion transport and membrane phosphorylation in human and rat erythrocytes, Orlov, S.N., Pokudin, N.I., Kotelevtsev, Y.V., Gulak, P.V. 107:105

Proteoliposomes

—, reconstitution of cAMP-dependent protein kinase regulated renal Na^+–H^+ exchanger, Weinman, E.J., Dubinsky, W.P., Shenolikar, S. 101:11

—, solubilization and reconstitution of renal brush border Na^+–H^+ exchanger, Weinman, E.J., Shenolikar, S., Cragoe, E.J., Jr., Dubinsky, W.P. 101:1

—, solubilization and reconstitution of the *Rickettsia prowazewkii* ATP/ADP translocase, Plano, G.V., Winkler, H.H. 110:227

Proteolytic cleavage

—, structural basis for E_1–E_2 conformational transitions in Na,K-pump and Ca-pump proteins, Jorgensen, P.L., Andersen, J.P. 103:95

Proteolytic enzymes

—, water exchange through erythrocyte membranes: biochemical and nuclear magnetic resonance studies re-evaluating the effects of sulfhydryl reagents and of proteolytic enzymes on human membranes, Benga, G., Popescu, O., Borza, V., Pop, V.I., Hodârnău, A. 108:105

Proton channels

—, proton channel of the chloroplast ATP synthase, CF_o: its time-averaged single-channel conductance as function of pH, temperature, isotopic and ionic medium composition, Althoff, G., Lill, H., Junge, W. 108:263

Proton conductance

—, proton conductance caused by long-chain fatty acids in phospholipid bilayer membranes, Gutknecht, J. 106:83

—, proton flux mechanisms in model and biological membranes, Deamer, D.W., Nichols, J.W. 107:91

Proton gradient

—, characterization of MgATP-driven H^+ uptake into a microsomal vesicle fraction from rat pancreatic acinar cells, Thévenod, F., Kemmer, T.P., Christian, A.L., Schulz, I. 107:263

—, is there a Cl^-–OH^- exchange (Cl^-–H^+ cotransport) mechanism in the brush-border membrane of the intestine of the fresh water trout (*Salmo gairdneri*, R.)?, Aguenaou, H., Hubsch, A., Colin, D.A. 108:13

Proton transport

—, constitutive and transport-related endocytotic pathways in turtle bladder epithelium, Dixon, T.E., Clausen, C., Coachman, D. 102:49

—, proton flux mechanisms in model and biological membranes, Deamer, D.W., Nichols, J.W. 107:91

Proton uptake

—, characterization of MgATP-driven H^+ uptake into a microsomal vesicle fraction from rat pancreatic acinar cells, Thévenod, F., Kemmer, T.P., Christian, A.L., Schulz, I. 107:263

Protonophores

—, characterization of MgATP-driven H^+ uptake into a microsomal vesicle fraction from rat pancreatic acinar cells, Thévenod, F., Kemmer, T.P., Christian, A.L., Schulz, I. 107:263

—, protonophore anion permeability of the human red cell membrane determined in the presence of valinomycin, Bennekou, P. 102:225

—, steady-state and transient membrane potentials in human red cells determined by protonophore-mediated pH changes, Bennekou, P. 106:41

Protons
—, asymmetric effects of divalent cations and protons on active Ca^{2+} efflux and Ca^{2+}-ATPase in intact red blood cells, Xu, Y.-H., Roufogalis, B.D. 105:155
—, ion modulation of membrane permeability: effect of cations on intact cells and on cells and phospholipid bilayers treated with pore-forming agents, Bashford, C.L., Alder, G.M., Graham, J.M., Menestrina, G., Pasternak, C.A. 103:79
—, transcellular ion currents and extension of *Neurospora crassa* hyphae, Takeuchi, Y., Schmid, J., Caldwell, J.H., Harold, F.M. 101:33
Proximal tubule
—, Ca^{2+} dependency of Na^+ transport by rabbit renal brush border membrane, Morduchowicz, G.A., Yanagawa, N. 109:105
—, characterization of ischemia-induced loss of epithelial polarity, Molitoris, B.A., Hoilien, C.A., Dahl, R., Ahnen, D.J., Wilson, P.D., Kim, J. 106:233
—, diffusive water permeability in isolated kidney proximal tubular cells: nature of the cellular water pathways, Carpi-Medina, P., León, V., Espidel, J., Whittembury, G. 104:35
—, fused cells of frog proximal tubule: II. voltage-dependent intracellular pH, Wang, W., Wang, Y., Silbernagl, S., Oberleithner, H. 101:259
—, ion channels activated by osmotic and mechanical stress in membranes of opussum kidney cells, Ubl, J., Murer, H., Kolb, H.-A. 104:22
—, loss of epithelial polarity: a novel hypothesis for reduced proximal tubule Na^+ transport following ischemic injury, Molitoris, B.A., Chan, L.K., Shapiro, J.I., Conger, J.D., Falk, S.A. 107:119
—, microelectrode characterization of the basolateral membrane of rabbit S3 proximal tubule, Vance, B.A., Biagi, B.A. 108:53
—, Na^+ and K^+ fluxes stimulated by Na^+-coupled glucose transport: evidence for a Ba^{2+}-insensitive K^+ efflux pathway in rabbit proximal tubules, Avison, M.J., Gullans, S.R., Ogino, T., Giebisch, G. 105:197
—, osmotic gradient dependence of osmotic water permeability in rabbit proximal convoluted tubule, Berry, C.A., Verkman, A.S. 105:33
—, silver ion (Ag^+)-induced increases in cell membrane K^+ and Na^+ permeability in the renal proximal tubule: reversal by thiol reagents, Kone, B.C., Kaleta, M., Gullans, S.R. 102:11
—, solubilization and reconstitution of renal brush border Na^+–H^+ exchanger, Weinman, E.J., Shenolikar, S., Cragoe, E.J., Jr., Dubinsky, W.P. 101:1
Pseudomonas aeruginosa
—, Na^+ (Li^+)/branched-chain amino acid cotransport in *Pseudomonas aeruginosa*, Uratani, Y., Tsuchiya, T., Akamatsu, Y., Hoshino, T. 107:57
Pump current
—, electrogenic properties of the Na,K pump, Apell, H.-J. 110:103
Pyrexia
—, thermal instability of red blood cell membrane bilayers: temperature dependence of hemolysis, Gershfeld, N.L., Murayama, M. 101:67
Pyridine nucleotides
—, effects of pyridine nucleotides on the gating of ATP-sensitive potassium channels in insulin-secreting cells, Dunne, M.J., Findlay, I., Petersen, O.H. 102:205
Pyruvate
—, characterization of sodium and pyruvate interactions of the two carrier systems specific of mono- and di- or tricarboxylic acids by renal brush-border membrane vesicles, Mengual, R., ClaudeSchlageter, M.-H., Poiree, J.-C., Yagello, M., Sudaka, P. 108:197
Quin2
—, deliberate quin2 overload as a method for *in situ* characterization of active calcium extrusion systems and cytoplasmic binding: application to the human platelet, Johansson, J.S., Haynes, D.H. 104:147
Quinidine
—, Ca^{2+}-activated K^+ conductance causes membrane hyperpolarizations in a monkey kidney cell line (JTC-12), Chang, H., Yamashita, N., Matsunaga, H., Kurokawa, K. 103:263
—, extracellular Ca^{2+} controls outward rectification by apical cation channels in toad urinary bladder: patch-clamp and whole-bladder studies, Das, S., Palmer, L.G. 107:157
Quinine
—, pharmacology of K^+ channels in the plasmalemma of the green alga *Chara corallina*, Tester, M. 103:159
Rabbit
—, apical and basolateral Na^+/H^+ exchange in the rabbit outer medullary thin descending limb of Henle: role in intracellular pH regulation, Kurtz, I. 106:253
—, Ca^{2+} dependency of Na^+ transport by rabbit renal brush border membrane, Morduchowicz, G.A., Yanagawa, N. 109:105
—, calcium efflux and intracellular exchangeable calcium in mammalian nonmyelinated nerve fibers, Jirounek, P., Vitus, J., Pralong, W.F., Straub, R.W. 103:121
—, ionic dependence of bumetanide binding to the rabbit parotid Na/K/Cl cotransporter, Turner, R.J., George, J.N. 102:71
—, microelectrode characterization of the basolateral membrane of rabbit S3 proximal tubule, Vance, B.A., Biagi, B.A. 108:53
—, Na^+ and K^+ fluxes stimulated by Na^+-coupled glucose transport: evidence for a Ba^{2+}-insensitive K^+ efflux pathway in rabbit proximal tubules, Avison, M.J., Gullans, S.R., Ogino, T., Giebisch, G. 105:197
—, osmotic gradient dependence of osmotic water permeability in rabbit proximal convoluted tubule, Berry, C.A., Verkman, A.S. 105:33
Rabbit bone marrow
—, anion transport during maturation of erythroblastic cells, Kirk, R.G., Lee, P. 101:173
Rabbit cortical collecting duct
—, apical membrane endocytosis via coated pits is stimulated by removal of antidiuretic hormone from isolated, perfused rabbit cortical collecting tubule, Strange, K., Willingham, M.C., Handler, J.S., Harris, H.W., Jr. 103:17
—, ouabain-induced cell swelling in rabbit cortical collecting tubule: NaCl transport by principal cells, Strange, K. 107:249
—, pre-steady-state analysis of the turn-on and turn-off of water permeability in the kidney collecting tubule, Kuwahara, M., Verkman, A.S. 110:57
Rabbit distal colon
—, Ca^{2+} and cAMP activate K^+ channels in the basolateral membrane of crypt cells isolated from rabbit distal colon, Loo, D.D.F., Kaunitz, J.D. 110:19
—, rabbit distal colon epithelium: I. isolation and characterization of basolateral plasma membrane vesicles from surface

and crypt cells, Wiener, H., Turnheim, K., van Os, C.H. 110:147
—, rabbit distal colon epithelium: II. characterization of (Na^+,K^+,Cl^-) cotransport and [^{3}H]-bumetanide binding, Wiener, H., van Os, C.H. 110:163
Rabbit ileum
—, role of calcium and calmodulin in the regulation of the rabbit ileal brush-border membrane Na^+/H^+ antiporter, Emmer, E., Rood, R.P., Wesolek, J.H., Cohen, M.E., Braithwaite, R.S., Sharp, G.W.G., Murer, H., Donowitz, M. 108:207
Rabbit jejunal
—, anion specificity of the jejunal folate carrier: effects of reduced folate analogues on folate uptake and efflux, Schron, C.M., Washington, C., Jr., Blitzer, B.L. 102:175
Rabbit kidney
—, isomeric yohimbine alkaloids block calcium-activated K^+ channels in medullary thick ascending limb cells of rabbit kidney, Cornejo, M., Guggino, S.E., Sastre, A., Guggino, W.B. 107:25
—, regulation of reconstituted renal Na^+/H^+ exchanger by calcium-dependent protein kinases, Weinman, E.J., Dubinsky, W.P., Fisher, K., Steplock, D., Dinh, Q., Chang, L., Shenolikar, S. 103:237
—, relation between the anion exchange protein in kidney medullary collecting duct cells and red cell band 3, Janoshazi, A., Ojcius, D.M., Kone, B., Seifter, J.L., Solomon, A.K. 103:181
—, solubilization and reconstitution of renal brush border Na^+–H^+ exchanger, Weinman, E.J., Shenolikar, S., Cragoe, E.J., Jr., Dubinsky, W.P. 101:1
—, taurine transport by rabbit kidney brush-border membranes: coupling to sodium, chloride, and the membrane potential, Wolff, N.A., Kinne, R. 102:131
Rabbit small intestine
—, characterization of a Na^+/glucose cotransporter cloned from rabbit small intestine, Ikeda, T.S., Hwang, E.-S., Coady, M.J., Hirayama, B.A., Hediger, M.A., Wright, E.M. 110:87
Rat
—, ATP-dependent calcium transport in rat parotid basolateral membrane vesicles is modulated by membrane potential, Ambudkar, I.S., Baum, B.J. 102:59
—, binding and degradation of ^{125}I-insulin rat renal brush border membranes: evidence for low affinity, high capacity insulin recognition sites, Meezan, E., Pillion, D.J., Elgavish, A. 105:113
—, characterization of inositol 1,4,5-trisphosphate-sensitive (IsCaP) and insensitive (IisCaP) nonmitochondrial Ca^{2+} pools in rat pancreatic acinar cells, Thévenod, F., Dehlinger-Kremer, M., Kemmer, T.P., Christian, A.-L., Potter, B.V.L., Schulz, I. 109:173
—, characterization of MgATP-driven H^+ uptake into a microsomal vesicle fraction from rat pancreatic acinar cells, Thévenod, F., Kemmer, T.P., Christian, A.L., Schulz, I. 107:263
—, coupled Na^+/H^+ exchange in rat parotid basolateral membrane vesicles, Manganel, M., Turner, R.J. 102:247
—, stimulation-associated redistribution of Na,K-ATPase in rat lacrimal gland, Yiu, S.C., Lambert, R.W., Bradley, M.E., Ingham, C.E., Hales, K.L., Wood, R.L., Mircheff, A.K. 102:185
Rat brain
—, different sensitivity of ATP + Mg + Na (I) and P_i + Mg (II) dependent types of ouabain binding to phospholipase A_2, Svoboda, P., Amler, E., Teisinger, J. 104:211
Rat cardiocytes
—, block of single cardiac Na^+ channels by antiarrhythmic drugs: the effect of amiodarone, propafenone and diprafenone, Kohlhardt, M., Fichtner, H. 102:105
Rat colon
—, identification and comparison of bile acid-binding polypeptides in ileal basolateral membrane, Lin, M.C., Weinberg, S.L., Kramer, W., Burckhardt, G., Wilson, F.A. 106:1
—, single chloride channels in colon mucosa and isolated colonic enterocytes of the rat, Diener, M., Rummel, W., Mestres, P., Lindemann, B. 108:21
Rat exocrine pancreas
—, anion channels in giant liposomes made of endoplasmic reticulum vesicles from rat exocrine pancreas, Schmid, A., Gögelein, H., Kemmer, T.P., Schulz, I. 104:275
Rat heart
—, cross-linking of cardiac gap junction connexons by thiol/disulfide exchanges, Dupont, E., El Aoumari, A., Briand, J.P., Fromaget, C., Gros, D. 108:247
—, immunological characterization of rat cardiac gap junctions: presence of common antigenic determinants in heart of other vertebrate species and in various organs, Dupont, E., El Aoumari, A., Roustiau-Sévère, S., Briand, J.P., Gros, D. 104:119
Rat liver
—, effects of monensin on ATP levels and cell functions in rat liver and lung in vitro, Mariani, M.F., Thomas, L., DeFeo, B., van Rossum, G.D.B. 108:235
Rat lung
—, effects of monensin on ATP levels and cell functions in rat liver and lung in vitro, Mariani, M.F., Thomas, L., DeFeo, B., van Rossum, G.D.B. 108:235
Rat spinal neurones
—, conductance states activated by glycine and GABA in rat cultured spinal neurones, Smith, S.M., Zorec, R., McBurney, R.N. 108:45
Rate constants
—, diffusion theory and discrete rate constants in ion permeation, Cooper, K.E., Gates, P.Y., Eisenberg, R.S. 106:95
Rauwolscine
—, isomeric yohimbine alkaloids block calcium-activated K^+ channels in medullary thick ascending limb cells of rabbit kidney, Cornejo, M., Guggino, S.E., Sastre, A., Guggino, W.B. 107:25
Receptors
—, binding and degradation of ^{125}I-insulin rat renal brush border membranes: evidence for low affinity, high capacity insulin recognition sites, Meezan, E., Pillion, D.J., Elgavish, A. 105:113
Reconstitution
—, calcium channels: molecular pharmacology, structure and regulation, Hosey, M.M., Lazdunski, M. 104:81
—, evidence for high molecular weight Na-Ca exchange in cardiac sarcolemmal vesicles, Hale, C.C., Kleiboeker, S.B., Carlton, C.G., Rovetto, M.J., Jung, C., Kim, H.D. 106:211
—, identification and functional reconstitution of phosphate: sugar phosphate antiport of *Staphylococcus aureus*, Sonna, L.A., Maloney, P.C. 101:267
—, isolation and reconstitution of furosemide-binding proteins from Ehrlich ascites tumor cells, Jessen, F., Cherksey, B.D., Zeuthen, T., Hoffmann, E.K. 108:139
—, reconstitution of cAMP-dependent protein kinase regu-

lated renal Na^+–H^+ exchanger, Weinman, E.J., Dubinsky, W.P., Shenolikar, S. 101:11
—, reconstitution of the lipid matrix of the outer membrane of gram-negative bacteria as asymmetric planar bilayer, Seydel, U., Schröder, G., Brandenburg, K. 109:95
—, solubilization and reconstitution of renal brush border Na^+–H^+ exchanger, Weinman, E.J., Shenolikar, S., Cragoe, E.J., Jr., Dubinsky, W.P. 101:1
—, solubilization and reconstitution of the *Rickettsia prowazewkii* ATP/ADP translocase, Plano, G.V., Winkler, H.H. 110:227
—, transport-specific isolation of large channels reconstituted into lipid vesicles, Harris, A.L., Walter, A., Zimmerberg, J. 109:243
Recruitment
—, ion concentration-dependent regulation of Na,K-pump abundance, Pressley, T.A. 105:187
Rectification
—, conduction and blocking properties of a predominantly anion-selective channel from human platelet surface membrane reconstituted into planar phospholipid bilayers, Manning, S.D., Williams, A.J. 109:113
—, extracellular Ca^{2+} controls outward rectification by apical cation channels in toad urinary bladder: patch-clamp and whole-bladder studies, Das, S., Palmer, L.G. 107:157
—, inwardly rectifying whole-cell and single-channel K currents in the murine macrophage cell line J774.1, McKinney, L.C., Gallin, E.K. 103:41
—, ion permeation and rectification in ATP-sensitive channels from insulin-secreting cells (RINm5F): effects of K^+, Na^+ and Mg^{2+}, Ciani, S., Ribalet, B. 103:171
—, patch-clamp studies in human macrophages: single-channel and whole-cell characterization of two K^+ conductances, Gallin, E.K., McKinney, L.C. 103:55
—, potassium-dependent, bipolar gating of K^+ channels in guard cells, Blatt, M.R. 102:235
—, quantitative analysis of outward rectifying K^+ channel currents in guard cell protoplasts from *Vicia faba*, Schroeder, J.I. 107:229
—, voltage-activated ionic channels and conductances in embryonic chick osteoblast cultures, Ypey, D.L., Ravesloot, J.H., Buisman, H.P., Nijweide, P.J. 101:141
Red cells
—, modification of the erythrocyte membrane dielectric constant by alcohols, Orme, F.W., Moronne, M.M., Macey, R.I. 104:57
—, relation between the anion exchange protein in kidney medullary collecting duct cells and red cell band 3, Janoshazi, A., Ojcius, D.M., Kone, B., Seifter, J.L., Solomon, A.K. 103:181
—, shape determinants of McLeod acanthocytes, Khodadad, J.K., Weinstein, R.S., Marsh, L.W., Steck, T.L. 107:213
—, thiol-dependent K : Cl transport in sheep red cells: VIII. activation through metabolically and chemically reversible oxidation by diamide, Lauf, P.K. 101:179
—, volume-activated Na/H exchange activity in fetal and adult pig red cells: inhibition by cyclic AMP, Sergeant, S., Sohn, D.H., Kim, H.D. 109:209
Regulation
—, neutral amino acid transport systems in animal cells: potential targets of oncogene action and regulators of cellular growth, Saier, M.H., Jr., Daniels, G.A., Boerner, P., Lin, J. 104:1
Regulatory volume decrease
—, leukotriene-D_4 induced cell shrinkage in Ehrlich ascites tumor cells, Lambert, I.H. 108:165
—, ouabain-induced cell swelling in rabbit cortical collecting tubule: NaCl transport by principal cells, Strange, K. 107:249
—, volume-dependent regulation of ion transport and membrane phosphorylation in human and rat erythrocytes, Orlov, S.N., Pokudin, N.I., Kotelevtsev, Y.V., Gulak, P.V. 107:105
Relaxation analysis
—, slow kinetics of a potassium channel in *Acetabularia*, Bertl, A., Klieber, H.G., Gradmann, D. 102:141
Renal electrolyte transport
—, reconstitution of cAMP-dependent protein kinase regulated renal Na^+–H^+ exchanger, Weinman, E.J., Dubinsky, W.P., Shenolikar, S. 101:11
—, regulation of reconstituted renal Na^+/H^+ exchanger by calciumdependent protein kinases, Weinman, E.J., Dubinsky, W.P., Fisher, K., Steplock, D., Dinh, Q., Chang, L., Shenolikar, S. 103:237
—, solubilization and reconstitution of renal brush border Na^+–H^+ exchanger, Weinman, E.J., Shenolikar, S., Cragoe, E.J., Jr., Dubinsky, W.P. 101:1
Renal membrane
—, binding and degradation of ^{125}I-insulin rat renal brush border membranes: evidence for low affinity, high capacity insulin recognition sites, Meezan, E., Pillion, D.J., Elgavish, A. 105:113
Repolarization
—, quantitative analysis of outward rectifying K^+ channel currents in guard cell protoplasts from *Vicia faba*, Schroeder, J.I. 107:229
Resealing
—, a flow EPR study of deformation and orientation characteristics of erythrocyte ghosts: effects of lysing and resealing conditions, Fukushima, Y., Kon, H. 104:265
Respiratory chain
—, role of mobility of redox components in the inner mitochondrial membrane, Lenaz, G. 104:193
Reticulocytes
—, assay and characteristics of the iron binding moiety of reticulocyte endocytic vesicles, Nunez, M.T., Pinto, I., Glass, J. 107:129
Retina
—, effect of taurine on the isolated retinal pigment epithelium of the frog: electrophysiologic evidence for stimulation of an apical, electrogenic Na^+–K^+ pump, Scharschmidt, B.F., Griff, E.R., Steinberg, R.H. 106:71
Retinal pigment epithelium
—, effect of taurine on the isolated retinal pigment epithelium of the frog: electrophysiologic evidence for stimulation of an apical, electrogenic Na^+–K^+ pump, Scharschmidt, B.F., Griff, E.R., Steinberg, R.H. 106:71
Reversal potential
—, voltage dependence of cellular current and conductances in frog skin, Nagel, W., Garcia-Díaz, J.F., Essig, A. 106:13
RGA461
—, impermeant potential-sensitive oxonol dyes: I. evidence for an "on–off" mechanism, George, E.B., Nyirjesy, P., Basson, M., Ernst, L.A., Pratap, P.R., Freedman, J.C., Waggoner, A.S. 103:245
Rhodospirillum rubrum
—, pump and displacement currents of reconstituted ATP syn-

thase on black lipid membranes, Christensen, B., Gutweiler, M., Grell, E., Wagner, N., Pabst, R., Dose, K., Bamberg, E. 104:179
Rickettsia prowazekii
—, solubilization and reconstitution of the *Rickettsia prowazewkii* ATP/ADP translocase, Plano, G.V., Winkler, H.H. 110:227
Ringer's solution
—, dependence of cell membrane conductances on bathing solution HCO_3^-/CO_2 in *Necturus* gallbladder, Stoddard, J.S., Reuss, L. 102:163
RINm5F cells
—, comparative study of K channel behavior in β cell lines with different secretory responses to glucose, Eddlestone, G.T., Ribalet, B., Ciani, S. 109:123
—, effects of pyridine nucleotides on the gating of ATP-sensitive potassium channels in insulin-secreting cells, Dunne, M.J., Findlay, I., Petersen, O.H. 102:205
—, ion permeation and rectification in ATP-sensitive channels from insulin-secreting cells (RINm5F): effects of K^+, Na^+ and Mg^{2+}, Ciani, S., Ribalet, B. 103:171
—, the gating of nucleotide-sensitive K^+ channels in insulin-secreting cells can be modulated by changes in the ratio ATP^{4-}/ADP^{3-} and by nonhydrolyzable derivatives of both ATP and ADP, Dunne, M.J., West-Jordan, J.A., Abraham, R.J., Edwards, R.H.T., Petersen, O.H. 104:165
Rod outer segments
—, silver ions induce a rapid Ca^{2+} release from isolated intact bovine rod outer segments by a cooperative mechanism, Schnetkamp, P.P.M., Szerencsei, R.T. 108:91
Rubidium ion flux
—, activation of K^+ channels in renal medullary vesicles by cAMP-dependent protein kinase, Reeves, W.B., McDonald, G.A., Mehta, P., Andreoli, T.E. 109:65
Rubidium ion transport
—, rabbit distal colon epithelium: II. characterization of (Na^+,K^+,Cl^-) cotransport and $[^3H]$-bumetanide binding, Wiener, H., van Os, C.H. 110:163
Rubidium ion uptake
—, role of the sodium pump and the background K^+ channel in passive $K^+(Rb^+)$ uptake by isolated cardiac sarcolemmal vesicles, Otero, A.S., Szabo, G. 104:253
Rubidium uptake
—, anion transport during maturation of erythroblastic cells, Kirk, R.G., Lee, P. 101:173
Ruthenium red
—, establishment of tight junctions between cells from different animal species and different sealing capacities, González-Mariscal, L., Chávez de Ramirez, B., Lázaro, A., Cereijido, M. 107:43
Saccharomyces cerevisiae
—, gating behaviors of a voltage-dependent and Ca^{2+}-activated cation channel of yeast vacuolar membrane incorporated into planar lipid bilayer, Tanifuji, M., Sato, M., Wada, Y., Anraku, Y., Kasai, M. 106:47
Salmonella typhimurium
—, proline porters effect the utilization of proline as nutrient or osmoprotectant for bacteria, Wood, J.M. 106:183
Salt stress
—, water relations of individual leaf cells of *Mesembryanthemum crystallinum* plants grown at low and high salinity, Rygol, J., Zimmermann, U., Balling, A. 107:203
—, water transport parameters and regulatory processes in *Eremosphaera viridis*, Frey, N., Büchner, K.-H., Zimmermann, U. 101:151
Salt taste
—, amiloride-blockable sodium currents in isolated taste receptor cells, Avenet, P., Lindemann, B. 105:245
Sarcolemma
—, evidence for high molecular weight Na-Ca exchange in cardiac sarcolemmal vesicles, Hale, C.C., Kleiboeker, S.B., Carlton, C.G., Rovetto, M.J., Jung, C., Kim, H.D. 106:211
Sarcoplasmic reticulum
—, activation of Ca^{2+} release in isolated sarcoplasmic reticulum, Shoshan-Barmatz, V. 103:67
—, single chloride-selective channel from cardiac sarcoplasmic reticulum studied in planar lipid bilayers, Rousseau, E. 110:39
Saxitoxin
—, polypeptide neurotoxins modify gating and apparent single-channel conductance of veratridine-activated sodium channels in planar lipid bilayers, Corbett, A.M., Krueger, B.K. 110:199
Scorpions
—, analysis of the blocking activity of charybdotoxin homologs and iodinated derivatives against Ca^{2+}-activated K^+ channels, Lucchesi, K., Ravindran, A., Young, H., Moczydlowski, E. 109:269
—, mechanism of inactivation of single sodium channels after modification by chloramine-T, sea anemone toxin and scorpion toxin, Nagy, K. 106:29
—, polypeptide neurotoxins modify gating and apparent single-channel conductance of veratridine-activated sodium channels in planar lipid bilayers, Corbett, A.M., Krueger, B.K. 110:199
Sea anemones
—, mechanism of inactivation of single sodium channels after modification by chloramine-T, sea anemone toxin and scorpion toxin, Nagy, K. 106:29
—, polypeptide neurotoxins modify gating and apparent single-channel conductance of veratridine-activated sodium channels in planar lipid bilayers, Corbett, A.M., Krueger, B.K. 110:199
Sea urchin
—, ionic and permeability requirements for exocytosis in vitro in sea urchin eggs, Zimmerberg, J., Liu, J. 101:199
Secretin
—, secretin-regulated chloride channel on the apical plasma membrane of pancreatic duct cells, Gray, M.A., Greenwell, J.R., Argent, B.E. 105:131
Secretion
—, effect of K^+ channels in the apical plasma membrane on epithelial secretion based on secondary active Cl^- transport, Cook, D.I., Young, J.A. 110:139
—, evidence implicating protein kinase C in exocytosis from electropermeabilized bovine chromaffin cells, Knight, D.E., Sugden, D., Baker, P.F. 104:21
—, ionic and permeability requirements for exocytosis in vitro in sea urchin eggs, Zimmerberg, J., Liu, J. 101:199
—, voltage-gated chloride currents in cultured canine tracheal epithelial cells, Schoppa, N., Shorofsky, S.R., Jow, F., Nelson, D.J. 108:73
Secretory diarrhea
—, rabbit distal colon epithelium: II. characterization of (Na^+,K^+,Cl^-) cotransport and $[^3H]$-bumetanide binding, Wiener, H., van Os, C.H. 110:163
Sensory transduction
—, distribution of ion channels on taste cells and its relationship to chemosensory transduction, Roper, S.D., McBride, D.W., Jr. 109:29

Sepharose
—, purification of proteins of the Na/Cl cotransporter from membranes of Ehrlich ascites cells using a bumetanide-sepharose affinity column, Feit, P.W., Hoffmann, E.K., Schiødt, M., Kristensen, P., Jessen, F., Dunham, P.B. 102:135
Serosal
—, influence of serosal Cl on transport properties and cation activities in frog skin, Klemperer, G., Essig, A. 106:107
Serosal Cl^- replacement
—, apical Na^+ permeability of frog skin during serosal Cl^- replacement, Leibowich, S., DeLong, J., Civan, M.M. 102:121
Serotonin
—, inward rectifier K channels in renal epithelioid cels (MDCK) activated by serotonin, Friedrich, F., Paulmichl, M., Kolb, H.A., Lang, F. 106:149
Short-circuit current
—, apical Na^+ permeability of frog skin during serosal Cl^- replacement, Leibowich, S., DeLong, J., Civan, M.M. 102:121
Silver ions
—, silver ion (Ag^+)-induced increases in cell membrane K^+ and Na^+ permeability in the renal proximal tubule: reversal by thiol reagents, Kone, B.C., Kaleta, M., Gullans, S.R. 102:11
—, silver ions induce a rapid Ca^{2+} release from isolated intact bovine rod outer segments by a cooperative mechanism, Schnetkamp, P.P.M., Szerencsei, R.T. 108:91
Single channel conductance
—, gating properties of channels formed by colicin Ia in planar lipid bilayer membranes, Nogueira, R.A., Varanda, W.A. 105:143
—, inhibition of electrical coupling in pairs of murine pancreatic acinar cells by OAG and isolated protein kinase C, Somogyi, R., Batzer, A., Kolb, H.-A. 108:273
—, polypeptide neurotoxins modify gating and apparent single-channel conductance of veratridine-activated sodium channels in planar lipid bilayers, Corbett, A.M., Krueger, B.K. 110:199
—, proton channel of the chloroplast ATP synthase, CF_o: its time-averaged single-channel conductance as function of pH, temperature, isotopic and ionic medium composition, Althoff, G., Lill, H., Junge, W. 108:263
—, surface charge near the cardiac inward-rectifier channel measured from single-channel conductance, Kell, M.J., DeFelice, L.J. 102:1
Single channel current
—, inwardly rectifying whole-cell and single-channel K currents in the murine macrophage cell line J774.1, McKinney, L.C., Gallin, E.K. 103:41
—, mechanism of inactivation of single sodium channels after modification by chloramine-T, sea anemone toxin and scorpion toxin, Nagy, K. 106:29
—, patch-clamp studies in human macrophages: single-channel and whole-cell characterization of two K^+ conductances, Gallin, E.K., McKinney, L.C. 103:55
Single channel current recording technique
—, Ca^{2+}-activated K^+ channels in the apical membrane of *Necturus* choroid plexus, Brown, P.D., Loo, D.D.F., Wright, E.M. 105:207
—, effects of pyridine nucleotides on the gating of ATP-sensitive potassium channels in insulin-secreting cells, Dunne, M.J., Findlay, I., Petersen, O.H. 102:205
—, secretin-regulated chloride channel on the apical plasma membrane of pancreatic duct cells, Gray, M.A., Greenwell, J.R., Argent, B.E. 105:131
—, single-channel recordings from the apical membrane of the toad urinary bladder epithelial cell, Frings, S., Purves, R.D., Macknight, A.D.C. 106:157
—, single chloride-selective channel from cardiac sarcoplasmic reticulum studied in planar lipid bilayers, Rousseau, E. 110:39
—, the gating of nucleotide-sensitive K^+ channels in insulin-secreting cells can be modulated by changes in the ratio ATP^{4-}/ADP^{3-} and by nonhydrolyzable derivatives of both ATP and ADP, Dunne, M.J., West-Jordan, J.A., Abraham, R.J., Edwards, R.H.T., Petersen, O.H. 104:165
—, voltage-independent barium-permeable channel activated in *Lymnaea* neurons by internal perfusion or patch excision, Yazejian, B., Byerly, L. 107:63
Single channel kinetics
—, kinetics of voltage- and Ca^{2+} activation and Ba^{2+} blockade of a large-conductance K^+ channel from *Necturus* enterocytes, Sheppard, D.N., Giraldez, F., Sepúlveda, F.V. 105:65
Single channels
—, activation kinetics of single high-threshold calcium channels in the membrane of sensory neurons from mouse embryos, Kostyuk, P.G., Shuba, Ya.M., Teslenko, V.I. 110:29
—, analysis of the blocking activity of charybdotoxin homologs and iodinated derivatives against Ca^{2+}-activated K^+ channels, Lucchesi, K., Ravindran, A., Young, H., Moczydlowski, E. 109:269
—, conduction and blocking properties of a predominantly anion-selective channel from human platelet surface membrane reconstituted into planar phospholipid bilayers, Manning, S.D., Williams, A.J. 109:113
—, extracellular Ca^{2+} controls outward rectification by apical cation channels in toad urinary bladder: patch-clamp and whole-bladder studies, Das, S., Palmer, L.G. 107:157
—, gating behaviors of a voltage-dependent and Ca^{2+}-activated cation channel of yeast vacuolar membrane incorporated into planar lipid bilayer, Tanifuji, M., Sato, M., Wada, Y., Anraku, Y., Kasai, M. 106:47
—, secretin-regulated chloride channel on the apical plasma membrane of pancreatic duct cells, Gray, M.A., Greenwell, J.R., Argent, B.E. 105:131
—, single chloride-selective channel from cardiac sarcoplasmic reticulum studied in planar lipid bilayers, Rousseau, E. 110:39
SITS
—, conduction and blocking properties of a predominantly anion-selective channel from human platelet surface membrane reconstituted into planar phospholipid bilayers, Manning, S.D., Williams, A.J. 109:113
—, electrogenic behavior of the human red cell Ca^{2+} pump revealed by disulfonic stilbenes, Romero, P.J., Ortiz, C.E. 101:237
Skeletal muscle
—, ATP-sensitive potassium channels in adult mouse skeletal muscle: characterization of the ATP-binding site, Weik, R., Neumcke, B. 110:217
—, degradation of skeletal muscle plasma membrane proteins by calpain, Zaidi, S.I.M., Narahara, H.T. 110:209
—, effects of internal Na and external K concentration on Na/K coupling of Na,K-pump in frog skeletal muscle, Marunaka, Y. 101:19

Snail neurons
—, cytoplasmic free Ca in isolated snail neurons as revealed by fluorescent probe fura-2: mechanisms of Ca recovery after Ca load and Ca release from intracellular stores, Kostyuk, P.G., Mironov, S.L., Tepikin, A.V., Belan, P.V. 110:11
Sodium
—, calcium efflux and intracellular exchangeable calcium in mammalian nonmyelinated nerve fibers, Jirounek, P., Vitus, J., Pralong, W.F., Straub, R.W. 103:121
—, characterization of sodium and pyruvate interactions of the two carrier systems specific of mono- and di- or tricarboxylic acids by renal brush-border membrane vesicles, Mengual, R., Claude-Schlageter, M.-H., Poiree, J.-C., Yagello, M., Sudaka, P. 108:197
—, effects of internal Na and external K concentration on Na/K coupling of Na,K-pump in frog skeletal muscle, Marunaka, Y. 101:19
—, electron probe X-ray microanalysis of cellular ions in the eccrine secretory coil cells during methacholine stimulation, Saga, K., Sato, K. 107:13
—, proline porters effect the utilization of proline as nutrient or osmoprotectant for bacteria, Wood, J.M. 106:183
Sodium absorption
—, a low-salt diet facilitates Cl secretion in hen lower intestine, Clauss, W., Dantzer, V., Skadhauge, E. 102:83
Sodium activity
—, influence of serosal Cl on transport properties and cation activities in frog skin, Klemperer, G., Essig, A. 106:107
Sodium bicarbonate cotransport
—, regulation of cytoplasmic pH of cultured bovine corneal endothelial cells in the absence and presence of bicarbonate, Jentsch, T.J., Korbmacher, C., Janicke, I., Fischer, D.G., Stahl, F., Helbig, H., Hollwede, H., Cragoe, E.J., Jr., Keller, S.K., Wiederholt, M. 103:29
Sodium channels
—, amiloride-blockable sodium currents in isolated taste receptor cells, Avenet, P., Lindemann, B. 105:245
—, mechanism of inactivation of single sodium channels after modification by chloramine-T, sea anemone toxin and scorpion toxin, Nagy, K. 106:29
—, polypeptide neurotoxins modify gating and apparent single-channel conductance of veratridine-activated sodium channels in planar lipid bilayers, Corbett, A.M., Krueger, B.K. 110:199
—, single-channel recordings from the apical membrane of the toad urinary bladder epithelial cell, Frings, S., Purves, R.D., Macknight, A.D.C. 106:157
—, the interaction of homologous series of alkanols with sodium channels in nerve membrane vesicles, Rodríguez, N., Villegas, R., Requena, J. 104:139
Sodium cotransport
—, effects of membrane potential on Na cotransports in eel intestinal brush-border membrane vesicles: studies with a fluorescent dye, Cassano, G., Maffia, M., Vilella, S., Storelli, C. 101:225
Sodium-coupled transport
—, effect of taurine on the isolated retinal pigment epithelium of the frog: electrophysiologic evidence for stimulation of an apical, electrogenic Na^+–K^+ pump, Scharschmidt, B.F., Griff, E.R., Steinberg, R.H. 106:71
Sodium current
—, development of the fast sodium current in early embryonic chick heart cells, Fujii, S., Ayer, R.K., Jr., DeHaan, R.L. 101:209
—, effects of arachidonic acid and the other long-chain fatty acids on the membrane currents in the squid giant axon, Takenaka, T., Horie, H., Hori, H., Kawakami, T. 106:141
Sodium-dependent cotransport
—, stimulation of intestinal Na^+/D-glucose cotransport by monoclonal antibodies, Honold, K., Ludeke, B., Hengartner, H., Semenza, G. 105:165
Sodium-dependent transport
—, Na^+ and K^+ fluxes stimulated by Na^+-coupled glucose transport: evidence for a Ba^{2+}-insensitive K^+ efflux pathway in rabbit proximal tubules, Avison, M.J., Gullans, S.R., Ogino, T., Giebisch, G. 105:197
Sodium flux
—, anomalous influence of reduced internal ATP levels on sodium efflux in *Myxicola* giant axons, Sjodin, R.A., Ortiz, O.E., Montes, J.G. 108:61
—, volume-activated Na/H exchange activity in fetal and adult pig red cells: inhibition by cyclic AMP, Sergeant, S., Sohn, D.H., Kim, H.D. 109:209
—, volume-dependent regulation of ion transport and membrane phosphorylation in human and rat erythrocytes, Orlov, S.N., Pokudin, N.I., Kotelevtsev, Y.V., Gulak, P.V. 107:105
Sodium/glucose cotransport
—, characterization of a Na^+/glucose cotransporter cloned from rabbit small intestine, Ikeda, T.S., Hwang, E.-S., Coady, M.J., Hirayama, B.A., Hediger, M.A., Wright, E.M. 110:87
—, sodium D-glucose cotransport in the gill of marine mussels: studies with intact tissue and brush-border membrane vesicles, Pajor, A.M., Moon, D.A., Wright, S.H. 107:77
—, stimulation of intestinal Na^+/D-glucose cotransport by monoclonal antibodies, Honold, K., Ludeke, B., Hengartner, H., Semenza, G. 105:165
Sodium ion blockade
—, blockade of potassium channels in the plasmalemma of *Chara corallina* by tetraethylammonium, Ba^{2+}, Na^+ and Cs^+, Tester, M. 105:77
—, ion permeation and rectification in ATP-sensitive channels from insulin-secreting cells (RINm5F): effects of K^+, Na^+ and Mg^{2+}, Ciani, S., Ribalet, B. 103:171
Sodium ion channels
—, amiloride and its analogs as tools in the study of ion transport, Kleyman, T.R., Cragoe, E.J., Jr. 105:1
—, block of single cardiac Na^+ channels by antiarrhythmic drugs: the effect of amiodarone, propafenone and diprafenone, Kohlhardt, M., Fichtner, H. 102:105
—, characterization of a partially degraded Na^+ channel from urinary tract epithelium, Zweifach, A., Lewis, S.A. 101:49
—, predominance of poorly reopening single Na^+ channels and lack of slow Na^+ inactivation in neonatal cardiocytes, Kohlhardt, M., Fichtner, H., Frobe, U. 103:283
—, voltage-dependent channels permeable to K^+ and Na^+ in the membrane of *Acer pseudoplatanus* vacuoles, Colombo, R., Cerana, R., Lado, P., Peres, A. 103:227
Sodium ion current
—, predominance of poorly reopening single Na^+ channels and lack of slow Na^+ inactivation in neonatal cardiocytes, Kohlhardt, M., Fichtner, H., Frobe, U. 103:283
Sodium ion flux
—, effects of pH, potential, chloride and furosemide on passive Na^+ and K^+ effluxes from human red blood cells, Zade-Oppen, A.M., Adragna, N.C., Tosteson, D.C. 103:217
—, Na^+ and K^+ fluxes stimulated by Na^+-coupled glucose transport: evidence for a Ba^{2+}-insensitive K^+ efflux pathway

in rabbit proximal tubules, Avison, M.J., Gullans, S.R., Ogino, T., Giebisch, G. 105:197
Sodium ion transport
—, Ca^{2+} dependency of Na^+ transport by rabbit renal brush border membrane, Morduchowicz, G.A., Yanagawa, N. 109:105
—, characterization of Na^+ transport in normal human fibroblasts and neoplastic H.Ep.2 cells and the role of inhibitin, Spurlock, G., Morgan, K., Mir, M.A. 106:219
—, kinetics and stoichiometry of the human red cell Na^+/H^+ exchanger, Semplicini, A., Spalvins, A., Canessa, M. 107:219
—, loss of epithelial polarity: a novel hypothesis for reduced proximal tubule Na^+ transport following ischemic injury, Molitoris, B.A., Chan, L.K., Shapiro, J.I., Conger, J.D., Falk, S.A. 107:119
—, ouabain-induced cell swelling in rabbit cortical collecting tubule: NaCl transport by principal cells, Strange, K. 107:249
—, transport of potassium in *Chara australis*: I. a symport with sodium, Smith, F.A., Walker, N.A. 108:125
Sodium ions
—, apical Na^+ permeability of frog skin during serosal Cl^- replacement, Leibowich, S., DeLong, J., Civan, M.M. 102:121
—, ATP-sensitive potassium channels in adult mouse skeletal muscle: characterization of the ATP-binding site, Weik, R., Neumcke, B. 110:217
—, conformational transitions and charge translocation by the Na,K pump: comparison of optical and electrical transients elicited by ATP-concentration jumps, Stürmer, W., Apell, A.-J., Wuddel, I., Läuger, P. 110:67
—, current-voltage relationships of a sodium-sensitive potassium channel in the tonoplast of *Chara corallina*, Bertl, A. 109:9
—, Na^+ (Li^+)/branched-chain amino acid cotransport in *Pseudomonas aeruginosa*, Uratani, Y., Tsuchiya, T., Akamatsu, Y., Hoshino, T. 107:57
—, silver ion (Ag^+)-induced increases in cell membrane K^+ and Na^+ permeability in the renal proximal tubule: reversal by thiol reagents, Kone, B.C., Kaleta, M., Gullans, S.R. 102:11
—, taurine transport by rabbit kidney brush-border membranes: coupling to sodium, chloride, and the membrane potential, Wolff, N.A., Kinne, R. 102:131
—, uptake of lysine and proline *via* separate α-neutral amino acid transport pathways in *Mytilus* gill brush border membranes, Pajor, A.M., Wright, S.H. 107:237
—, veratridine induces a Ca^{2+} influx, cyclic GMP formation, and backward swimming in *Paramecium tetraurelia* wild-type cells and Ca^{2+} current-deficient pawn mutant cells, Schultz, J.E., Schade, U. 109:251
Sodium pump
—, anomalous influence of reduced internal ATP levels on sodium efflux in *Myxicola* giant axons, Sjodin, R.A., Ortiz, O.E., Montes, J.G. 108:61
—, role of the sodium pump and the background K^+ channel in passive $K^+(Rb^+)$ uptake by isolated cardiac sarcolemmal vesicles, Otero, A.S., Szabo, G. 104:253
Sodium transport
—, coupled Na^+/H^+ exchange in rat parotid basolateral membrane vesicles, Manganel, M., Turner, R.J. 102:247
—, differential effects of aldosterone and ADH on intracellular electrolytes in the toad urinary bladder epithelium, Rick, R., Spancken, G., Dörge, A. 101:275
—, solubilization and reconstitution of renal brush border Na^+–H^+ exchanger, Weinman, E.J., Shenolikar, S., Cragoe, E.J., Jr., Dubinsky, W.P. 101:1
—, voltage dependence of cellular current and conductances in frog skin, Nagel, W., Garcia-Díaz, J.F., Essig, A. 106:13
Sodium uptake
—, effect of limited trypsin digestion on the renal Na^+–H^+ exchanger and its regulation by cAMP-dependent protein kinase, Weinman, E.J., Dubinsky, W.P., Dinh, Q., Steplock, D., Shenolikar, S. 109:233
Solubilization
—, solubilization and reconstitution of renal brush border Na^+–H^+ exchanger, Weinman, E.J., Shenolikar, S., Cragoe, E.J., Jr., Dubinsky, W.P. 101:1
Solute accumulation
—, product inhibition during ion : solute cotransport is an alternative to leaks as a cause of low accumulations, Wright, J.K. 109:1
Spectrin equilibrium
—, a flow EPR study of deformation and orientation characteristics of erythrocyte ghosts: a possible effect of an altered state of cytoskeletal network, Ito, T., Kon, H. 101:57
Spin label
—, a flow EPR study of deformation and orientation characteristics of erythrocyte ghosts: effects of lysing and resealing conditions, Fukushima, Y., Kon, H. 104:265
Spin probe
—, amine and carboxylate spin probe permeability in red cells, Todd, A.P., Mehlhorn, R.J., Macey, R.I. 109:41
—, amine spin probe permeability in sonicated liposomes, Todd, A.P., Mehlhorn, R.J., Macey, R.I. 109:53
Squalene
—, interactions of liposomes with planar bilayer membranes, Perin, M.S., MacDonald, R.C. 109:221
Squid giant axons
—, effects of arachidonic acid and the other long-chain fatty acids on the membrane currents in the squid giant axon, Takenaka, T., Horie, H., Hori, H., Kawakami, T. 106:141
Staphylococcus aureus
—, identification and functional reconstitution of phosphate: sugar phosphate antiport of *Staphylococcus aureus*, Sonna, L.A., Maloney, P.C. 101:267
Steroids
—, evidence for the presence of specific binding sites for corticoids in mouse liver plasma membranes, Trueba, M., Vallejo, A.I., Rodriguez, I., Ibarrola, I., Sancho, M.J., Marino, A., Macarulla, J.M. 108:115
Stilbene inhibitor
—, relation between the anion exchange protein in kidney medullary collecting duct cells and red cell band 3, Janoshazi, A., Ojcius, D.M., Kone, B., Seifter, J.L., Solomon, A.K. 103:181
Stimulus-secretion coupling
—, stimulation-associated redistribution of Na,K-ATPase in rat lacrimal gland, Yiu, S.C., Lambert, R.W., Bradley, M.E., Ingham, C.E., Hales, K.L., Wood, R.L., Mircheff, A.K. 102:185
Stoichiometry
—, kinetics and stoichiometry of the human red cell Na^+/H^+ exchanger, Semplicini, A., Spalvins, A., Canessa, M. 107:219
Stomatal guard cells
—, potassium-dependent, bipolar gating of K^+ channels in guard cells, Blatt, M.R. 102:235

Streptavidin
—, integral and peripheral protein composition of the apical and basolateral membrane domains in MDCK cells, Sargiacomo, M., Lisanti, M., Graeve, L., Le Bivic, A., Rodriguez-Boulan, E. 107:277
Stress responses
—, proline porters effect the utilization of proline as nutrient or osmoprotectant for bacteria, Wood, J.M. 106:183
Stretch-activated channels
—, a nonselective cation channel activated by membrane deformation in oocytes of the ascidian *Boltenia villosa*, Moody, W.J., Bosma, M.M. 107:179
Stretch activation
—, ion channels activated by osmotic and mechanical stress in membranes of opussum kidney cells, Ubl, J., Murer, H., Kolb, H.-A. 104:223
Substrate specificity
—, characterization of a Na^+/glucose cotransporter cloned from rabbit small intestine, Ikeda, T.S., Hwang, E.-S., Coady, M.J., Hirayama, B.A., Hediger, M.A., Wright, E.M. 110:87
—, role of substrate binding forces in exchange-only transport system: I. transition-state theory, Krupka, R.M. 109:151
—, role of substrate binding forces in exchange-only transport systems: II. implications for the mechanism of the anion exchanger of red cells, Krupka, R.M. 109:159
—, solubilization and reconstitution of the *Rickettsia prowazewkii* ATP/ADP translocase, Plano, G.V., Winkler, H.H. 110:227
Substrates
—, examination of the substrate stoichiometry of the intestinal Na^+/phosphate cotransporter, Peerce, B.E.. 110:189
—, role of substrate binding forces in exchange-only transport system: I. transition-state theory, Krupka, R.M. 109:151
Sugar accumulation
—, water transport parameters and regulatory processes in *Eremosphaera viridis*, Frey, N., Büchner, K.-H., Zimmermann, U. 101:151
Sugar phosphate antiport
—, identification and functional reconstitution of phosphate: sugar phosphate antiport of *Staphylococcus aureus*, Sonna, L.A., Maloney, P.C. 101:267
Sugar transport
—, inhibition of hexose transport in the human erythrocyte by 5,5′-dithiobis(2-nitrobenzoic acid): role of an exofacial carrier sulfhydryl group, May, J.M. 108:227
Sulfhydryl groups
—, ATP-sensitive potassium channels in adult mouse skeletal muscle: characterization of the ATP-binding site, Weik, R., Neumcke, B. 110:217
—, effect of mercurial compounds on net water transport and intramembrane particle aggregates in ADH-treated frog urinary bladder, Ibarra, C., Ripoche, P., Bourguet, J. 110:115
—, inhibition of hexose transport in the human erythrocyte by 5,5′-dithiobis(2-nitrobenzoic acid): role of an exofacial carrier sulfhydryl group, May, J.M. 108:227
—, silver ion (Ag^+)-induced increases in cell membrane K^+ and Na^+ permeability in the renal proximal tubule: reversal by thiol reagents, Kone, B.C., Kaleta, M., Gullans, S.R. 102:11
—, silver ions induce a rapid Ca^{2+} release from isolated intact bovine rod outer segments by a cooperative mechanism, Schnetkamp, P.P.M., Szerencsei, R.T. 108:91
—, the choline carrier of erythrocytes: location of the NEM-reactive thiol group in the inner gated channel, Krupka, R.M., Devés, R. 101:43
—, thiol-dependent K : Cl transport in sheep red cells: VIII. activation through metabolically and chemically reversible oxidation by diamide, Lauf, P.K. 101:179
—, water exchange through erythrocyte membranes: biochemical and nuclear magnetic resonance studies re-evaluating the effects of sulfhydryl reagents and of proteolytic enzymes on human membranes, Benga, G., Popescu, O., Borza, V., Pop, V.I., Hodârnău, A. 108:105
Sulfo-NHS-biotin
—, integral and peripheral protein composition of the apical and basolateral membrane domains in MDCK cells, Sargiacomo, M., Lisanti, M., Graeve, L., Le Bivic, A., Rodriguez-Boulan, E. 107:277
Surface cells
—, rabbit distal colon epithelium: I. isolation and characterization of basolateral plasma membrane vesicles from surface and crypt cells, Wiener, H., Turnheim, K., van Os, C.H. 110:147
—, rabbit distal colon epithelium: II. characterization of (Na^+,K^+,Cl^-) cotransport and [^{3}H]-bumetanide binding, Wiener, H., van Os, C.H. 110:163
Surface charge
—, activation of Ca^{2+} release in isolated sarcoplasmic reticulum, Shoshan-Barmatz, V. 103:67
—, surface charge near the cardiac inward-rectifier channel measured from single-channel conductance, Kell, M.J., DeFelice, L.J. 102:1
Surface membrane polarity
—, characterization of ischemia-induced loss of epithelial polarity, Molitoris, B.A., Hoilien, C.A., Dahl, R., Ahnen, D.J., Wilson, P.D., Kim, J. 106:233
Swainsonine
—, role of the Na,K-ATPase β-subunit in the cellular accumulation and maturation of the enzyme as assessed by glycosylation inhibitors, Zamofing, D., Rossier, B.C., Geering, K. 104:69
Taget sizing
—, evidence for high molecular weight Na-Ca exchange in cardiac sarcolemmal vesicles, Hale, C.C., Kleiboeker, S.B., Carlton, C.G., Rovetto, M.J., Jung, C., Kim, H.D. 106:211
Taste
—, distribution of ion channels on taste cells and its relationship to chemosensory transduction, Roper, S.D., McBride, D.W., Jr. 109:29
Taste receptor cells
—, amiloride-blockable sodium currents in isolated taste receptor cells, Avenet, P., Lindemann, B. 105:245
Taurine
—, effect of taurine on the isolated retinal pigment epithelium of the frog: electrophysiologic evidence for stimulation of an apical, electrogenic Na^+–K^+ pump, Scharschmidt, B.F., Griff, E.R., Steinberg, R.H. 106:71
Taurine transport
—, taurine transport by rabbit kidney brush-border membranes: coupling to sodium, chloride, and the membrane potential, Wolff, N.A., Kinne, R. 102:131
Taurocholate
—, identification and comparison of bile acid-binding polypeptides in ileal basolateral membrane, Lin, M.C., Weinberg, S.L., Kramer, W., Burckhardt, G., Wilson, F.A. 106:1
Temperature dependence
—, involvement of photosynthesis in the action of temperature

on plasmalemma transport in *Nitella*, Stein, S., Hansen, U.-P. 103:149
—, proton channel of the chloroplast ATP synthase, CF_o: its time-averaged single-channel conductance as function of pH, temperature, isotopic and ionic medium composition, Althoff, G., Lill, H., Junge, W. 108:263
—, thermal instability of red blood cell membrane bilayers: temperature dependence of hemolysis, Gershfeld, N.L., Murayama, M. 101:67
Terminal cisternae
—, feet, bridges, and pillars in triad junctions of mammalian skeletal muscle: their possible relationship to calcium buffers in terminal cisternae and T-tubules and to excitation–contraction coupling, Dulhunty, A.F. 109:73
Tetracaine
—, pharmacology of K^+ channels in the plasmalemma of the green alga *Chara corallina*, Tester, M. 103:159
Tetrachlorosalicylic anilide
—, steady-state and transient membrane potentials in human red cells determined by protonophore-mediated pH changes, Bennekou, P. 106:41
Tetraethylammonium
—, blockade of potassium channels in the plasmalemma of *Chara corallina* by tetraethylammonium, Ba^{2+}, Na^+ and Cs^+, Tester, M. 105:77
—, Ca^{2+} and cAMP activate K^+ channels in the basolateral membrane of crypt cells isolated from rabbit distal colon, Loo, D.D.F., Kaunitz, J.D. 110:19
—, Ca^{2+}-activated K^+ channels in the apical membrane of *Necturus* choroid plexus, Brown, P.D., Loo, D.D.F., Wright, E.M. 105:207
—, isomeric yohimbine alkaloids block calcium-activated K^+ channels in medullary thick ascending limb cells of rabbit kidney, Cornejo, M., Guggino, S.E., Sastre, A., Guggino, W.B. 107:25
—, patch-clamp studies in human macrophages: single-channel and whole-cell characterization of two K^+ conductances, Gallin, E.K., McKinney, L.C. 103:55
—, potassium-dependent, bipolar gating of K^+ channels in guard cells, Blatt, M.R. 102:235
—, role of Na^+/Ca^{2+} exchange and the plasma membrane Ca^{2+} pump in hormone-mediated Ca^{2+} efflux from pancreatic acini, Muallem, S., Beeker, T., Pandol, S.J. 102:153
—, voltage and time dependence of apical membrane conductance during current clamp in *Necturus* gallbladder epithelium, Stoddard, J.S., Reuss, L. 103:191
Tetraphenylarsonium
—, evidence implicating protein kinase C in exocytosis from electropermeabilized bovine chromaffin cells, Knight, D.E., Sugden, D., Baker, P.F. 104:21
—, modification of the erythrocyte membrane dielectric constant by alcohols, Orme, F.W., Moronne, M.M., Macey, R.I. 104:57
—, Na^+/H^+ exchange in Ehrlich ascites tumor cells: activation by cytoplasmic acidification and by treatment with cupric sulphate, Kramhøft, B., Lambert, I.H., Hoffmann, E.K. 102:35
—, phosphorylation of MP26, a lens junction protein, is enhanced by activators of protein kinase C, Lampe, P.D., Johnson, R.G. 107:145
—, proton conductance caused by long-chain fatty acids in phospholipid bilayer membranes, Gutknecht, J. 106:83
Tetraphenylboron
—, activation of Ca^{2+} release in isolated sarcoplasmic reticulum, Shoshan-Barmatz, V. 103:67
Tetraphenylphosphonium
—, measurements of electrical potential differences across yeast plasma membranes with microelectrodes are consistent with values from steady-state distribution of tetraphenylphosphonium in *Pichia humboldtii*, Lichtenberg, H.C., Giebeler, H., Höfer, M. 103:255
Tetrodotoxin
—, development of the fast sodium current in early embryonic chick heart cells, Fujii, S., Ayer, R.K., Jr., DeHaan, R.L. 101:209
Thermodynamic analysis
—, impermeant potential-sensitive oxonol dyes: II. the dependence of the absorption signal on the length of alkyl substituents attached to the dye, Nyirjesy, P., George, E.B., Gupta, R.K., Basson, M., Pratap, P.R., Freedman, J.C., Raman, K., Waggoner, A.S. 105:45
—, impermeant potential-sensitive oxonol dyes: III. the dependence of the absorption signal on membrane potential, George, E.B., Nyirjesy, P., Pratap, P.R., Freedman, J.C., Waggoner, A.S. 105:55
Thick ascending loop of Henle
—, characterization of chloride channels in membrane vesicles from the kidney outer medulla, Breuer, W. 107:35
—, isomeric yohimbine alkaloids block calcium-activated K^+ channels in medullary thick ascending limb cells of rabbit kidney, Cornejo, M., Guggino, S.E., Sastre, A., Guggino, W.B. 107:25
Thiocyanate
—, proton conductance caused by long-chain fatty acids in phospholipid bilayer membranes, Gutknecht, J. 106:83
—, validation of the use of the lipophilic thiocyanate anion for the determination of membrane potential in Ehrlich ascites tumor cells, Smith, T.C., Robinson, S.C. 107:169
Thiol
—, the choline carrier of erythrocytes: location of the NEM-reactive thiol group in the inner gated channel, Krupka, R.M., Devés, R. 101:43
—, thiol-dependent K:Cl transport in sheep red cells: VIII. activation through metabolically and chemically reversible oxidation by diamide, Lauf, P.K. 101:179
Thiol/disulfide exchange
—, cross-linking of cardiac gap junction connexons by thiol/disulfide exchanges, Dupont, E., El Aoumari, A., Briand, J.P., Fromaget, C., Gros, D. 108:247
Thymine
—, ATP-sensitive potassium channels in adult mouse skeletal muscle: characterization of the ATP-binding site, Weik, R., Neumcke, B. 110:217
Thymocytes
—, interaction of the β subunit of cholera toxin with endogenous ganglioside GM1 causes changes in membrane potential of rat thymocytes, Mulhern, S.A., Fishman, P.H., Spiegel, S. 109:21
Tight junctions
—, effect of K^+ channels in the apical plasma membrane on epithelial secretion based on secondary active Cl^- transport, Cook, D.I., Young, J.A. 110:139
—, establishment of tight junctions between cells from different animal species and different sealing capacities, Gonzalez-Mariscal, L., Chávez de Ramirez, B., Lázaro, A., Cereijido, M. 107:43
—, integral and peripheral protein composition of the apical and basolateral membrane domains in MDCK cells, Sargiacomo, M., Lisanti, M., Graeve, L., Le Bivic, A., Rodriguez-Boulan, E. 107:277

—, regeneration of resistance and ion transport in rabbit corneal epithelium after induced surface cell exfoliation, Wolosin, J.M. 104:45
—, tight junctions and apical/basolateral polarity, Cereijido, M., Ponce, A., González-Mariscal, L. 110:1
Tight seal patch electrodes
—, factors responsible for oscillations of membrane potential recorded with tight-seal-patch electrodes in mouse fibroblasts, Oiki, S., Okada, Y. 105:23
Time dependence
—, voltage and time dependence of apical membrane conductance during current clamp in *Necturus* gallbladder epithelium, Stoddard, J.S., Reuss, L. 103:191
Time-of-flight
—, flow cytometric analysis of intracellular pH in cultured opossum kidney (OK) cells, Montrose, M.H., Condrau, M.A., Murer, H. 108:31
Toad bladder
—, differential effects of aldosterone and ADH on intracellular electrolytes in the toad urinary bladder epithelium, Rick, R., Spancken, G., Dörge, A. 101:275
—, extracellular Ca^{2+} controls outward rectification by apical cation channels in toad urinary bladder: patch-clamp and whole-bladder studies, Das, S., Palmer, L.G. 107:157
—, role of the Na,K-ATPase β-subunit in the cellular accumulation and maturation of the enzyme as assessed by glycosylation inhibitors, Zamofing, D., Rossier, B.C., Geering, K. 104:69
—, single-channel recordings from the apical membrane of the toad urinary bladder epithelial cell, Frings, S., Purves, R.D., Macknight, A.D.C. 106:157
—, surface hydrophobicity and water transport of the toad urinary bladder: effects of vasopressin, Dial, E.J., Huang, J., O'Neil, R.G., Hills, B.A., Lichtenberger, L.M. 106:119
—, the role of membrane turnover in the water permeability response to antidiuretic hormone, Harris, H.W., Jr., Handler, J.S. 103:207
—, very low osmotic water permeability and membrane fluidity in isolated toad bladder granules, Verkman, A.S., Masur, S.K. 104:241
Tonoplast
—, current–voltage relationships of a sodium-sensitive potassium channel in the tonoplast of *Chara corallina*, Bertl, A. 109:9
—, studies on the tonoplast action potential of *Nitella flexilis*, Shimmen, T., Nishikawa, S. 101:133
Tonoplast-free cells
—, Ca^{2+}-dependent Cl^- efflux in tonoplast-free cells of *Nitellopsis obtusa*, Shiina, T., Tazawa, M. 106:135
—, possible involvement of protein phosphorylation/dephosphorylation in the modulation of Ca^{2+} channel in tonoplast-free cells of *Nitellopsis*, Shiina, T., Wayne, R., Lim Tung, H.Y., Tazawa, M. 102:255
Toxins
—, an emerging pharmacology of peptide toxins targeted against potassium channels, Moczydlowski, E., Lucchesi, K., Ravindran, A. 105:95
—, analysis of the blocking activity of charybdotoxin homologs and iodinated derivatives against Ca^{2+}-activated K^+ channels, Lucchesi, K., Ravindran, A., Young, H., Moczydlowski, E. 109:269
—, calcium channels: molecular pharmacology, structure and regulation, Hosey, M.M., Lazdunski, M. 104:81
—, interaction of the B subunit of cholera toxin with endogenous ganglioside GM1 causes changes in membrane potential of rat thymocytes, Mulhern, S.A., Fishman, P.H., Spiegel, S. 109:21
—, ion modulation of membrane permeability: effect of cations on intact cells and on cells and phospholipid bilayers treated with pore-forming agents, Bashford, C.L., Alder, G.M., Graham, J.M., Menestrina, G., Pasternak, C.A. 103:79
—, mechanism of inactivation of single sodium channels after modification by chloramine-T, sea anemone toxin and scorpion toxin, Nagy, K. 106:29
—, on the reported channel-forming activity of HmT toxin, Holden, M.J., Colombini, M. 103:205
—, polypeptide neurotoxins modify gating and apparent single-channel conductance of veratridine-activated sodium channels in planar lipid bilayers, Corbett, A.M., Krueger, B.K. 110:199
Tracheal epithelium
—, chloride transport in apical membrane vesicles from bovine tracheal epithelium: characterization using a fluorescent indicator, Fong, P., Illsley, N.P., Widdicombe, J.H., Verkman, A.S. 104:233
—, voltage-gated chloride currents in cultured canine tracheal epithelial cells, Schoppa, N., Shorofsky, S.R., Jow, F., Nelson, D.J. 108:73
Transcytosis
—, apico-basal osmotic gradient induces transcytosis in cultured renal collecting duct epithelium, Lauer, G., Minuth, W.W. 101:93
Transepithelial resistance
—, establishment of tight junctions between cells from different animal species and different sealing capacities, González-Mariscal, L., Chávez de Ramirez, B., Lázaro, A., Cereijido, M. 107:43
—, regeneration of resistance and ion transport in rabbit corneal epithelium after induced surface cell exfoliation, Wolosin, J.M. 104:45
Transferrin
—, assay and characteristics of the iron binding moiety of reticulocyte endocytic vesicles, Nunez, M.T., Pinto, I., Glass, J. 107:129
Transition state theory
—, role of substrate binding forces in exchange-only transport system: I. transition-state theory, Krupka, R.M. 109:151
—, role of substrate binding forces in exchange-only transport systems: II. implications for the mechanism of the anion exchanger of red cells, Krupka, R.M. 109:159
Transport kinetics
—, the "tunneling" mode of biological carrier-mediated transport, Fröhlich, O. 101:189
Transport mechanism
—, protonophore anion permeability of the human red cell membrane determined in the presence of valinomycin, Bennekou, P. 102:225
—, role of substrate binding forces in exchange-only transport system: I. transition-state theory, Krupka, R.M. 109:151
Transport regulation
—, water transport parameters and regulatory processes in *Eremosphaera viridis*, Frey, N., Büchner, K.-H., Zimmermann, U. 101:151
Transverse tubules
—, feet, bridges, and pillars in triad junctions of mammalian skeletal muscle: their possible relationship to calcium buffers in terminal cisternae and T-tubules and to excitation–contraction coupling, Dulhunty, A.F. 109:73

Triad junctions
—, feet, bridges, and pillars in triad junctions of mammalian skeletal muscle: their possible relationship to calcium buffers in terminal cisternae and T-tubules and to excitation–contraction coupling, Dulhunty, A.F. 109:73
Trisphosphate
—, characterization of inositol 1,4,5-trisphosphate-sensitive (IsCaP) and -insensitive (IisCaP) nonmitochondrial Ca^{2+} pools in rat pancreatic acinar cells, Thévenod, F., Dehlinger-Kremer, M., Kemmer, T.P., Christian, A.-L., Potter, B.V.L., Schulz, I. 109:173
Trisphosphorothioate
—, characterization of inositol 1,4,5-trisphosphate-sensitive (IsCaP) and -insensitive (IisCaP) nonmitochondrial Ca^{2+} pools in rat pancreatic acinar cells, Thévenod, F., Dehlinger-Kremer, M., Kemmer, T.P., Christian, A.-L., Potter, B.V.L., Schulz, I. 109:173
Triton X-114
—, integral and peripheral protein composition of the apical and basolateral membrane domains in MDCK cells, Sargiacomo, M., Lisanti, M., Graeve, L., Le Bivic, A., Rodriguez-Boulan, E. 107:277
Trout gills
—, cadmium inhibits plasma membrane calcium transport, Verbost, P.M., Flik, G., Lock, R.A.C., Bonga, S.E.W. 102:97
Trout intestine
—, is there a Cl^-–OH^- exchange (Cl^-–H^+ cotransport) mechanism in the brush-border membrane of the intestine of the fresh water trout (*Salmo gairdneri*, R.)?, Aguenaou, H., Hubsch, A., Colin, D.A. 108:13
Trypsin
—, effect of limited trypsin digestion on the renal Na^+–H^+ exchanger and its regulation by cAMP-dependent protein kinase, Weinman, E.J., Dubinsky, W.P., Dinh, Q., Steplock, D., Shenolikar, S. 109:233
—, role of the Na,K-ATPase β-subunit in the cellular accumulation and maturation of the enzyme as assessed by glycosylation inhibitors, Zamofing, D., Rossier, B.C., Geering, K. 104:69
Tumors
—, correlation between the synergistic effect of liposomes and endotoxins on the activation of macrophage tumoricidal activity and the effect of liposomes on the rough endoplasmic reticulum of macrophages, Jeannin, J.F., Klein, R., Reisser, D., Lagadec, P., Vincent, M., Tatischeff, I. 104:107
Tunicamycin
—, role of the Na,K-ATPase β-subunit in the cellular accumulation and maturation of the enzyme as assessed by glycosylation inhibitors, Zamofing, D., Rossier, B.C., Geering, K. 104:69
Turgor pressure
—, water relations of individual leaf cells of *Mesembryanthemum crystallinum* plants grown at low and high salinity, Rygol, J., Zimmermann, U., Balling, A. 107:203
—, water transport parameters and regulatory processes in *Eremosphaera viridis*, Frey, N., Büchner, K.-H., Zimmermann, U. 101:151
Turnover
—, ion concentration-dependent regulation of Na,K-pump abundance, Pressley, T.A. 105:187
Turtle bladder
—, constitutive and transport-related endocytotic pathways in turtle bladder epithelium, Dixon, T.E., Clausen, C., Coachman, D. 102:49
Ubiquinone
—, role of mobility of redox components in the inner mitochondrial membrane, Lenaz, G. 104:193
Unilamellar state
—, thermal instability of red blood cell membrane bilayers: temperature dependence of hemolysis, Gershfeld, N.L., Murayama, M. 101:67
Unstirred layers
—, amine and carboxylate spin probe permeability in red cells, Todd, A.P., Mehlhorn, R.J., Macey, R.I. 109:41
—, amine spin probe permeability in sonicated liposomes, Todd, A.P., Mehlhorn, R.J., Macey, R.I. 109:53
—, osmotic gradient dependence of osmotic water permeability in rabbit proximal convoluted tubule, Berry, C.A., Verkman, A.S. 105:33
Vacuoles
—, gating behaviors of a voltage-dependent and Ca^{2+}-activated cation channel of yeast vacuolar membrane incorporated into planar lipid bilayer, Tanifuji, M., Sato, M., Wada, Y., Anraku, Y., Kasai, M. 106:47
Valine
—, Na^+ (Li^+)/branched-chain amino acid cotransport in *Pseudomonas aeruginosa*, Uratani, Y., Tsuchiya, T., Akamatsu, Y., Hoshino, T. 107:57
Valinomycin
—, charybdotoxin blocks with high affinity the Ca-activated K^+ channel of Hb A and Hb S red cells: individual differences in the number of channels, Wolff, D., Cecchi, X., Spalvins, A., Canessa, M. 106:243
—, is there a Cl^-–OH^- exchange (Cl^-–H^+ cotransport) mechanism in the brush-border membrane of the intestine of the fresh water trout (*Salmo gairdneri*, R.)?, Aguenaou, H., Hubsch, A., Colin, D.A. 108:13
—, protonophore anion permeability of the human red cell membrane determined in the presence of valinomycin, Bennekou, P. 102:225
Vanadate
—, characterization of inositol 1,4,5-trisphosphate-sensitive (IsCaP) and -insensitive (IisCaP) nonmitochondrial Ca^{2+} pools in rat pancreatic acinar cells, Thévenod, F., Dehlinger-Kremer, M., Kemmer, T.P., Christian, A.-L., Potter, B.V.L., Schulz, I. 109:173
Vasopressin
—, pre-steady-state analysis of the turn-on and turn-off of water permeability in the kidney collecting tubule, Kuwahara, M., Verkman, A.S. 110:57
—, single-channel recordings from the apical membrane of the toad urinary bladder epithelial cell, Frings, S., Purves, R.D., Macknight, A.D.C. 106:157
—, surface hydrophobicity and water transport of the toad urinary bladder: effects of vasopressin, Dial, E.J., Huang, J., O'Neil, R.G., Hills, B.A., Lichtenberger, L.M. 106:119
—, very low osmotic water permeability and membrane fluidity in isolated toad bladder granules, Verkman, A.S., Masur, S.K. 104:241
Veratridine
—, calcium channel activation and inactivation in *Paramecium* biochemically measured by cyclic GMP production, Schultz, J., Schade, U. 109:259
—, polypeptide neurotoxins modify gating and apparent single-channel conductance of veratridine-activated sodium channels in planar lipid bilayers, Corbett, A.M., Krueger, B.K. 110:199
—, the interaction of homologous series of alkanols with so-

dium channels in nerve membrane vesicles, Rodríguez. N., Villegas, R., Requena, J. 104:139
—, veratridine induces a Ca^{2+} influx, cyclic GMP formation, and backward swimming in *Paramecium tetraurelia* wild-type cells and Ca^{2+} current-deficient pawn mutant cells, Schultz, J.E., Schade, U. 109:251
Vesicles
—, is there a Cl^-–OH^- exchange (Cl^-–H^+ cotransport) mechanism in the brush-border membrane of the intestine of the fresh water trout (*Salmo gairdneri*, R.)?, Aguenaou, H., Hubsch, A., Colin, D.A. 108:13
—, the interaction of homologous series of alkanols with sodium channels in nerve membrane vesicles, Rodríguez, N., Villegas, R., Requena, J. 104:139
—, transport-specific isolation of large channels reconstituted into lipid vesicles, Harris, A.L., Walter, A., Zimmerberg, J. 109:243
Vicia faba
—, quantitative analysis of outward rectifying K^+ channel currents in guard cell protoplasts from *Vicia faba*, Schroeder, J.I. 107:229
Vitelline envelope
—, isolation of plasma membrane complexes from *Xenopus* oocytes, Wall, D.A., Patel, S. 107:189
Voltage-activated channels
—, voltage-activated ionic channels and conductances in embryonic chick osteoblast cultures, Ypey, D.L., Ravesloot, J.H., Buisman, H.P., Nijweide, P.J. 101:141
Voltage clamp
—, fused cells of frog proximal tubule: II. voltage-dependent intracellular pH, Wang, W., Wang, Y., Silbernagl, S., Oberleithner, H. 101:259
Voltage dependence
—, amiloride-blockable sodium currents in isolated taste receptor cells, Avenet, P., Lindemann, B. 105:245
—, Ca^{2+}-activated K^+ conductance of human red cell membranes exhibits two different types of voltage dependence, Stampe, P., Vestergaard-Bogind, B. 101:165
—, electrogenic properties of the Na,K pump, Apell, H.-J. 110:103
—, fused cells of frog proximal tubule: II. voltage-dependent intracellular pH, Wang, W., Wang, Y., Silbernagl, S., Oberleithner, H. 101:259
—, gating properties of channels formed by colicin Ia in planar lipid bilayer membranes, Nogueira, R.A., Varanda, W.A. 105:143
—, ion permeation in a K^+ channel in *Chara australis*: direct evidence for diffusion limitation of ion flow in a maxi-K channel, Laver, D.R., Fairley, K.A., Walker, N.A. 108:153
—, patch-clamp studies in human macrophages: single-channel and whole-cell characterization of two K^+ conductances, Gallin, E.K., McKinney, L.C. 103:55
—, potassium channels in the plasmalemma of *Chara corallina* are multi-ion pores: voltage-dependent blockade by Cs^+ and anomalous permeabilities, Tester, M. 105:87
—, potassium-dependent, bipolar gating of K^+ channels in guard cells, Blatt, M.R. 102:235
—, quantitative analysis of outward rectifying K^+ channel currents in guard cell protoplasts from *Vicia faba*, Schroeder, J.I. 107:229
—, single chloride-selective channel from cardiac sarcoplasmic reticulum studied in planar lipid bilayers, Rousseau, E. 110:39
—, voltage- and time dependence of apical membrane conductance during current clamp in *Necturus* gallbladder epithelium, Stoddard, J.S., Reuss, L. 103:191
—, voltage dependence of cellular current and conductances in frog skin, Nagel, W., Garcia-Díaz, J.F., Essig, A. 106:13
—, voltage dependence of Na/K pump current in *Xenopus* oocytes, Rakowski, R.F., Paxson, C.L. 106:173
—, voltage dependence of the basolateral membrane conductance in the *Amphiuma* collecting tubule, Horisberger, J.-D., Giebisch, G. 105:257
Voltage-dependent channels
—, calcium channel activation and inactivation in *Paramecium* biochemically measured by cyclic GMP production, Schultz, J., Schade, U. 109:259
—, gating behaviors of a voltage-dependent and Ca^{2+}-activated cation channel of yeast vacuolar membrane incorporated into planar lipid bilayer, Tanifuji, M., Sato, M., Wada, Y., Anraku, Y., Kasai, M. 106:47
—, transport-specific isolation of large channels reconstituted into lipid vesicles, Harris, A.L., Walter, A., Zimmerberg, J. 109:243
—, voltage-dependent channels permeable to K^+ and Na^+ in the membrane of *Acer pseudoplatanus* vacuoles, Colombo, R., Cerana, R., Lado, P., Peres, A. 103:227
Voltage gating
—, Ca^{2+}-activated K^+ channels from cultured renal medullary thick ascending limb cells: effects of pH, Cornejo, M., Guggino, S.E., Guggino, W.B. 110:49
—, characterization of a delayed rectifier K^+ channel in NG108-15 neuroblastoma *X* glioma cells: gating kinetics and the effects of enrichment of membrane phospholipids with arachidonic acid, McGee, R., Jr., Sansom, M.S.P., Usherwood, P.N.R. 102:21
—, distribution of ion channels on taste cells and its relationship to chemosensory transduction, Roper, S.D., McBride, D.W., Jr. 109:29
—, gating behaviors of a voltage-dependent and Ca^{2+}-activated cation channel of yeast vacuolar membrane incorporated into planar lipid bilayer, Tanifuji, M., Sato, M., Wada, Y., Anraku, Y., Kasai, M. 106:47
—, polypeptide neurotoxins modify gating and apparent single-channel conductance of veratridine-activated sodium channels in planar lipid bilayers, Corbett, A.M., Krueger, B.K. 110:199
Voltage-sensitive dyes
—, species specificity in the extrinsic absorption changes exhibited by some invertebrates stained with voltage-sensitive dyes, Yagodin, S., Pushkarev, Y.P., Slutsky, V.M. 109:201
Volume regulation
—, Na^+/H^+ exchange in Ehrlich ascites tumor cells: activation by cytoplasmic acidification and by treatment with cupric sulphate, Kramhøft, B., Lambert, I.H., Hoffmann, E.K. 102:35
Water channels
—, diffusive water permeability in isolated kidney proximal tubular cells: nature of the cellular water pathways, Carpi-Medina, P., León, V., Espidel, J., Whittembury, G. 104:35
Water exchange
—, water exchange through erythrocyte membranes: biochemical and nuclear magnetic resonance studies re-evaluating the effects of sulfhydryl reagents and of proteolytic enzymes on human membranes, Benga, G., Popescu, O., Borza, V., Pop, V.I., Hodârnău, A. 108:105
Water permeability
—, apical membrane endocytosis via coated pits is stimulated by removal of antidiuretic hormone from isolated, perfused rabbit cortical collecting tubule, Strange, K., Willingham, M.C., Handler, J.S., Harris, H.W., Jr. 103:17

—, diffusive water permeability in isolated kidney proximal tubular cells: nature of the cellular water pathways, Carpi-Medina, P., León, V., Espidel, J., Whittembury, G. 104:35
—, pre-steady-state analysis of the turn-on and turn-off of water permeability in the kidney collecting tubule, Kuwahara, M., Verkman, A.S. 110:57
—, proton flux mechanisms in model and biological membranes, Deamer, D.W., Nichols, J.W. 107:91
—, the role of membrane turnover in the water permeability response to antidiuretic hormone, Harris, H.W., Jr., Handler, J.S. 103:207
—, water exchange through erythrocyte membranes: biochemical and nuclear magnetic resonance studies re-evaluating the effects of sulfhydryl reagents and of proteolytic enzymes on human membranes, Benga, G., Popescu, O., Borza, V., Pop, V.I., Hodârnău, A. 108:105
Water reabsorption
—, loss of epithelial polarity: a novel hypothesis for reduced proximal tubule Na^+ transport following ischemic injury, Molitoris, B.A., Chan, L.K., Shapiro, J.I., Conger, J.D., Falk, S.A. 107:119
Water relations
—, water relations of individual leaf cells of *Mesembryanthemum crystallinum* plants grown at low and high salinity, Rygol, J., Zimmermann, U., Balling, A. 107:203
Water transport
—, effect of mercurial compounds on net water transport and intramembrane particle aggregates in ADH-treated frog urinary bladder, Ibarra, C., Ripoche, P., Bourguet, J. 110:115
—, pre-steady-state analysis of the turn-on and turn-off of water permeability in the kidney collecting tubule, Kuwahara, M., Verkman, A.S. 110:57
—, surface hydrophobicity and water transport of the toad urinary bladder: effects of vasopressin, Dial, E.J., Huang, J., O'Neil, R.G., Hills, B.A., Lichtenberger, L.M. 106:119
—, water transport parameters and regulatory processes in *Eremosphaera viridis*, Frey, N., Büchner, K.-H., Zimmermann, U. 101:151
Weak acids
—, analysis of ion channels by modeling the osmotic effects of weak acids and bases, Hempling, H.G. 110:127
Weak bases
—, analysis of ion channels by modeling the osmotic effects of weak acids and bases, Hempling, H.G. 110:127
Whole cell current
—, inwardly rectifying whole-cell and single-channel K currents in the murine macrophage cell line J774.1, McKinney, L.C., Gallin, E.K. 103:41
—, patch-clamp studies in human macrophages: single-channel and whole-cell characterization of two K^+ conductances, Gallin, E.K., McKinney, L.C. 103:55
Whole cell recording
—, amiloride-blockable sodium currents in isolated taste receptor cells, Avenet, P., Lindemann, B. 105:245
—, Ca^{2+}-activated K^+ currents in *Necturus* choroid plexus, Loo, D.D.F., Brown, P.D., Wright, E.M. 105:221
—, factors responsible for oscillations of membrane potential recorded with tight-seal-patch electrodes in mouse fibroblasts, Oiki, S., Okada, Y. 105:23
—, inositol 1,2,3,5-tetrakisphosphate is essential for sustained activation of the Ca^{2+}-dependent K^+ current in single internally perfused mouse lacrimal acinar cells, Changya, L., Gallacher, D.V., Irvine, R.F., Potter, B.V.L., Petersen, O.H. 109:85
—, odorant response of isolated olfactory receptor cells is blocked by amiloride, Frings, S., Lindemann, B. 105:233
—, voltage-gated chloride currents in cultured canine tracheal epithelial cells, Schoppa, N., Shorofsky, S.R., Jow, F., Nelson, D.J. 108:73
—, voltage-independent barium-permeable channel activated in *Lymnaea* neurons by internal perfusion or patch excision, Yazejian, B., Byerly, L. 107:63
X-ray microanalysis
—, anion transport during maturation of erythroblastic cells, Kirk, R.G., Lee, P. 101:173
—, differential effects of aldosterone and ADH on intracellular electrolytes in the toad urinary bladder epithelium, Rick, R., Spancken, G., Dörge, A. 101:275
—, electron probe X-ray microanalysis of cellular ions in the eccrine secretory coil cells during methacholine stimulation, Saga, K., Sato, K. 107:13
Xenopus
—, isolation of plasma membrane complexes from *Xenopus* oocytes, Wall, D.A., Patel, S. 107:189
Xenopus laevis
—, characterization of a Na^+/glucose cotransporter cloned from rabbit small intestine, Ikeda, T.S., Hwang, E.-S., Coady, M.J., Hirayama, B.A., Hediger, M.A., Wright, E.M. 110:87
—, voltage dependence of Na/K pump current in *Xenopus* oocytes, Rakowski, R.F., Paxson, C.L. 106:173
Yeast
—, gating behaviors of a voltage-dependent and Ca^{2+}-activated cation channel of yeast vacuolar membrane incorporated into planar lipid bilayer, Tanifuji, M., Sato, M., Wada, Y., Anraku, Y., Kasai, M. 106:47
Yeast electrophysiology
—, measurements of electrical potential differences across yeast plasma membranes with microelectrodes are consistent with values from steady-state distribution of tetraphenylphosphonium in *Pichia humboldtii*, Lichtenberg, H.C., Giebeler, H., Höfer, M. 103:255
Yohimbine alkaloids
—, isomeric yohimbine alkaloids block calcium-activated K^+ channels in medullary thick ascending limb cells of rabbit kidney, Cornejo, M., Guggino, S.E., Sastre, A., Guggino, W.B. 107:25


1.0
1.1
1.25
1.4
1.6
2.8
3.2
3.6
4.0
2.5
2.2
2.0
1.8